JOURNAL OF CHROMATOGRAPHY

Cumulative Author and Subject Indexes

Volumes 101–110

JOURNAL *of* CHROMATOGRAPHY

INTERNATIONAL JOURNAL ON CHROMATOGRAPHY, ELECTROPHORESIS AND RELATED METHODS

Cumulative Author and Subject Indexes Volumes 101-110

EDITOR

MICHAEL LEDERER (Rome)

ASSOCIATE EDITOR

K. MACEK (Prague)

EDITORIAL BOARD

W. A. Aue (Halifax), V. G. Berezkin (Moscow), A. Bevenue (Honolulu, Hawaii), P. Boulanger (Lille), C. P. Cartoni (Rome), K. V. Chmutov (Moscow), G. Duyckaerts (Liège), L. Fishbein (Jefferson, Ark.), A. Frigerio (Milan), C. W. Gehrke (Columbia, Mo.), E. Gil-Av (Rehovot), I. M. Hais (Hradec Králové), N. G. L. Harding (Cambridge), E. Heftmann (Berkeley, Calif.), S. Hjertén (Uppsala), E. C. Horning (Houston, Texas), J. F. K. Huber (Vienna), A. T. James (Sharnbrook, Beds.), J. Janák (Brno), A. I. M. Keulemans (Eindhoven), K. A. Kraus (Oak Ridge, Tenn.), E. Lederer (Gif-sur-Yvette, S. et O.), A. Liberti (Rome), H. M. McNair (Neuchâtel), Y. Marcus (Jerusalem), G. B. Marini-Bettòlo (Rome), R. Neher (Basel), G. Nickless (Bristol), J. Novák (Brno), O. Samuelson (Göteborg), G.-M. Schwab (Munich), G. Semenza (Zürich), L. R. Snyder (Tarrytown, N.Y.), A. Zlatkis (Houston, Texas)

EDITORS, BIBLIOGRAPHY SECTION

K. Macek (Prague), J. Janák (Brno), Z. Deyl (Prague)

EDITOR, BOOK REVIEW SECTION

R. Amos (Abingdon)

EDITOR, NEWS SECTION

J. F. K. Huber (Vienna)

COORDINATING EDITOR, DATA SECTION

J. Gasparič (Hradec Králové)

1975

PUBLISHER's NOTE

This issue of the Journal of Chromatography contains cumulative author and subject indexes covering volumes 101–110. In each entry, the volume number is placed in parentheses before the page number. The correspondence between volume number and year of publication is indicated as follows:

Volume No.	*Year*
101–102	1974
103–110	1975

AUTHOR INDEX

VOLUMES 101–110

A

Abadie, A.
— and Roques, H.
Transferts de masse d'échange d'ions minéraux perturbés par la fixation simultanée d'ions organiques volumineux (102) 181
Abdel-Monem, M.M.
— and Ohno, K.
Separation of the Dns derivatives of polyamines and related compounds by TLC and HPLC (107) 416
Abramova, I.M., see Gorodnev, M.S. (102) 83
Acqua, R. dell', see Bush, B. (109) 287
Adamcová, D., see Michalec, Č. (104) 460
Adelman, M., see Yamanis, J. (108) 79
Adkins, R.R.
— and Turner, A.G.
Chromatographic preparation of high-purity solutions of tetrasulfur dinitride (110) 202
Änggård, E., see Sjöquist, B. (105) 309
Againa, S.
—, Kalushkova, M. and Georgieva, I.
Niphimycin. III. Chromatographic separation of the components of the niphimycin complex (109) 177
Airoldi, L., see Marcucci, F. (107) 285
Airoldi, M., see Faraglia, G. (101) 89
Aitzetmüller, K.
Adsorption LC of DDT and polychlorinated biphenyls (107) 411
Alberti, G.
— and Costantino, U.
Recent progress in the field of synthetic inorganic exchangers having a layered or fibrous structure (102) 5
Alekseenko, V.A., see Rubinstein, R.N. (102) 235
Alessi, P.
—, Kikic, I. and Torriano, G.
Activity coefficients of hydrocarbons in phthalates (105) 257
—, Kikic, I. and Torriano, G.
Correlation of hydrocarbon activity coefficients with solubility parameters for phthalate esters (106) 17
Alishoyev, V.P.
—, Berezkin, V.G. and Viktorova, E.N.
Application of a computer and an external standard in the determination of the composition of polymer systems by pyrolysis GC (108) 275
Alkayeva, O.F., see Siling, M.I. (101) 83
Allebone, J.E.
— and Hamilton, R.J.
Determination of 2,4D in plant tissue. I. (108) 188
Allen, C.F.
— and Rice, L.I.
Separation of Triton X-100 and similar mixtures into component oligomers by HPLC (110) 151
Allen, J.G.
— and Haigh, J.L.
In situ spectrofluorimetric estimation of substituted tetrahydroisoquinolines by TLC separation and oxidation to the dihydroisoquinolinium derivatives (104) 217
Alovitdinov, A.B., see Marhol, M. (102) 89
Amin, M.
Direct quantitative TLC determination of prostaglandins A_2, B_2, E_2 and $F_{2\alpha}$ (108) 313
—
Quantitative dünnschichtchromatographische Analyse von Barbitursäurederivaten (Barbituraten) (101) 387
Amoss, C.W., see Lochmüller, C.H. (108) 85
Anderle, D.
—, Kováč, P. and Hirsch, J.
Separation of trimethylsilyl ethers of methyl(methyl 4-deoxy-O-methyl-β-L-*threo*-hex-4-enopyranosid)uronate by GC (105) 206
Anders, M.W., see Cooper, M.J. (104) 215
Andersen, C.R., see Carnes, M.G. (108) 95
Andersen, L.P., see Wellum, G.R. (103) 153
Anderson, G.M.
Quantitation of tryptophan metabolites in rat feces by TLC (105) 323
Andrews, P.
Possible means of improving yields in protein chromatography (104) 454

Andryauskas, S., see Ibrahim, G. (108) 107
Antokolskaja, I.I., see Savvin, S.B. (102) 287
Archer, A.W.
Separation and identification of minor components in smokeless powders by TLC (108) 401
Archer, M.C., see Iwaoka, W.T. (103) 349
Arn, H., see Buser, H.-R. (106) 83
Arndt, G., see Christ, W. (106) 418
Arvidson, G.A.E.
Separation of naturally occurring lecithins according to fatty-acid chain-length and degree of unsaturation on a lipophilic derivative of Sephadex (103) 201
Asche, W.
— and Oelert, H.H.
Systematik der Anomalien bei der Gelchromatographie von Kohlenwasserstoffen an Polystyrolgelen (106) 490
Ashbrook, A.W.
Commercial chelating solvent extraction reagents. I. Purification and isomer separation of 2-hydroxyoximes (105) 141
—
Commercial chelating solvent extraction reagents. II. Purification and properties of β-alkenyl-8-hydroxyquinoline (105) 151
Ashes, J.R.
— and Haken, J.K.
GC of homologous esters. VI. Structure–retention increments of aliphatic esters (101) 103
Aubry, M., see Laguerie, C. (101) 357
Aue, W.A., see Kapila, S. (108) 13
Augustin, H., see Blasius, E. (108) 53, (109) 107
Aurich, H., see Schöpp, W. (104) 99
Axelsson, S.
—, Björklund, A. and Lindvall, O.
Glyoxylic acid spray reagent for TLC identification of phenylethylamines and indolylethylamines (105) 211
Azarnoff, D.L., see Manion, C.V. (101) 169
Azim-Zade, A. Yu., see Farzane, N.G. (104) 231
Azzar, G.
—, Berthillier, G. and Got, R.
Chromatographie d'affinité de la glucokinase microsomique du foie de chat (104) 470

B

Baerheim Svendsen, A., see Verpoorte, R. (109) 441

Bailey, D.G., see Davis, H.L. (107) 61

Bailey, F.

—, Brittain, P.N. and Williamson, B.F.
Automated chromatographic determination of chlorhexidine in pharmaceutical preparations (109) 305

Bailey, F.J., see Beckerton, A. (104) 170

Bailly, M.

— and Tondeur, D.
Échange d'ions en lit mobile à plusieurs constituants. Recherche d'une méthode de conception et de calcul pour des colonnes préparatives de petite dimension (102) 413

Baker, F., see Bush, B. (109) 287

Balandina, G.N., see Stepanov, V.M. (104) 373

Bálint-Ambró, I.
Ion-exchange behaviour of arsenic(III) on VARION anion-exchange resins (102) 457

Ballantine, J.A.

—, Roberts, J.C. and Morris, R.J.
Sterols of the cockle *Cerastoderma edule*. Evaluation of thermostable liquid phases for the GLC–MS analysis of the trimethylsilyl ethers of marine sterols (103) 289

Barbaro, A.M., see Biagi, G.L. (106) 349

Barden, R.E.

—, Jaeger, D.A. and Ossip, P.S.
Gel filtration chromatography of petroleum sulfonates (109) 377

Barrett, P., see Jeknavorian, A.A. (107) 317

Barrette, J.P., see Malaiyandi, M. (101) 155

Barrow, K.D.

— and Quigley, F.R.
Ergot alkaloids. II. Determination of agroclavine by GLC (105) 393

Barry, E.F., see Cooke, N.H.C. (101) 175, (109) 57

— and Cooke, N.H.C.
Selective salt-modified adsorbents for GSC (104) 161

—, see Jeknavorian, A.A. (101) 299, (107) 317

— and Rosie, D.M.
Rapid determination of response factors for the GC thermal conductivity detector (103) 180

Bartoli, B.

—, Mobilio, S., Spinelli, N. and Vanoli, F.
Automation of GC data collection and analysis by means of an on-line computer (107) 51

Baše, K., see Kvítek, J. (103) 385

Bastos, M.L., see Ibrahim, G. (108) 107

Baum, G.
Affinity chromatography of β-galactosidase on controlled-pore glass derivatives (104) 105

Baumann, P.
Quantitative determination of indolic compounds in the rat brain using *p*-dimethylaminocinnamaldehyde as reagent (109) 313

Baydarovtseva, M.A., see Rudenko, B.A. (104) 271

—, Rudenko, B.A., Kucherov, V.F. and Kuleshova, M.I.
Chromatography of sterols, alkaloids and other drugs using steam as the mobile phase (104) 277

Bayer, E., see Hemmasi, B. (109) 43

Bebbington, P.M., see Poole, C.F. (104) 172

Beck, E.A., see Furlan, M. (101) 244

Beckerton, A.

—, Buttery, P.J., Bailey, F.J. and Bolton, N.
Improved method for the separation of lysine from N-ε-monomethyllysine in plasma using cation-exchange chromatography (104) 170

Behnert, J., see Reimerdes, E.H. (110) 361

Belenkii, B.G.

—, Gankina, E.S., Nefedov, P.P., Lazareva, M.A., Savitskaya, T.S. and Volchikhina, M.D.
Use of combined chromatographic methods including TLC for analysis of complex polymer systems. Determination of the polydispersity of block copolymers of styrene and methyl methacrylate by GPC, TLC and pyrolysis GC (108) 61

—, Kolegov, V.I. and Nesterov, V.V.
Theory of TLC. Effect of the structure of the adsorption layer on spreading of spots (107) 265
—, Vilenchik, L.Z., Nesterov, V.V., Kolegov, V.J. and Frenkel, S. Ya.
Peculiarities in GPC of flexible-chain polymers on macroporous swelling sorbents (109) 233
Beltrán-Martinez, J.
— and Faus-Payá, J.
Chromatographic displacement reactions in eluents with sulphur dioxide and their application in the identification of the alkali metal ions with violuric acid and hydrogen sulphide (103) 392
Belyakov, V.N., see Strazhesko, D.N. (102) 191
Belyavskaya, T.A., see Lásztity, A. (102) 203
Benington, F.
—, Christian, S.T. and Morin, R.D.
Identification and separation of indolealkylamines by GLC analysis of their heptafluorobutyryl derivatives (106) 435
Bercht, C.A.L., see Küppers, F.J.E.M. (108) 375
Berezkin, V.G., see Alishoyev, V.P. (108) 275
—, see Zhukhovitskii, A.A. (104) 241
Berezkina, L.
— and Elefterova, N.
Application of the "isothermal relative concentration method" in GC (105) 65
Berg, H. van den, see Van den Berg, H. (104) 219
Berry, D.J.
Determination of trichloroethanol at therapeutic and overdose levels in blood and urine by electron capture GC (107) 107
Bertazzi, N., see Faraglia, G. (101) 89
Berthillier, G., see Azzar, G. (104) 470
Bertilsson, L., see Eichelbaum M. (103) 135
Besley, M.E., see Inaba, T. (104) 165
Betina, V., see Betinová, M. (101) 240
Betinová, M.
—, Širicová, M. and Betina, V.
PC determination of benzylpenicillin in carbenicillin preparations (101) 240
Betti, A.
—, Lodi, G., Bighi, C. and Dondi, F.
Some applications of iron(III) oxide as a GC adsorbent (106) 291
Biagi, G.L.
—, Barbaro, A.M., Guerra, M.C., Cantelli-Forti, G. and Gandolfi, O.
TLC of sulphonamides on silica gel G and polyamide layers by means of a polar mobile phase (106) 349
Bianchi, R., see Marcucci, F. (107) 285
Bicknell, D.C.
— and Gower, D.B.
Separation of some 16-androstenes on hydroxyalkoxypropyl-Sephadex (Lipidex™) (110) 210
Bighi, C., see Betti, A. (106) 291
Bighley, L.D.
—, Wurster, D.E., Cruden-Loeb, D. and Smith, R.V.
High-performance LC determination of pentaerythritol in plasma (110) 375
Binder, M.J., see Coxon, M. (101) 1, (107) 43
Biondi, P.A.
— and Cagnasso, M.
Procedure for boron trifluoride-catalyzed esterification suitable for use in GC analysis (109) 389
Bishara, R.H., see Jakovljevic, I.M. (110) 398
Björklund, A., see Axelsson, S. (105) 211
Blackborow, J.R.
—, Lockhart, J.C., Minnikin, D.E., Robson, A.C. and Thompson, M.E.
CC and TLC of some nitrogen crowns (107) 380
Blakesley, C. Newton, see Newton Blakesley, C. (105) 385
Blasius E.
— and Augustin, H.
Ionenäquivalentleitfähigkeiten gemischter Cyanothiocyanatochromate(III) in Wasser und Acetonitril (109) 107
—, Augustin, H. and Klemm, G.
Apparatur zur Hochspannungsionophorese im Temperaturgradienten (108) 53
— and Neumann, W.
Isotopieeffekte bei der Ionophorese verschiedener Co- und Fe-Komplexionen in wässriger Lösung (110) 273
Blass, J.
—, Verriest, C. and Leau, A.
Analyse des solutions de glutaraldéhyde par la chromatographie sur couche mince et sur couche épaisse (107) 383
Blatnický, J., see Mlejnek, O. (105) 382
Bliss, C.A., see Danielson, T.J. (103) 216
Bloch, R., see Misra, A.L. (106) 184

Blomberg, L.
— and Widmark, G.
Separation of fresh tobacco smoke on a packed polar GC column prior to on-line analysis by GC–MS using a non-polar capillary column (106) 59
Boari, G.
—, Liberti, L. and Passino, R.
Prevention of calcium sulphate scale formation in evaporation plants by ion exchange (102) 393
Boček, P., see Deml, M. (109) 49
—, Deml, M. and Janák, J.
Instrumentation for high-speed isotachophoresis (106) 283
Bogoczek, R.
Synthesis and properties of some snake-cage ion-retardation resins (102) 131
Bolleter, W.T., see Chandler, C.D. (108) 365
Bolshakova, L.I., see Savvin, S.B. (102) 287
Bolton, N., see Beckerton, A. (104) 170
Bombaugh, K.J.
Novel method of generating multislope gradients for HPLC (107) 201
Bonastre, J.
—, Grenier, Ph., Metras, F. and Grenier-Loustalot, M.-F.
Chromatographie en phase gazeuse de dérivés cyclaniques et aromatiques substitués par les groupements ou atomes C=O, OH, Cl, Br, F et CH_3 (110) 197
Bongiovanni, G., see Mondino, A. (104) 291, 297, 429
Borisov, V.N., see Vitenberg, A.G. (104) 51
Born, H.-J., see Nolte, R.F. (110) 239
—, see Specht, S. (110) 253
Borovikova, V.P., see Stepanov, V.M. (104) 373
Boulton, A.A., see Gietz, W. (107) 81
Brabander, H.F. de, see De Brabander, H.F. (108) 141
Braekman-Danheux, C.
— and Bredael, P.
Identification des produits de craquage thermique du *n*-décane par couplage chromatographie en phase gazeuse–spectrométrie de masse (106) 395
Brain, K.R.
—, Jones, B.E. and Turner, T.D.
Application of densitometry to the qualitative and quantitative evaluation of pharmaceutical colourants (109) 383
Brajter, K.
Application of ligands with sulphonic groups to the separation of metal ions on strongly basic anion exchangers (102) 385
Braun, W., see Züllich, G. (103) 396
Bredael, P., see Braekman-Danheux, C. (106) 395
Brenner, M.L., see Carnes, M.G. (108) 95
Breyer, U.
Rapid and accurate determination of the level of carbamazepine in serum by ultraviolet reflectance photometry on thin-layer chromatograms (108) 370
Bridges, J.W., see Gifford, L.A. (103) 15
Brieva, A.M., see Soulages, N.L. (101) 365
Briggs, C.J.
— and McLaughlin, L.D.
Low-temperature TLC for detection of polybutene contamination in volatile oils (101) 403
Brinkman, U.A.Th.
—, De Vries, G., Jochemsen, R. and De Jong, G.J.
Use of aqueous thiocyanate solutions in liquid–liquid extraction and reversed-phase extraction chromatography. I. (102) 309
Brittain, P.N., see Bailey, F. (109) 305
Brooks, C.C., see Mee, J.M.L. (110) 178
Brooks, C.J.W., see Smith, A.G. (101) 373
Broquaire, M.
—, Eon, C. and Guiochon, G.
Ambiguïté de la notion de porosité en chromatographie d'échange d'ions. Influence de la composition chimique du vecteur (109) 11
Brown, D.
— and Woodcock, D.
Relationships between Hansch's π parameters and R_M values determined on polyamide thin layers (105) 33
Brown, J.F.
— and Hinckley, J.O.N.
Electrophoretic thermal theory. II. Steady-state radial temperature gradients in circular section columns (109) 218
— and Hinckley, J.O.N.
Electrophoretic thermal theory. III. Steady-state temperature gradients in rectangular section columns (109) 225
Bruder, K., see Seiler, N. (106) 159
Bruel-Groleas, A., see Hermelin, B. (110) 43
Brunngraber, E.G., see Javaid, J.I. (110) 141

Bubanec, J., see Sopková, A. (102) 403
Buchan, N.
Computer analysis of amino acid chromatograms (103) 33
Buchtela, K.
Radiogaschromatographie von Metallchelaten (103) 141
Budd, R.D., see Jain, N.C. (103) 85
Bunzl, K.
Kinetics of differential ion-exchange processes in a finite solution volume (102) 169
Burns, D.T.
—, Covey, D.F. and Johnson, E.W.
Identification and determination of certain N,N'-disubstituted *p*-phenylenediamine antiozonants in cured styrene–butadiene elastomers (103) 247
—, see Gifford, L.A. (103) 15
—, Hayes, W.P. and Steele, P.
Identification and determination of primary plasticisers in polyvinyl chloride calendered formulations (103) 241
—, Johnson, E.W. and Mills, R.F.
Rapid identification of solid polyurethane elastomers (105) 43
Burova, M.O., see Zhukhovitskii, A.A. (104) 241
Buser, H.
—, Friedrich, K. and Grolimund, K.
Polyamide–polyimide block copolymers as ferrules in GC (108) 181
Buser, H.-R.
— and Arn, H.
Analysis of insect pheromones by quadrupole mass fragmentography and high-resolution GC (106) 83
—
Analysis of polychlorinated dibenzo-*p*-dioxins and dibenzofurans in chlorinated phenols by mass fragmentography (107) 295
Bush, B.
—, Baker, F., Dell'Acqua, R., Houck, C.L. and Lo, F.-C.
Analytical response of polychlorinated biphenyl homologues and isomers in TLC and GC (109) 287
Bussemas, H.H., see Schwedt, G. (106) 440
Butler, M.
— and Darbre, A.
Determination of amino acids by GLC with the nitrogen-sensitive thermionic detector (101) 51
Buttery, P.J., see Beckerton, A. (104) 170
Byast, T.H.
— and Cotterill, E.G.
Two methods for estimating terbutryne residues in water using HPLC and GLC with a conductivity detector (104) 211
Byfield, P.G.H., see Matthews, E.W. (110) 369
Byrd, D.J., see Trefz, F.K. (107) 181

C

Cagnasso, M., see Biondi, P.A. (109) 389
Cairns, G.T.
—, Ruiz Diaz, R., Selby, K. and Waddington, D.J.
Determination of organic peroxyacids and hydroperoxides by GC (103) 381
Cameron, A. see Hiley, R.W. (107) 393
Cantelli-Forti, G., see Biagi, G.L. (106) 349
Carbó, R., see Gassiot, M. (108) 337
Cardaci, V.
—, Lederer, M. and Ossicini, L.
Ion-exchange PC of inorganic ions. XX. The behaviour of metal ions in nitrite solutions (101) 411
Cardinale, E., see Stijve, T. (109) 239
Carlson, R.E., see Carlson, R.M. (107) 219
Carlson, R.M.
—, Carlson, R.E. and Kopperman, H.L.
Determination of partition coefficients by LC (107) 219
Carnes, M.G.
—, Brenner, M.L. and Andersen, C.R.
Comparison of reversed-phase HPLC with Sephadex LH-20 for cytokinin analysis of tomato root pressure exudate (108) 95
Caron, M.
— and Dugas, H.
Simple and rapid procedure for desalting nucleotide-containing solutions (101) 228
—, Faure, A. and Cornillot, P.
Affinity electrophoresis. I. Studies to optimise conditions (103) 160
Carroll, J.E., see Thomas, T.H. (103) 211
Carson, J.W.
— and Legé, G.
Relative molar responses of the C_5–C_7 olefins (106) 363
Casagrande, D., see Siefert, K. (109) 193
Castellani, T.
—, Kjelgaard-Nielsen, P. and Wolff-Jensen, J.
Relationship between densitometric peak areas and concentration of lipids in the quantitative analysis of a lipid mixture separated by TLC (104) 123
Castello, G.
— and D'Amato, G.
Influence of vapour pressure and activity coefficients on the retention volumes of branched-chain alkanes (107) 1
— and D'Amato, G.
Preparation of standard mixtures of iodoalkanes by irradiation of iodine solutions in alkanes (108) 194
Catsimpoolas, N., see Essigmann, J.M. (103) 7
Cavina, G.
—, Moretti, G. and Petrella, M.
Solvent system for the separation of steroids with estrogenic and progestational activity by two-dimensional TLC (103) 368
Chan, B.G., see Elliger, C.A. (104) 57
Chanal, J., see Puech, A. (108) 345
Chand, S.
—, Srinivasulu, C. and Mahapatra, S.N.
Detection of mineral oils in edible oils by TLC (106) 475
Chandler, C.D.
— and Bolleter, W.T.
Continuous trinitrotoluene process studies. V. LC analysis of nitration acids (108) 365
Chatterjie, N., see Kaiko, R.F. (109) 247
Chen, N. Wu., see Christopoulos, G.N. (106) 446
Chiabrando, C., see Marcucci, F. (107) 285
Chizhkov, V.P.
— and Sinitsina, L.A.
"Impulseless" circulation GC of isotopic compounds (104) 327
Chlebek, J., see Pecka, K. (104) 91
Chmelíček, J., see Marhol, M. (102) 89
Chmielowiec, J.
— and Kemula, W.
Effect of cross-linking of a sulfonic cation-exchange resin and effect of temperature on the chromatographic separation of isomers of dinitrobenzene (102) 197
Choulis, N.H.
— and Papadopoulos, H.
GLC determination of methadone in sustained-release tablets (106) 180

Chow, E.J., see Inaba, T. (104) 165
Chowdhury, K., see De, A.K. (101) 63, 73
Christ, W.
—, Arndt, G. and Schulze, G.
Separation behaviour of nicotinamide and thionicotinamide derivatives on Dowex 1-X8 (106) 418
Christian, S.T., see Benington, F. (106) 435
Christopoulos, G.N.
—, Wu Chen, N. and Toman, A.J.
Separation of barbiturates and morphine analysis from putrefied *post mortem* tissue (106) 446
Chung, I.-J.
— and Hsu, H.-W.
Theory of consecutive pulse sample feed elution chromatography (110) 1
Churáček, J., see Jandera, P. (104) 9, 23, 257
Čičmanec, P., see Stankoviansky, S. (106) 131
Claeys, A.E., see De Sagher, R.M. (106) 357
Clark, E.C., see Hundt, H.K.L. (107) 149
Claustriaux, J.-J., see Wathelet, J.-P. (110) 157
Cochrane, W.P., see Wilson, B.P. (106) 174
Cognet, G., see Devallez, B. (109) 1
Cole, J.W., see Smith, D.A. (105) 377
Colleran, E., see O'Carra, P. (108) 212
Comi, V., see Trebbi, A. (110) 309
Cooke, N.H.C.
— and Barry, E.F.
Improved procedure for preparation of GC salt-modified adsorbents (101) 175
—, see Barry, E.F. (104) 161
—, Barry, E.F. and Solomon, B.S.
Use of transition metal chlorides as salt modifiers in GSC (109) 57
Cooper, M.J.
— and Anders, M.W.
GC microdetermination of acetanilide in blood (104) 215
Cooper, S.F.
— and Dugal, R.
TLC study of isoquinoline alkaloids with the BN-chamber (101) 395
Coq, B.
—, Gonnet, C. and Rocca, J.-L.
Techniques de remplissage de colonnes de chromatographie liquide à haute performance avec des microparticules poreuses (106) 249
Cornillot, P., see Caron, M. (103) 160
Costa, A.M.B.S.R.C. Santos, see Rocha Gonsalves, A.M.D'A. (104) 225
Costantino, U., see Alberti, G. (102) 5
Cotterill, E.G.
Determination of residues of dalapon in soil by GC of the 1-butyl ester (106) 409
—, see Byast, T.H. (104) 211
Corcia, A. di, see Di Corcia, A. (107) 99
Couchman, R., see Davies, A.M.C. (101) 307
Čoupek, J., see Popl, M. (104) 135
Covey, D.F., see Burns, D.T. (103) 247
Cox, R.
Characterization and quantitative analysis of dialkyl and diaryl dithiophosphates by TLC and densitometry (105) 57
Coxon, M.
— and Binder, M.J.
Radial temperature distribution in isotachophoresis columns of circular cross-section (101) 1
— and Binder, M.J.
Transverse temperature distributions in isotachophoresis columns of rectangular cross-section (107) 43
Cremer, E.
— and Kramer, R.
Simultan-Reaktionsgaschromatographie mit reversibler Reaktion erster Ordnung. II. (107) 253
Crone, H.D.
Ion-exclusion chromatography of compounds of biological interest (107) 25
—, Dawson, R.M. and Smith, E.M.
Ionic effects in the chromatography of proteins on columns of controlled-pore glass (103) 71
Cronin, D.A.
Preparation and properties of porous layer open tubular borosilicate and soda-glass columns possessing a permanently fixed support layer (101) 271
Cruden-Loeb, D., see Bighley, L.D. (110) 375
Cserjesi, A.J., see Johnson, E.L. (107) 388
Cukor, P., see Persiani, C. (109) 413
Cvjetićanin, D.N.
— and Vučetić, M.M.
Separation of varjous oxidation states of neptunium and plutonium by reversed-phase partition chromatography (103) 305
Czeglédi, B., see Erdélyi, M. (102) 429
—, see Vigvári, M. (102) 433

D

Dadia, B.K., see Devani, M.B. (105) 186
Dahlmann, B.
— and Jany, Kl.-D.
Rapid and sensitive detection of proteolytic enzymes after electrophoresis (110) 174
Dakin, T.A., see Ismail, A.A.A. (110) 182
Dale, A.D., see Owen, J.M. (107) 207
Dalmonego, H., see Ortner, H.M. (107) 341
D'Amato, G., see Castello, G. (107) 1, (108) 194
Danielson, T.J.
—, Hawes, E.M. and Bliss, C.A.
Identification of iridoids of *Mentzelia decapetala* by two-dimensional PC (103) 216
Darbre, A., see Butler, M. (101) 51
Darte, L., see Persson, R.B.R. (101) 315
Das, M. Sankar, see Datar, A.G. (106) 428
Datar, A.G.
—, Ramanathan, P.S. and Sankar Das, M.
GSC studies using beryl as adsorbent (106) 428
Davies, A.M.C.
—, Robinson, D.S. and Couchman, R.
Accelerated IEC of reducing sugars in neutral borate buffers (101) 307
Davies, B.H., see Taylor, R.F. (103) 327
Davis, C.M.
— and Fenimore, D.C.
Improved TLC system for methadone and its metabolites in biological samples (104) 193
Davis, H.L.
—, Falk, K.J. and Bailey, D.G.
Improved method for the simultaneous determination of phenobarbital, primidone and diphenylhydantoin in patients' serum by GLC (107) 61
Davis, J.M., see Javaid, J.I. (110) 141
Davis, P.J., see Handwerger, B.S. (106) 225
Dawson, R.M., see Crone, H.D. (103) 71
De, A.K.
— and Chowdhury, K.
Studies on thorium phosphate ion exchanger. I. Synthesis, properties and ion-exchange behaviour of thorium phosphate (101) 63
— and Chowdhury, K.
Studies on thorium phosphate ion exchanger. II. Distribution coefficient measurements and selective ion-exchange separations of some metal ions (101) 73
Dean, R.T.
— and Messer, M.
Evidence against the occurrence of artifacts due to carrier ampholyte–protein binding during isoelectric focusing (105) 353
DeAngelis, R.L.
—, Simmons, W.S. and Nichol, C.A.
Quantitative TLC of pyrimethamine and related diaminopyrimidines in body fluids and tissues (106) 41
Dearden, J.C., see Tomlinson, E. (106) 481
Debackere, M., see Delbeke, F.T. (106) 412
De Brabander, H.F.
— and Verbeke, R.
Detection of antithyroid residues in meat and some organs of slaughtered animals (108) 141
Deckardt, K., see Seiler, N. (107) 227
Dedek, W., see Wenzel, K. (109) 443
De Deyne, V.J.R.
Simplified device for centripetal TLC (103) 177
De Graeve, J., see Gosselin, L. (110) 117
Deguchi, T.
Separation of halide anions by gel chromatography (108) 409
De Jong, G.J., see Brinkman, U.A.Th. (102) 309
— and Rekers, C.J.N.
Akzo process for the removal of mercury from waste water (102) 443
Dekirmenjian, H., see Javaid, J.I. (110) 141
De Korte, F., see Jha, S.K. (102) 217
Delbeke, F.T.
— and Debackere, M.
Isolation and detection of methylphenidate, phacetoperane and some other sympatomimetic central nervous stimulants with special reference to doping. I. GC detection procedure with electron capture detection for some secondary amines (106) 412

De Leenheer, A.P., see De Sagher, R.M. (106) 357
Del Fiore, G., see Peters, J.M. (108) 415
Dell'Acqua, R., see Bush, B. (109) 287
Della Fiorentina, H., see De Wiest, F. (104) 399
Delle Site, A., see Testa, C. (102) 293
De Marco, C., see Rinaldi, A. (108) 391
Deml, M., see Boček, P. (106) 283
—, Boček, P. and Janák, J.
High-speed isotachophoresis: current supply and detection system (109) 49
Derenbach, J.B.
— and Ehrhardt, M.
Polar pyrolysis products for a sensitive fingerprint characterization of organisms by GLC (105) 339
Derks, C.M.
Measurement of sulphur hexafluoride with a Beckman electron capture detector in pulmonary clearance (108) 222
Dernini, S., see Rinaldi, A. (108) 391
De Sagher, R.M.
—, De Leenheer, A.P. and Claeys, A.E.
TLC of hydrazidic monoamine oxidase inhibitor drugs (106) 357
Desai, B.K.
— and Sahgal, P.N.
Dual flame thermocouple detector for GC (104) 47
Desideri, P.G., see Lepri, L. (108) 169, (109) 365
Deudon, E., see Hermelin, B. (110) 43
Devallez, B.
—, Cognet, G. and Vergnaud, J.-M.
Propagation d'une variation de pression imposée à l'entrée de la colonne en chromatographie en phase gazeuse (109) 1
Devani, M.B.
—, Shishoo, C.J. and Dadia, B.K.
TLC of isothiocyanates and thioureas (105) 186
Dévényi, T., see Hazai, I. (102) 245
De Vries, G., see Brinkman, U.A.Th. (102) 309
De Vries, J.
—, Engel, D.J.C. and Koekkoek, P.H.
TLC study on the stability of some 2-aryl-1,3-indandiones on exposure to air (108) 117
De Wiest, F.
—, Rondia, D. and Della Fiorentina, H.
Dosage du benzo[*a*]pyrène atmosphérique par couplage des techniques fluorimétrique et spectrophotométrique à scintillation liquide (104) 399
Deyne, V.J.R. de, see De Deyne, V.J.R. (103) 177
De Zeeuw, R.A.
— and Dull, G.G.
Rapid analysis of simple carbohydrates by means of vapour-programmed TLC and densitometry and using a new spotting device (110) 279
Diaz, R. Ruiz, see Cairns, G.T. (103) 381
Dibdin, G.H., see Tyler, J.E. (105) 71
Dickel, G.
Phenomenon of osmosis in permeable membranes (102) 31
Di Corcia, A.
— and Samperi, R.
Evaluation of modified graphitized carbon black for the analysis of light hydrocarbons (107) 99
DiGregorio, G.J.
— and O'Brien, C.
Chromatographic detection of narcotic antagonists in human urine (101) 424
Dinsmore, S., see Katz, S. (101) 193
Dodds, J.A., see Grevillot, G. (102) 421
Dohm, G.L., see Tapscott, E.B. (107) 420
Doms, E.K.
Gaschromatographische Bestimmung der Ameisensäure als Benzylester unter Verwendung von Phenyldiazomethan als Benzylierungsmittel (105) 79
Dondi, F., see Betti, A. (106) 291
Donike, M.
N-Trifluoroacetyl-O-trimethylsilyl-phenolalkylamine. Darstellung und massenspezifischer Gaschromatographischer Nachweis (103) 91
Dos Santos, M. Nazareth, see Tabak, D. (106) 471
Down, G.J.
— and Gwyn, S.A.
Investigation of direct TLC–MS as a drug analysis technique (103) 208
Drach, J.C., see Schwartz, P.M. (106) 200
Dua, R.D., see Kumar, A. (107) 190
Dubetz, D.K., see Hooper, W.D. (110) 206
Duchateau, A.M.J.A.
—, Merkus, F.W.H.M. and Schobben, F.
Rapid GC determination of disopyramide in serum using a nitrogen detector (109) 432
Duffy, S.C.
— and Rees, L.V.C.
Comparison of experimental and theoretical rates of ion exchange (102) 149

Dugal, R., see Cooper, S.F. (101) 395
Dugas, H., see Caron, M. (101) 228
Dull, G.G., see De Zeeuw, R.A. (110) 279
Durmis, J., see Rotschová-Protivová, J. (106) 343
Dusci, L.J.
—, Hackett, L.P. and McDonald, I.A.
GLC determination of theophylline in human plasma (104) 147
Dvorchik, B.H.
GC method for the microdetermination of barbiturates in blood using a nitrogen-selective flame ionization detector (105) 49
Dybczyński, R.
— and Sterlińska, E.
Use of the amphoteric ion-exchange resin Retardion 11A8 for inorganic separations (102) 263
—, see Wódkiewicz, L. (102) 277
Dyer, A.
— and Ogden, A.B.
Mobility of cerium ions in synthetic zeolites (102) 95
Dykyj, J., see Šingliar, M. (105) 329
Dziegielewski, T.
— and Jakubowski, H.
ω-Aminohexyl-Sepharose 4B, a new support for tRNA fractionation (103) 364

E

Eadie, M.J., see Hooper, W.D. (110) 206
Eberlein, K.
— and Gercken, G.
TLC separation of gangliosides (106) 425
Ebing, W., see Pflugmacher, J. (109) 199
Edwards, G.T., see Vernon, F. (110) 73
Edwards, T.
—, Merilees, H.L. and McBride, B.C.
Rapid, sensitive method for the separation and detection of arsenic compounds in biological systems (106) 210
Ehrhardt, M., see Derenbach, J.B. (105) 339
Ehrsson, H., see Gyllenhaal, O. (107) 327
—, Walle, T. and Wikström, S.
GC of ether glucuronides as methyltrifluoroacetyl derivatives (101) 206
Eichelbaum, M.
— and Bertilsson, L.
Determination of carbamazepine and its epoxide metabolite in plasma by high-speed LC (103) 135
Eigner, G., see Potthast, K. (103) 173
Elefterova, N., see Berezkina, L. (105) 65
Elliger, C.A.
—, Chan, B.G. and Stanley, W.L.
p-Vinylbenzeneboronic acid polymers for separation of vicinal diols (104) 57
Engel, D.J.C., see De Vries, J. (108) 117
Engel, G., see Reimerdes, E.H. (110) 361
Engel, K.O., see Smith, R.V. (106) 235
Eon, C., see Broquaire, M. (109) 11
—, see Fontaine, R. (104) 1
—, see Martin, M. (108) 229, (110) 213
Epton, R.
—, Holding, S.R. and McLaren, J.V.
Synthesis and evaluation of cross-linked poly(acryloylmorpholine) supports for thin-layer GPC (110) 327
Erdélyi, M.
—, Czeglédi, B. and Vigvári, M.
Elution of uranium from an anion-exchange resin by extraction with an organic extractant in the presence of an aqueous phase (102) 429
—, see Vigvári, M. (102) 433
Erinle, O., see Miller, J.N. (105) 317
Ernst, G.F.
— and Van Lierop, J.B.H.
Simple, sensitive determination and identification of vinyl chloride by GC with a Hall detector (109) 439
Essigmann, J.M.
— and Catsimpoolas, N.
Simple derivative mode detector for LC (103) 7

F

Falk, H.
— and Krummen, K.
New method for the quantitative evaluation of thin-layer chromatograms (103) 279
Falk, K.J., see Davis, H.L. (107) 61
Fanelli, R., see Marcucci, F. (107) 285
Faraglia, G.
—, Bertazzi, N. and Airoldi, M.
Complexes of organometallic compounds. XLI. Anion-exchange PC of organothallium(III) cyanides (101) 89
Farkas, T., see Tomasz, J. (107) 396
Farlow, R., see Novotný, M. (103) 1
Farzane, N.G.
—, Ilyasov, L.V. and Azim-Zade, A. Yu.
Determination of the inertial properties of chromatographic detectors (104) 231
Faure, A., see Caron, M. (103) 160
Favretto, L.
— and Stancher, B.
Improvement in accuracy in the GLC determination of the molecular-weight distribution of polyoxyethylene nonionic surfactants (108) 183
Fehér, I., see Szepesy, L. (108) 285
Fellous, R.
—, Lizzani-Cuvelier, L., Luft, R. and Rabine, J.P.
Comportement des éthers. III. Corrélations de données chromatographiques des éthers avec celles d'autres populations chimiques (110) 7
—, Lizzani-Cuvelier, L., Luft, R. and Rabine, J.P.
Comportement des éthers. IV. Établissement de relations linéaires extrathermodynamiques entre paramètres structuraux et grandeurs de rétention (110) 13
—, Lizzani-Cuvelier, L., Luft, R. and Rabine, J.P.
Comportement des éthers. V. Relations de topologie–information entre les grandeurs de rétention et la structure des méthoxy- et éthoxy-alcanes (110) 19
Fenimore, D.C., see Davis, C.M. (104) 193
Ferenczi, S., see Hazai, I. (102) 245
—, see Tyihák, E. (102) 257
Fernandez, E., see Gassiot, M. (108) 337
Fiala, E.S.
— and Weisburger, J.H.
TLC of some methylated hydrazines and detection by a sensitive spray reagent (105) 189
Figge, K., see Koch, J. (109) 89
— and Wieber, W.-D.
Säulenchromatographische Trennung von Methyl- und *n*-Octylzinnchloriden (109) 418
Fine, D.H.
—, Lieb, D. and Rufeh, F.
Principle of operation of the thermal energy analyzer for the trace analysis of volatile and non-volatile N-nitroso compounds (107) 351
— and Rounbehler, D.P.
Trace analysis of volatile N-nitroso compounds by combined GC and thermal energy analysis (109) 271
Fiore, G. del, see Peters, J.M. (108) 415
Fiorentina, H. della, see De Wiest, F. (104) 399
Firmin, J.L.
— and Gray, D.O.
PC of acetamide and its application to metabolic studies (105) 215
Firpo, G., see Gassiot, M. (108) 337
Fišera, Ľ., see Komanová, E. (104) 467
Fleisher, J.H.
— and Russell, D.H.
Estimation of urinary diamines and polyamines by TLC (110) 335
Foissy, H.
Apparatus for the direct preparation of pore gradient gels in slab gel electrophoretic cells (106) 51
Fontaine, R.
—, Pommier, C., Eon, C. and Guiochon, G.
Rétention de chelates métalliques en chromatographie gaz–liquide. Importance relative des phénomènes de dissolution et d'adsorption (104) 1

Ford, E.J.H., see Winchester, J.G. (105) 179
Foster, L.L., see Lovelady, H.G. (108) 43
Fox, B.W., see Millard, F. (107) 125
Francis, D.J.
—, Radhakrishnan, T.K. and Nayar, M.R.G.
PC method for the separation and determination of the condensation products of aromatic amines with formaldehyde in acidic medium (103) 372
Frank, H.
— and Hagenmaier, H.
Molecular sieve effects in IEC separations of oligopeptides (106) 461
Fredriksson, S.
Method for estimating deuterium oxide density gradients from shifts in the glass-electrode potential (109) 188
—
Scanning isoelectric focusing in small density-gradient columns. IV. The use of deuterium oxide for preparing the density gradient and its effects on isoelectric points of proteins (108) 153
Frei, R.W., see Lindner, W. (108) 299
Frenkel, S. Ya., see Belenkii, B.G. (109) 233
Friedrich, K., see Buser, H. (108) 181
Frigerio, A., see Marcucci, F. (107) 285
Fujimoto, Y., see Suzuki, T. (105) 95
—, Suzuki, T. and Hoshino, Y.
Determination of penicillic acid and patulin by GLC with an electron-capture detector (105) 99
Fujita, K., see Takata, Y. (108) 255
Fumero, S., see Mondino, A. (104) 291, 297, 429
Furlan, M.
— and Beck, E.A.
Use of fluorescamine in peptide mapping on thin-layer cellulose plates (101) 244

G

Gaál, H., see Nagy, O. (102) 77
Gaál, J.
— and Inczédy, J.
Separation of optical isomers by IEC using copper(II) ions as complex-forming agents (102) 375
Gallo, G.G.
—, Rimorini, N., Zerilli, L.F. and Radaelli, P.
GLC determination of the main urinary metabolite of diftalone, a new anti-inflammatory drug (101) 163
Gal'pern, G.D.
—, Gollandskikh, N.I. and Gordadze, G.N.
Application of methylene insertion reactions to dialkyl sulphides (C_2H_6S through $C_6H_{14}S$) to produce reference compounds for GC (109) 119
Galpern, G.D., see Shifman, V.S. (104) 311
Galpin, I.J.
—, Kenner, G.W., Ohlsen, S.R. and Ramage, R.
Gel filtration of protected peptides on Sephadex G-50 in hexamethylphosphoramide containing 5% water (106) 125
Gandolfi, O., see Biagi, G.L. (106) 349
Gankina, E.S., see Belen'kii, B.G. (108) 61
Garattini, S., see Marcucci, F. (107) 285
Garner, R.C.
Aflatoxin separation by HPLC (103) 186
Garten, R.P.H., see König, K.-H. (103) 193
Gassiot, M.
—, Fernandez, E., Firpo, G., Carbó, R. and Martin, M.
Empirical quantum chemical approach to structure–GC retention index relationships. I. Sterol acetates (108) 337
Geller, H., see Silverstein, E. (101) 327
Gelsomini, N.
—, Mazza, L.J. and Guarna, A.
GC analysis of *trans*- and *cis*-dypnone (101) 182
Genkin, A.N.
— and Petrova, N.A.
GC determination of equilibrium constants for exchange reactions (105) 25
Georgieva, I., see Againa, S. (109) 177
Gercken, G., see Eberlein, K. (106) 425
—, see Oehlenschläger, J. (110) 53
Gervasi, G.B., see Trebbi, A. (110) 309
Ghersini, G.
Extraction chromatography with liquid ion exchangers (102) 299
Gianazza, E.
—, Pagani, M., Luzzana, M. and Righetti, P.G.
Fractionation of carrier ampholytes for isoelectric focusing (109) 357
—, see Righetti, P.G. (109) 341
Giehr, A.D., see Oelert, H.H. (106) 465
Gietz, W.
—, Boulton, A.A. and Pollak, V.
Ultra-micro TLC on a cylindrical support (107) 81
Gifford, L.A.
—, Miller, J.N., Burns, D.T. and Bridges, J.W.
Construction and evaluation of a scanning thin-layer single-disc multislot phosphorimeter (103) 15
—, Turner, P. and Pare, C.M.B.
Sensitive method for the routine determination of tricyclic antidepressants in plasma using a specific nitrogen detector (105) 107
Gilpin, R.K.
—, Korpi, J.A. and Janicki, C.A.
HPLC determination of propoxyphene hydrochloride in tablets and capsules (107) 115
Giovanniello, T.J., see Pecci, J. (109) 163
Glaser, F., see Handwerger, B.S. (106) 225
Glier, J.T., see Hodes, M.E. (104) 379
Glover, D.J., see Hoffsommer, J.C. (103) 182
Golder, M.L., see Stanford, F.G. (104) 474
Gollandskikh, N.I., see Gal'pern, G.D. (109) 119
Gonnet, C., see Coq, B. (106) 249
— and Rocca, J.L.
Séparation d'herbicides par chromatographie en phase liquide à haute performance. Influence de l'eau (109) 297

Gonsalves, A.M.D'A. Rocha, see Rocha Gonsalves, A.M.D'A. (104) 225
Goodall, R.R.
Densitometry of miniature thin-layer chromatograms. Approximate results based on flying spot scanning with a newly developed apparatus (103) 265
Goodrich, J.E., see Mattox, V.R. (108) 23, (109) 129
Gordadze, G.N., see Gal'pern, G.D. (109) 119
—, see Shifman, V.S. (104) 311
Gordon, G.R., see Murray, Jr., J.F. (107) 67
Gorodnev, M.S.
—, Saldadze, G.K., Varentsov, V.K. and Abramova, I.M.
Investigation of structure heterogeneity in ion-exchange membranes (102) 83
Gosselin, L.
— and De Graeve, J.
Preparation and TLC of bromo-derivatives of unsaturated fatty acid esters. A simple and rapid procedure for fatty acid analysis (110) 117
Gostecnic, G.F.
— and Zlatkis, A.
Computer evaluation of GC profiles for the correlation of quality differences in cold pressed orange oils (106) 73
Got, R., see Azzar, G. (104) 470
Gough, T.A.
— and Sugden, K.
Dual column GC system for use in MS determination of nitrosamines (109) 265
Goulding, R.W.
LC of sugars and related polyhydric alcohols on cation exchangers. The effect of cation variation (103) 229
Gower, D.B., see Bicknell, D.C. (110) 210
Graeve, J. de, see Gosselin, L. (110) 117
Grahl-Nielsen, O.
— and Solheim, E.
GC and MS of derivatives of amino acids. Oxazolin-5-ones of several acyl-leucines (105) 89
Grass, F., see Buchtela, K. (103) 141
—, see Schönhofer, F. (110) 265
Gray, D.O., see Firmin, J.L. (105) 215
Grella, A., see Leoni, V. (106) 119
Grenier, Ph., see Bonastre, J. (110) 197
Grenier-Loustalot, M.-F., see Bonastre, J. (110) 197
Grevillot, G.
—, Tondeur, D. and Dodds, J.A.
Fonctionnement cyclique d'un lit fixe d'échange d'ions avec trois constituants (102) 421
Griffith, I.P.
Use of Sephadex LH-20 to separate dodecyl sulphate and buffer salts from denatured proteins (109) 399
Grob, G., see Grob, K. (106) 299
Grob, Jr., K., see Grob, K. (106) 299
Grob, K.
—, Grob, Jr., K. and Grob, G.
Organic substances in potable water and in its precursor. III. The closed-loop stripping procedure compared with rapid liquid extraction (106) 299
Grob, L.R., see McGonigle, E.J. (101) 39
Grolimund, K., see Buser, H. (108) 181
Guarna, A., see Gelsomini, N. (101) 182
Guerra, M.C., see Biagi, G.L. (106) 349
Guiochon, G., see Broquaire, M. (109) 11
—, see Fontaine, R. (104) 1
—, see Martin, M. (108) 229, (110) 213
Gulledge, C.C., see Murray, Jr., J.F. (107) 67
Gulyassy, P.F.
Sources of error in counting tritium-labelled adenosine and guanosine derivatives on chromatograms (105) 401
Gurfinkel, E., see Kost, D. (108) 207
Gwyn, S.A., see Down, G.J. (103) 208
Gyllenhaal, O.
— and Ehrsson, H.
Determination of sulphonamides by electron-capture GC. Preparation and properties of perfluoroacyl and pentafluorobenzyl derivatives (107) 327

H

Hack, M.H.
— and Helmy, F.M.
Chromatographic analysis of the neutral and phosphatide glyceryl ethers from various biological sources (107) 155
Hackett, L.P., see Dusci, L.J. (104) 147
Hadley, K., see Lloyd, J.B.F. (101) 417
Hadzistelios, I., see Katsanos, N.A. (105) 13
—, see Lykourghiotis, A. (110) 287
Häupke, K.
— and Pientka, V.
Neue Ergebnisse über die Porosität von Styrol–Divinylbenzol-Copolymerisaten und Ionenaustauscherharzen (102) 117
Hagenmaier, H., see Frank, H. (106) 461
Haigh, J.L., see Allen, J.G. (104) 217
Haken, J.K., see Ashes, J.R. (101) 103
—, Ho, D.K.M. and Vaughan, C.E.
GC of homologous esters. VII. The retention behaviour of pyruvate esters and related carbonyl and carboxyl compounds (106) 317
—, Ho, D.K.M. and Wainwright, M.
GC of homologous esters. VIII. Reduced retention of *n*- and isoalkyl pivalate esters (106) 327
Hála, S., see Pecka, K. (104) 91
Halász, I., see Weigand, N. (102) 325
Hall, C.J., see Smith, P. (101) 202
Hamilton, R.J., see Allebone, J.E. (108) 188
Hammerstingl, H.
— and Reich, G.
Dünnschichtchromatographischer Grenzkonzentrationstest auf 2,2′-Dehydrodimorphin (Pseudomorphin) in Morphinampullen (101) 408
Hanai, T., see Hyakutake, H. (108) 385
Handwerger, B.S.
—, Davis, P.J. and Glaser, F.
Behavior of iodothyronines in an isoelectric focusing system (106) 225
Hansen, S.A.
TLC method for the identification of mono-, di- and trisaccharides (107) 224
—
TLC method for the identification of oligosaccharides in starch hydrolyzates (105) 388
Hansen, T., see Iwaoka, W.T. (103) 349
Harber, M.J.
— and Maddocks, J.L.
Separation of purine analogues from nucleic acid derivatives on a thin layer of ECTEOLA-cellulose (101) 231
Hartley, R.D.
— and Jones, E.C.
Effect of ultraviolet light on substituted cinnamic acids and the estimation of their *cis* and *trans* isomers by GC (107) 213
Harvan, D.J.
— and Pero, R.W.
GC analysis of the *Alternaria* metabolite, tenuazonic acid (101) 222
Harvey, D.J.
Examination of the diphenylpropanoids of nutmeg as their trimethylsilyl, triethylsilyl and tri-*n*-propylsilyl derivatives using combined GC and MS (110) 91
— and Paton, W.D.M.
Use of trimethylsilyl and other homologous trialkylsilyl derivatives for the separation and characterization of mono- and dihydroxycannabinoids by combined GC and MS (109) 73
Haselden, G.G., see Sarkar, M.K. (104) 425
Hawes, E.M., see Danielson, T.J. (103) 216
Haworth, D.T.
— and Hung, Y.-W.
Separation of acetylacetonate chelates by TLC (108) 201
Hayashi, T., see Miwa, Y. (108) 323
—, see Sugiura, T. (110) 385
—, see Yamabe, T. (102) 273
Hayes, W.P., see Burns, D.T. (103) 241
Hazai, I., see Tyihák, E. (102) 257
—, Zoltán, S., Salát, J., Ferenczi, S. and Dévényi, T.
Chromatographic behaviour of amino acids on cation-exchange resin-coated chromatosheets in the H^+-form (102) 245
Heathcote, J.G.
— and Hibbert, J.R.
Improvements in the TLC of natural products. I. TLC of the aflatoxins (108) 131

—, Washington, R.J. and Keogh, B.J.
Improved technique for the analysis of amino acids and related compounds on thin layers of cellulose. X. The characterization of some methionyl, phenylalanyl, tyrosyl and other peptides by TLC and IEC (104) 141
Hecker, H.
Beitrag zur Basizitätsprüfung von stark basischen Anionenaustauschern (102) 135
Hedenskog, G.
Equipment for continuous isoelectric focusing (107) 91
Hee, S.S. Que, see Henshaw, B. (106) 33
Heerma, W., see Küppers, F.J.E.M. (108) 375
Helmy, F.M., see Hack, M.H. (107) 155
Hemingway, S.R., see Phillipson, J.D. (105) 163
Hemmasi, B.
Ligand-exchange chromatography of amino acids on nickel–Chelex 100 (104) 367
— and Bayer, E.
Ligand-exchange chromatography of amino acids on copper–, cobalt– and zinc–Chelex 100 (109) 43
Hempel, K., see Lange, H.W. (107) 389
Henshaw, B.
—, Que Hee, S.S., Sutherland, R.G. and Lee, C.C.
GLC and GLC combined with MS of a butyl ester formulation of (2,4-dichlorophenoxy)acetic acid (106) 33
Henshaw, B.G.
—, Morgan, J.J.W. and Williams, N.
Detection of organic solvent preservatives in wood by TLC (110) 37
Hepburn, D.R.
— and Hudson, H.R.
GC of alkyl halides on a silicone oil capillary column (103) 166
Hering, R.
Proposal for the nomenclature of exchangers (102) 141
Heřmánek, S., see Kvítek, J. (103) 385
Hermelin, B.
—, Deudon, E., Bruel-Groleas, A. and Picard, J.
Électrophorèse préparative des glycosaminoglycanes-peptides. Application au fractionnement des glycosaminoglycanes-peptides de la paroi artérielle (110) 43
Hezel, U., see Otteneder, H. (109) 181
Hibbert, J.R., see Heathcote, J.G. (108) 131
Higuchi, S.
—, Sasaki, H. and Sado, T.
Determination of a new cerebral vasodilator 2,6-dimethyl-4-(3-nitrophenyl)-1,4-dihydropyridine-3,5-dicarboxylic acid 3-[2-(N-benzyl-N-methylamino)]-ethyl ester 5-methyl ester hydrochloride (YC-93) in plasma by electron capture GC (110) 301
Hikichi, M., see MacNeil, J.D. (101) 33
Hiley, R.W.
— and Cameron, A.
Separation of polysulphides by TLC (107) 393
Hillis, W.E.
—, Rozsa, A.N. and Lau, L.S.
Rapid determination of ellagic acids by GLC (109) 172
Hillman, D.E.
— and Paul, J.I.
Determination of total polymer in industrial materials by GPC ("exclusion limit chromatography") (108) 397
Hinckley, J.O.N.
Electrophoretic thermal theory. I. Temperature gradients and their effects (109) 209
—, see Brown, J.F. (109) 218, 225
Hintze, U., see Oehlenschläger, J. (110) 53
Hirsch, J., see Anderle, D. (105) 206
Hisamatsu, M., see Yamada, T. (103) 390
Hjertén, S.
—, Rosengren, J. and Påhlman, S.
Hydrophobic interaction chromatography. The synthesis and the use of some alkyl and aryl derivatives of agarose (101) 281
Ho, D.K.M., see Haken, J.K. (106) 317, 327
Hocman, G.
Method for the isolation of urinary proteins (104) 465
Hodes, M.E.
— and Glier, J.T.
Studies on the reproducibility of glass bead antibody affinity columns (104) 379
Hörmann, W.D., see Ramsteiner, K.A. (104) 438
Hoffsommer, J.C.
—, Glover, D.J. and Kubose, D.A.
Determination of 1,3,5,7-tetranitro-1,3,5,7-tetraazacylooctane in microgram quantities (103) 182

Holčík, J., see Rotschová-Protivová, J. (106) 343
Holding, S.R., see Epton, R. (110) 327
Hollmann, G., see Sippell, W.G. (108) 305
Hommes, F.A., see Van den Berg, H. (104) 219
Hooper, W.D.
—, Dubetz, D.K., Eadie, M.J. and Tyrer, J.H.
Simultaneous assay of methylphenobarbitone and phenobarbitone using GLC with on-column butylation (110) 206
Hooyman, J.E., see Vinson, J.A. (105) 415, (106) 196
Hopkins, T.R., see Sharma, S.K. (110) 321
Horning, E.C., see Lin, S.-N. (104) 319
Horváth, Zs.
Puriwat® apparatus. A system of ion-exchange celluloses for the production of high-purity water (102) 409
Hoshino, Y., see Fujimoto, Y. (105) 99
—, see Suzuki, T. (105) 95
Hoskins, J.A.
— and Pollitt, R.J.
Quantitative aspects of urinary indole-3-acetic acid and 5-hydroxyindole-3-acetic acid excretion (109) 436
Hoste, J., see Jha, S.K. (102) 217
Houck, C.L., see Bush, B. (109) 287
Howard, A.G.
— and Nickless, G.
Protein binding of cadmium, zinc and copper in environmentally insulted limpets *Patella vulgata* (104) 457
Howell, L., see Thomas, T.H. (103) 211
Hsieh, S.-T., see Iwaoka, W.T. (103) 349
Hsu, H.-W., see Chung, I.-J. (110) 1
Huang, T.-L.
— and Nichols, B.L.
New solvent systems for the separation of free and conjugated bile acids (101) 235
Huang, C.T.L.
— and Nichols, B.L.
New solvent systems for the separation of free and conjugated bile acids. II. Separation of free bile acids as a group (109) 427
Huber, J.F.K., see Kraak, J.C. (102) 333
—, see Van der Wal, Sj. (102) 353
Huck, H.
Fluorimetrische Testosteronbestimmung auf Al_2O_3 durch dünnschichtchromatographische Trennung der Trimethylsilyläther (110) 125
Hudson, H.R., see Hepburn, D.R. (103) 166
Humphrey, D.W., see Smith, R.V. (106) 235
Hundt, H.K.L.
— and Clark, E.C.
TLC method for determining carbamazepine and two of its metabolites in serum (107) 149
—, see Steyn, J.M. (107) 196
Hung, Y.-W., see Haworth, D.T. (108) 201
Hutsell, T.C.
— and Stachelski, S.J.
Determination of disopyramide and its mono-N-dealkylated metabolite in blood serum and urine (106) 151
Hyakutake, H.
— and Hanai, T.
Further studies of practical high-speed LC separations of tricarboxylic acid cycle organic acids and carbohydrates (108) 385

I

Ibrahim, G.
—, Andryauskas, S. and Bastos, M.L.
Application of Amberlite XAD-2 resin for general toxicological analysis (108) 107
Iizuka, N., see Shimizu, T. (106) 230
Ikezawa, H., see Kagehira, S. (109) 21
Ilyasov, L.V., see Farzane, N.G. (104) 231
Imai, K.
Fluorimetric assay of dopamine, norepinephrine and their 3-O-methyl metabolites by using fluorescamine (105) 135
Inaba, T.
—, Besley, M.E. and Chow, E.J.
Determination of sulfinpyrazone in serum by high-performance LC (104) 165
Inczédy, J.
Chemical equilibria in IEC (102) 41
—, see Gaál, J. (102) 375
—, see Marton, A. (102) 165
—, see Papp, E. (102) 225
—, see Vigh, Gy. (102) 381
Inglis, A.S.
—, Nicholls, P.W. and Strike, P. McK.
Rapid identification of amino acid derivatives from the sequenator (107) 73
Inturrisi, C.E., see Kaiko, R.F. (109) 247
Isenberg, F.M.R., see Thomas, T.H. (103) 211
Ishihara, H., see Kagehira, S. (109) 21
Ishii, D., see Tsuda, T. (101) 95
Isidorov, V.A., see Vitenberg, A.G. (104) 51
Ismail, A.A.A.
— and Dakin, T.A.
GC and characterization of tetraethyl derivatives of uric acid (110) 182
Iso'o, A., see Okumura, T. (108) 329
Itsikson, L.B.
— and Shulgaitser, L.A.
Investigation of the isomeric composition of polyphenyl ethers by high-temperature GC (108) 358
Iverson, F., see Lawrence, J.F. (103) 341
Iwaoka, W.T.
—, Hansen, T., Hsieh, S.-T. and Archer, M.C.
Chromatographic separation of conformers of substituted asymmetric nitrosamines (103) 349
Iwase, H.
—, Kimura, T., Sugiyama, T. and Murai, A.
GC analysis of hypoxanthine and guanine (106) 213
Izumiya, N., see Takahashi, N. (109) 422

J

Jaeger, D.A., see Barden, R.E. (109) 377
Jänicke, S., see Schneider, G. (109) 409
Jain, N.C.
—, Leung, W.J., Budd, R.D. and Sneath, T.C.
TLC separation of methadone and its primary metabolite in the presence of other drugs in urine specimens (103) 85
Jakovljevic, I.M.
— and Bishara, R.H.
Computerized storage of TLC and PC data (110) 398
Jakubowski, H., see Dziegielewski, T. (103) 364
Jamieson, G.R.
— and Reid, E.H.
Use of mannitol as an internal standard in the GLC of methyl glycosides (101) 185
Janák, J., see Boček, P. (106) 283
—, see Deml, M. (109) 49
—, see Kubecová, V. (110) 63
Janda, R., see Kaistha, K.K. (107) 359
Jandera, P.
— and Churáček, J.
Gradient elution in LC. IV. Verification of the theoretical relationships for elution characteristics (retention volume, band width, resolution, plate number) in adsorption chromatography on silica using stepwise and combined (stepwise–gradient) elution and some considerations concerning solvent-programmed and isocratic elution chromatography (104) 9
— and Churáček, J.
Gradient elution in LC. V. Cation-exchange chromatography of N,N-dimethyl-*p*-aminobenzeneazobenzoyl esters and amides in mixed aqueous–organic solutions – influence of the nature of the exchanger on separation (104) 23
— and Churáček, J.
Gradient elution in LC. VI. Cation-exchange chromatography of N,N-dimethyl-*p*-aminobenzeneazobenzoyl esters and amides in mixed aqueous–organic solutions – influence of the composition of the mobile phase on retention characteristics and practical examples of separation (104) 257
Jane, I.
— and Taylor, J.F.
Characterisation and quantitation of morphine in urine using HPLC with fluorescence detection (109) 37
Janicki, C.A., see Gilpin, R.K. (107) 115
Janson, J.-C., see Porath, J. (103) 49
Jansson, B., see Lindgren, I. (106) 385
Jany, Kl.-D., see Dahlmann, B. (110) 174
Jaroniec, M., see Waksmundzki, A. (110) 381
Javaid, J.I.
—, Dekirmenjian, H., Brunngraber, E.G. and Davis, J.M.
Quantitative determination of cocaine and its metabolites benzoylecgonine and ecgonine by GLC (110) 141
Jeknavorian, A.A.
— and Barry, E.F.
Thermodynamic study of a liquid crystal as a liquid phase in GLC. I. A nematic liquid crystal (101) 299
—, Barrett, P., Watterson, A.C. and Barry, E.F.
Thermodynamic study of a liquid crystal as a liquid phase in GLC. II. A cholesteric liquid crystal (107) 317
Jernejčič, M.
—, Kremser, M. and Razinger, M.
Electron capture detector cell (107) 193
Jha, S.K.
—, De Korte, F. and Hoste, J.
Anion exchange in ternary mixtures of aliphatic acids, mineral acids and water (102) 217

Jochemsen, R., see Brinkman, U.A.Th. (102) 309
Jönsson, R., see Mathiasson, L. (101) 339
Joglekar, V.D., see Kamat, S.S. (110) 190
Johnson, C.B.
— and Wong, E.
Esterification and etherification by silver oxide–organic halide reaction GC (109) 403
Johnson, E.L.
— and Cserjesi, A.J.
GLC of some tropolone-TMS ethers (107) 388
Johnson, E.W., see Burns, D.T. (103) 247, (105) 43
Jones, B.E., see Brain, K.R. (109) 383
Jones, E.C., see Hartley, R.D. (107) 213
Jong, G.J. de, see Brinkman, U.A.Th. (102) 309
—, see De Jong, G.J. (102) 443
Jork, H.
—, Lehmann, G. and Recktenwald, U.
Quantitative Bestimmung von Eosin in Kosmetika (107) 173
Joshi, C.R., see Padhye, S.B. (108) 405
Joshi, L.K., see Sinha, O.K. (110) 403
Joshi, P.N., see Shankar, V. (104) 443, 449
Jurand, J., see Knox, J.H. (103) 311, (110) 103

K

Kadono, T., see Okumura, T. (108) 329
Kagehira, S.
—, Kawai, S., Ohno, T., Ishihara, H. and Ikezawa, H.
Rapid modified GC assay for esterase activity (109) 21
Kaiko, R.F.
—, Chatterjie, N. and Inturrisi, C.E.
Simultaneous determination of acetylmethadol and its active biotransformation products in human biofluids (109) 247
Kaistha, K.K.
— and Tadrus, R.
Comparison of costs for testing a wide variety of drugs of abuse per urine specimen in a drug abuse urine screening program and frequent urine collections (109) 149
—, Tadrus, R. and Janda, R.
Simultaneous detection of a wide variety of commonly abused drugs in a urine screening program using thin-layer identification techniques (107) 359
Kakihana, H.
Ion exchange, isotope exchange and isotope separation (102) 47
Kalász, H.
—, Nagy, J. and Knoll, J.
Recycling gel chromatography of phenolic compounds. II. Numerical calculation of optimal number of cycles and resolution (107) 35
Kálmán, A., see Zsinka, L. (102) 109
Kalushkova, M., see Againa, S. (109) 177
Kamat, S.S.
— and Joglekar, V.D.
2-Thiobarbituric acid as a reagent for the detection of meconic acid by TLC (110) 190
Kaniansky, D., see Stankoviansky, S. (106) 131
Kapila, S.
— and Aue, W.A.
Voltage effects in a d.c. electron capture detector (108) 13
Karasek, D.E., see Karasek, F.W. (105) 345
Karasek, F.W.
—, Karasek, D.E. and Kim, S.H.
Detection of lysergic acid diethylamide, Δ^9-tetrahydrocannabinol and related compounds by plasma chromatography (105) 345
—, Maican, A. and Tatone, O.S.
Plasma chromatography of *n*-alkyl acetates (110) 295
—, Smythe, R.J. and Laub, R.J.
GC–MS study of organic compounds adsorbed on particulate matter from diesel exhaust (101) 125
Karig, F.
TAS-Verfahren zur Analyse der Inhaltsstoffe von Senfsamen (106) 477
Karlsen, J.
— and Siwon, H.
Elution sequence as a function of temperature in the GLC of monoterpene hydrocarbons (110) 187
Kasai, T.
— and Sakamura, S.
Elution behaviour of γ-glutamyl-L-aspartic acid during ion-exchange chromatography (103) 189
Kasprzyk, Z., see Wilkomirski, B. (103) 376
Kato, T., see Takahashi, N. (109) 422
Katsanos, N.A.
— and Hadzistelios, I.
Kinetic study of slow processes in GC (105) 13
—, see Lykourghiotis, A. (110) 287
Katsuno, M., see Shimizu, T. (106) 230
Katz, S.
—, Pitt, Jr., W.W. and Mrochek, J.E.
Comparative serum and urine analyses by dual-detector anion-exchange chromatography (104) 303
—, Pitt, Jr., W.W., Mrochek, J.E. and Dinsmore, S.
Sensitive fluorescence monitoring of carbohydrates eluted by a borate mobile phase form an anion-exchange column (101) 193
Kawai, S., see Kagehira, S. (109) 21
—, see Sugiura, T. (110) 385

Keller, Jr., O.L., see Zvara, I. (103) 77
Kemula, W., see Chmielowiec, J. (102) 197
Kenner, G.W., see Galpin, I.J. (106) 125
Keogh, B.J., see Heathcote, J.G. (104) 141
Khobotova, T.P., see Zhukhovitskii, A.A. (104) 241
Kikic, I., see Alessi, P. (105) 257, (106) 17
Kim, S.H., see Karasek, F.W. (105) 345
Kimura, T., see Iwase, H. (106) 213
Kingston, D.G.I.
— and Li, B.T.
Preliminary investigation of the use of HPLC for the separation of indole alkaloids (104) 431
Kirnos, M.D.
—, Vasilyev, V.K. and Vanyushin, B.F.
Separation of pyrimidine deoxyribooligonucleotides according to length and composition using TLC on DEAE-cellulose (104) 113
Kister, G., see Puech, A. (108) 345
Kjelgaard-Nielsen, P., see Castellani, T. (104) 123
Klause, K.A.
— and Subbiah, M.T.R.
Improved resolution of cholestanol and cholesterol by GLC. Application to pigeon testicular sterols (103) 170
Klemm, G., see Blasius, E. (108) 53
Klus, H.
— and Kuhn, H.
Reaktionschromatographischer Nachweis einiger N-Nitrosamine der Tabakalkaloide (109) 425
Knoll, J., see Kalász, H. (107) 35
Knox, J.H.
— and Jurand, J.
Separation of tetracyclines by high-speed LC (110) 103
— and Jurand, J.
Separation of tricyclic psychosedative drugs by high-speed ion-pair partition and liquid–solid adsorption chromatography (103) 311
Koch, J.
— and Figge, K.
Analytik von Methylzinnstabilisatoren (109) 89
Kochen, W., see Trefz, F.K. (107) 181
Kočkarova, Ch.U., see Marhol, M. (102) 89
Koekkoek, P.H., see De Vries, J. (108) 117
König, K.-H.
Selektivität des Kationenaustausche an Kristallinen Ce(IV)-phosphat-sulfaten (102) 99
— and Garten, R.P.H.
Trennung von Silber und Natrium durch Ionenaustausch an kristallinem Ce(IV)-phosphatsulphat (103) 193
Kohli, J.C.
Spray reagent for the detection of terpene derivatives on thin-layer plates (105) 193
Kolegov, V.I., see Belenkii, B.G. (107) 265, (109) 233
Kolman, Z., see Michalec, Č. (105) 219
Komanová, E.
—, Krutošíková, A. and Fíšera, Ľ.
GC study of substituted furancarboxylic and benzoic acids and their methyl esters (104) 467
Komora, L., see Šingliar, M. (105) 329
Kopperman, H.L., see Carlson, R.M. (107) 219
Koreshkova, R.I., see Shlyakhov, A.F. (104) 337
Korpi, J.A., see Gilpin, R.K. (107) 115
Korte, F. de, see Jha, S.K. (102) 217
Kost, D.
— and Gurfinkel, E.
Isolation and structure determination of two diastereoisomers of N-tridecyl-2,6-dimethylmorpholine (Tridemorph) (108) 207
Koudelka, L., see Šingliar, M. (105) 329
Kováč, P., see Anderle, D. (105) 206
Kovner, V.Ya., see Siling, M.I. (101) 83
Kraak, J.C.
— and Huber, J.F.K.
Separation of acidic compounds by high-pressure LLC involving ion-pair formation (102) 333
Kramer, R.
Simultan-Reaktionsgaschromatographie mit reversibler Reaktion erster Ordnung. I. (107) 241
—, see Cremer, E. (107) 253
Kremanová, B., see Pecka, K. (104) 91
Kremer, B.P.
Separation of isomeric pentitols and hexitols by PC and TLC (110) 171
Kremser, M., see Jernejčič, M. (107) 193
Krishnamurthy, G., see Subramanian, R. (107) 230
Krongauz, V.A., see Shekhtman, R.I. (104) 409
Krummen, K., see Falk, H. (103) 279
Krutošíková, A., see Komanová, E. (104) 467

Kubecová, V.
—, Novák, J. and Janák, J.
GC behaviour of C_1–C_4 aliphatic amides and their N-methyl and N,N-dimethyl derivatives on porous polymers of the Porapak type (110) 63
Kubín, M.
Model of the mechanism of the separation of macromolecules in GPC on a packing with non-homogeneous pores (108) 1
Kubose, D.A., see Hoffsommer, J.C. (103) 182
Kucherov, V.F., see Baydarovtseva, M.A. (104) 277
—, see Rudenko, B.A. (104) 271
Küppers, F.J.E.M.
—, Bercht, C.A.L., Salemink, C.A., Lousberg, R.J.J.Ch., Terlouw, J.K. and Heerma, W.
Cannabis. XI. Pyrolysis of cannabidiol – analysis of the volatile constituents (108) 375
Kuhn, H., see Klus, H. (109) 425
Kuleshova, M.I., see Baydarovtseva, M.A. (104) 277
Kulprathipanja, S., see Powell, J.E. (107) 167
Kumar, A.
—, Dua, R.D. and Sarkar, M.K.
Column packing for the separation of permanent gases and light hydrocarbons by GSC (107) 190
Kung, H., see Patton, J.E. (104) 73
Kuraš, M., see Pecka, K. (104) 91
Kuzovkin, V.A., see Rudenko, B.A. (104) 271
Kvítek, J.
—, Malečková, M., Baše, K., Plešek, J. and Heřmánek, S.
Detection of boron compounds on chromatograms by (n,α) nuclear reaction with thermal neutrons (103) 385

L

Låås, T., see Porath, J. (103) 49
Laguerie, C.
— and Aubry, M.
Oxydation catalytique du butane. Identification et dosage des produits formés par chromatographie en phase gazeuse (101) 357
Lamazière, J.
— and Miglierina, R.
Computer programs for calculations in amino acid analysis (106) 191
Landini, M., see Lepri, L. (108) 169, (109) 365
Lang, J.H., see Nahlovsky, B.D. (101) 225
Lange, H.W.
— and Hempel, K.
Säulenchromatographische Trennung von N^G,N^G-Dimethylarginin, N^G,N'^G-Dimethylarginin, N^G-Monomethylarginin, N^ϵ-Monomethyllysin, N^ϵ-Dimethyllysin und N^ϵ-Trimethyllysin (107) 389
Langer, S.H., see Patton, J.E. (104) 73
Langler, R.F.
Chromium trioxide–acetic acid as a spray for organosulfur compounds (104) 228
Lanouette, M., see Malaiyandi, M. (101) 155
Lapanje, S., see Šebenik, A. (106) 454
Larsen, N.-E.
— and Naestoft, J.
Determination of perphenazine and its sulphoxide metabolite in human plasma after therapeutic doses by GC (109) 259
Lásztity, A.
— and Belyavskaya, T.A.
Selective swelling of ion exchangers in mixed solvents and the effect of swelling on the sorption of ions (102) 203
Lau, L.S., see Hillis, W.E. (109) 172
Laub, R.J., see Karasek, F.W. (101) 125
Lavrenova, G.I., see Stepanov, V.M. (104) 373
Lawhead, C.L., see Linden, J.C. (105) 125
Lawrence, J.F.
— and Iverson, F.
Analysis of the diazinon metabolites G 27550 and GS 31144 by GLC with nitrogen-specific detection after derivatization (103) 341
Lawrence, R.C., see Watson, J.R. (103) 63
Lazareva, M.A., see Belenkii, B.G. (108) 61
Leau, A., see Blass, J. (107) 383
Lederer, M., see Cardaci, V. (101) 411
—, see Sinibaldi, M. (107) 210
Lee, C.C., see Henshaw, B. (106) 33
Leenheer, A.P. de, see De Sagher, R.M. (106) 357
Legé, G., see Carson, J.W. (106) 363
Légrádi, L.
Separation of metals on ion-exchange resins by means of α-hydroxyisobutyronitrile as complexing agent (102) 319
Lehmann, G., see Jork, H. (107) 173
Lehmann, P., see Sippell, W.G. (108) 305
Lemieux, E., see Losito, R. (101) 379
Leoni, V.
—, Puccetti, G. and Grella, A.
Preliminary results on the use of Tenax® for the extraction of pesticides and polynuclear aromatic hydrocarbons from surface and drinking waters for analytical purposes (106) 119
Lepri, L.
—, Desideri, P.G., Tanturli, G. and Landini, M.
Chromatographic behaviour of phenols on thin layers of cation and anion exchangers. I. Bio-Rad AG 3-X4A, PEI-cellulose and DEAE-cellulose (108) 169
—, Desideri, P.G., Landini, M. and Tanturli, G.
Chromatographic behaviour of phenols on thin layers of cation and anion exchangers. II. Dowex 50-X4 and Rexyn 102 (109) 365
Leung, W.J., see Jain, N.C. (103) 85
Lewand, D., see Roerig, D.L. (110) 349
Li, B.T., see Kingston, D.G.I. (104) 431
Libertella, R., see Zerba, E.N. (108) 380
Liberti, A., see Zoccolillo, L. (108) 219
Liberti, L., see Boari, G. (102) 393
— and Passino, R.
Chloride–sulfate exchange on anion-exchange resins. Kinetic investigations. I. (102) 155

Lieb, D., see Fine, D.H. (107) 351
Lie Ken Jie, M.S.F.
Fatty acids. II. The synthesis and GLC behaviour of five trimethylene-interrupted C_{18}-diunsaturated fatty acids (109) 81
Lierop, J.B.H. van, see Ernst, G.F. (109) 439
Lin, S.-N.
—, Pfaffenberger, C.D. and Horning, E.C.
Thermostable glass open tubular capillary columns with a polar liquid phase for GC (104) 319
Linden, J.C.
— and Lawhead, C.L.
LC of saccharides (105) 125
Lindgren, I.
— and Jansson, B.
Support material effects in GC analyses of organophosphorus compounds (106) 385
Lindner, W.
Gaschromatographische Bestimmung von Poly(oxyäthylen)sorbitanestern (101) 57
—, Frei, R.W. and Santi, W.
LC properties of phenothiazines (108) 299
Lindström, B.
— and Molander, M.
GC determination of furosemide in plasma using an extractive alkylation technique and electron capture detector (101) 219
—, see Sjöquist, B. (105) 309
Lindvall, O., see Axelsson, S. (105) 211
Liras, P.
TLC and GC parameters of morphine and codeine derivatives (106) 240
Lisboa, B.P., see Züllich, G. (103) 396
Litwiller, R.D., see Mattox, V.R. (108) 23, (109) 129
Lizzani-Cuvelier, L., see Fellous, R. (110) 7, 13, 19
Lloyd, J.B.F.
—, Hadley, K. and Roberts, B.R.G.
Pyrolysis GC over hydrogenated graphitised carbon black. Differentiation of chewing gum bases for forensic purposes (101) 417
Lo, F.-C., see Bush, B. (109) 287
Lochmüller, C.H.
— and Amoss, C.W.
3-(2,4,5,7-Tetranitrofluorenimino)-propyldiethoxysiloxane – a highly selective, bonded π-complexing phase for HPLC (108) 85
Lockhart, J.C., see Blackborow, J.R. (107) 380
Lodi, G., see Betti, A. (106) 291
Longpré, B., see Losito, R. (101) 379
Lord, K.A., see Smith, A.E. (107) 407
Lorentz, P.P., see Millar, K.R. (101) 177
Losito, R.
—, Lemieux, E. and Longpré, B.
Comparative chromatography of plasma and plasma concentrates rich in factors VIII and IX (101) 379
Lousberg, R.J.J.Ch., see Küppers, F.J.E.M. (108) 375
Love, S.H., see Rubin, H.E. (108) 216
Lovelady, H.G.
— and Foster, L.L.
Quantitative determination of epinephrine and norepinephrine in the picogram range by flame ionization GLC (108) 43
Luft, R., see Fellous, R. (110) 7, 13, 19
Lukas, D., see Schwachula, G. (102) 123
Lund, B.M.
— and Lyon, G.D.
Detection of inhibitors of *Erwinia carotovora* and *E. herbicola* on thin-layer chromatograms (110) 193
Lunskii, M.Kh., see Zhukhovitskii, A.A. (104) 241
Lupton, C.J.
Qualitative analysis of carboxylic acids by partition TLC (104) 223
Luzzana, M., see Gianazza, E. (109) 357
Lykourghiotis, A.
—, Hadzistelios, I. and Katsanos, N.A.
Chromatographic and adsorption properties of antimony pentoxide (110) 287
Lyon, G.D., see Lund, B.M. (110) 193

M

Maarse, H.
Hydrogenolysis of terpenes in the injection port of a gas chromatograph. II. Sesquiterpenes (106) 369
McAtee, Jr., J.L., see Thielmann, V.J. (105) 115
McBride, B.C., see Edwards, T. (106) 210
McDaniel, L.E., see Martin, J.F. (104) 151
McDonald, I.A., see Dusci, L.J. (104) 147
Macek, K.
— and Řehák, V.
High-resolution LC of some psychotropic drugs (105) 182
McGonigle, E.J.
— and Grob, L.R.
Evidence of interactions of organic sorbates with transition metal halides in GSC using thermodynamics and infrared studies (101) 39
MacIntyre, I., see Matthews, E.W. (110) 369
MacKenzie, S.L.
— and Tenaschuk, D.
Analysis of hydroxyproline and hydroxylysine. Improved GC method (104) 176
(104) 176
McLaren, J.V., see Epton, R. (110) 327
McLaughlin, L.D., see Briggs, C.J. (101) 403
MacNeil, J.D.
— and Hikichi, M.
Rapid method for the quantitative analysis of benomyl on cherries by TLC and *in situ* fluorometry (101) 33
Maďarič, A., see Paľušová, O. (106) 405
—, see Szokolay, A. (106) 401
Maddocks, J.L., see Harber, M.J. (101) 231
Maehly, A.C., see Strömberg, L. (109) 67
Magnusson, G.
Simple semi-micro GLC sample trap for aerosol-forming substances (109) 393
Mahapatra, S.N., see Chand, S. (106) 475
Mahood, H.W.
— and Rogers, I.H.
Separation of resin acids from fatty acids in relation to environmental studies (109) 281
Maican, A., see Karasek, F.W. (110) 295
Makhalov, E.M., see Rubinstein, R.N. (102) 235
Malaiyandi, M.
—, Barrette, J.P. and Lanouette, M.
Vanadium pentoxide as a chromogenic spray reagent for the qualitative analysis of some organic compounds on thin-layer plates (101) 155
Malečková, M., see Kvítek, J. (103) 385
Málek, J., see Vejrosta, J. (109) 101
Mallet, V.N., see Surette, D.P. (107) 141
Manion, C.V.
—, Shoeman, D.W. and Azarnoff, D.L.
HPLC assay of theophylline in biological fluids (101) 169
Mansell, R.L., see Strack, D. (109) 325
Mára, M., see Michalec, Č. (104) 460
Marco, C. de, see Rinaldi, A. (108) 391
Marcucci, F.
—, Bianchi, R., Airoldi, L., Salmona, M., Fanelli, R., Chiabrando, C., Frigerio, A., Mussini, E. and Garattini, S.
GC–MS determination of intact C_3-hydroxylated benzodiazepine glucuronides in urine (107) 285
Margolis, J.
— and Wrigley, C.W.
Improvement of pore gradient electrophoresis by increasing the degree of cross-linking at high acrylamide concentrations (106) 204
Marhol, M.
—, Chmelíček, J., Alovitdinov, A.B. and Kočkarova, Ch.U.
Selective properties and analytical use of an ion-exchange resin based on α-phenylvinylphosphonic acid (102) 89
Marsden, N.V.B.
Chromatographic determination of the internal solvent composition, solvent regain and distribution coefficients in gels in mixed solvent systems. I. Theory (105) 1
Martin, J.F.
— and McDaniel, L.E.
Quantitative thin-layer spectrodensitometric determination of the components of polyene macrolide antibiotic complexes (104) 151

Martin, M.
—, Eon, C. and Guiochon, G.
Study of the pertinency of pressure in LC. II. Problems in equipment design (108) 229
—, Eon, C. and Guiochon, G.
Study of the pertinency of pressure in LC. III. A practical method for choosing the experimental conditions in LC (110) 213
—, see Gassiot, M. (108) 337
Marton, A.
— and Inczédy, J.
Investigation of anion-exchange equilibria of maleic and fumaric acids (102) 165
Massow, F. von, see Von Massow, F. (104) 200, (105) 391
Mathiasson, L.
— and Jönsson, R.
GLC investigation of complexation equilibria between an aliphatic ester and various benzene derivatives and alkene derivatives (101) 339
Matlin, S.A., see Rai, P.P. (110) 401
Matthews, E.W.
—, Byfield, P.G.H. and MacIntyre, I.
Separation of phenylthiohydantoin-amino acids by HPLC (110) 369
Mattox, V.R.
—, Goodrich, J.E. and Litwiller, R.D.
Liquid ion exchangers in PC of steroidal glucosiduronic acids, glucosiduronic esters and free steroids. Influence of concentration of exchanger and counterion. (108) 23
—, Litwiller, R.D. and Goodrich, J.E.
Liquid ion exchangers in PC of steroidal glucosiduronic acids. Influence of different exchangers on the mobility in chloroform–formamide and correlation of chromatographic data (109) 129
Mazza, L.J., see Gelsomini, N. (101) 182
Mee, J.M.L.
Rapid determination of β-hydroxybutyric acid in blood and milk by GC (101) 414
—, Brooks, C.C. and Yanagihara, K.H.
GC–MS investigation of the photoepoxidation of vitamin K_3 (110) 178
Meinert, S., see Schöpp, W. (104) 99
Melgunov, V.I.
Separation of 8-azaadenine metabolites on columns of Sephadex G-10 (109) 204
Merilees, H.L., see Edwards, T. (106) 210
Merkus, F.W.H.M., see Duchateau, A.M.J.A. (109) 432
Messer, M., see Dean, R.T. (105) 353
Metras, F., see Bonastre, J. (110) 197
Michalec, Č.
—, Mára, M. and Adamcová, D.
Qualitative and quantitative TLC of mycolic acids in *Mycobacterium tuberculosis* var. *bovis*-BCG (104) 460
—, Reinišová, J. and Kolman, Z.
Argentation TLC of fatty acid methyl esters on Silufol® UV_{254} sheets (105) 219
Midha, K.K.
Identification of two *in vitro* metabolites of 3,4-methylenedioxyamphetamine by GLC–MS (101) 210
Miglierina, R., see Lamazière, J. (106) 191
Millar, K.R.
— and Lorentz, P.P.
GC method for the determination of methylmalonic acid in urine (101) 177
Millard, F.
— and Fox, B.W.
Fractionation of mammalian DNA on DEAE-cellulose (107) 125
Miller, J.N.
—, Erinle, O., Roberts, J.M. and Thirkettle, C.
Thin-layer gel chromatography of dyed proteins (105) 317
—, see Gifford, L.A. (103) 15
Mills, R.F., see Burns, D.T. (105) 43
Mink, J., see Zsinka, L. (102) 109
Minnikin, D.E., see Blackborow, J.R. (107) 380
— and Smith, S.
TLC of methoxyhalogenomercuri derivatives of mono-unsaturated long-chain esters (103) 205
Misra, A.L.
—, Bloch, R. and Mulé, S.J.
Estimation of *l*-α-[2-^{3}H]acetylmethadol in biological materials and its separation from some metabolites and congeners on glass fibre sheets (106) 184
Miwa, Y.
—, Hayashi, T. and Yamabe, T.
Application of mixed ligands to separations of metals on mixed ion-exchange columns (108) 323

Mlejnek, O.
— and Blatnický, J.
Universal sample inlet for GC (105) 382
Moawad, A., see Singh, E.J. (105) 195
Mobilio, S., see Bartoli, B. (107) 51
Moffat, A.C.
Standardisation of TLC systems for the identification of basic drugs (110) 341
Molander, M., see Lindström, B. (101) 219
Møller, S.E.
Method for the separation of plasma amino acids by IEC combined with a semi-automatic computation of plasma amino acid concentrations (104) 63
Mondino, A.
—, Bongiovanni, G. and Fumero, S.
New approach for obtaining total tryptophan recovery in plasma samples deproteinized with sulphosalicylic acid (104) 297
—, Fumero, S. and Bongiovanni, G.
Improved determination of plasma phosphoserine (104) 429
—, Fumero, S. and Bongiovanni, G.
Open-flask alkaline hydrolysis of amino acid phenylthiohydantoin derivatives (104) 291
Moore, G.T.
Theory of isotachophoresis. Development of concentration boundaries (106) 1
Moore, J.M.
GC detection of ecgonine and benzoyl ecgonine in cocaine (101) 215
Moretti, G., see Cavina, G. (103) 368
Morgan, E.D., see Poole, C.F. (104) 172
— and Poole, C.F.
Formation of pentafluorophenyldimethylsilyl ethers and their use in the GC analysis of sterols (104) 351
Morgan, J.J.W., see Henshaw, B.G. (110) 37
Morin, R.D., see Benington, F. (106) 435
Morita, H.
Persilylation of phenolic ketones (101) 189
Morris, R.J., see Ballantine, J.A. (103) 289
Morrison, I.M.
Determination of the degree of polymerisation of oligo- and polysaccharides by GLC (108) 361
Mottale, M.
— and Stewart, C.J.
GC determination of β-phenethylbiguanide and its metabolite *p*-hydroxy-β-phenethylbiguanide in serum and urine (106) 263
Mrochek, J.E., see Katz, S. (101) 193, (104) 303
Müller, G., see Buchtela, K. (103) 141
Mueller, M., see Roerig, D.L. (110) 349
Müller-Enoch, D., see Thomas, H. (103) 197
Mulé, S.J., see Misra, A.L. (106) 184
Muller, W.H., see Streuli, C.A. (101) 17
Murai, A., see Iwase, H. (106) 213
Murgia, E.
— and Walton, H.F.
Ligand-exchange chromatography of alkaloids (104) 417
Murray, Jr., J.F.
—, Gordon, G.R., Gulledge, C.C. and Peters, J.H.
Chromatographic–fluorimetric analysis of antileprotic sulfones (107) 67
Mussini, E., see Marcucci, F. (107) 285
Myasoedova, G.V., see Savvin, S.B. (102) 287

N

Naestoft, J., see Larsen, N.-E. (109) 259
Nagy, J., see Kalász, H. (107) 35
Nagy, O.
—, Gaál, H. and Szabó, J.
Examination of ion-exchange resins by derivatography (102) 77
Nagy, Z., see Szepesy, L. (108) 285
Nahlovsky, B.D.
— and Lang, J.H.
Determination of methylglucamine in urine using high-performance LC (101) 225
Nakagawa, T., see Yamaoka, K. (103) 221, (105) 225
Nakamura, G.R.
—, Thornton, J.I. and Noguchi, T.T.
Kinetics of heroin deacetylation in aqueous alkaline solution and in human serum and whole blood (110) 81
Nakamura, H.
— and Tamura, Z.
Chromatographic detection of Bunte salts and disulphides (104) 389
—, see Yamabe, T. (104) 359
Nandi, P.K., see Prakash, V. (106) 23
Navert, H.
New approach to the separation and identification of some methylated histamine derivatives by GC (106) 218
Nayar, M.R.G., see Francis, D.J. (103) 372
Nazareth Dos Santos, M., see Tabak, D. (106) 471
Nee, T.W.
Electrophoretic mobility (105) 251
—
Theory of the electroosmosis effect in electrophoresis (105) 231
Nefedov, P.P., see Belenkii, B.G. (108) 61
Nelson, J.A.
— and Rose, L.M.
Simple method for heating coiled columns for HPLC (106) 188
Nesterov, V.V., see Belenkii, B.G. (107) 265, (109) 233
Neumann, W., see Blasius, E. (110) 273
Newton Blakesley, C.
— and Torline, P.A.
Preparation of stable glass capillary columns with polar stationary phases (105) 385
Nichol, C.A., see DeAngelis, R.L. (106) 41
Nicholls, P.W., see Inglis, A.S. (107) 73
Nichols, B.L., see Huang, C.T.L. (109) 427
—, see Huang, T.-L. (101) 235
Nickless, G., see Howard, A.G. (104) 457
Niece, R.L.
Automated single-column analysis of amino acids using ascorbic acid as reductant for air-stable ninhydrin (103) 25
Nikashina, V.A., see Rubinstein, R.N. (102) 235
Nilsson, G.
— and Nilsson, K.
Molecular-weight distribution determination of clinical dextran by GPC (101) 137
Nilsson, K., see Nilsson, G. (101) 137
Noguchi, T.T., see Nakamura, G.R. (110) 81
Nolte, R.F., see Specht, S. (110) 253
—, Specht, S. and Born, H.-J.
Einfluss der geometrischen Verhältnisse der Trägermaterialien auf die Leistungsfähigkeit eines extraktionschromatographischen Systems. I. Änderung der Gesamtkapazität und des Verteilungskoeffizienten von Eu^{3+} in dem System HDEHP–SiO_2–HCl in Abhängigkeit von der Porengrösse der Trägermaterialien (Matrizen) (110) 239
Novák, J., see Kubecová, V. (110) 63
Novotný, M.
— and Farlow, R.
Simple method for concentrating dilute high-boiling samples for capillary GC (103) 1

O

O'Brien, C., see DiGregorio, G.J. (101) 424
O'Carra, P.
— and Colleran, E.
Separation and identification of isomeric deuterobiliverdins and mesobiliverdins (108) 212
Oehlenschläger, J.
—, Hintze, U. and Gercken, G.
GC–MS of di-, keto- and hydroxycarboxylic acid benzyl esters (110) 53
Oelert, H.H., see Asche, W. (106) 490
— and Giehr, A.D.
Problem der Aromatenüberlagerung bei der komplexchromatographischen Abtrennung neutraler Stickstoffverbindungen aus Erdölprodukten (106) 465
Ogden, A.B., see Dyer, A. (102) 95
Ogilvie, K.K., see Quilliam, M.A. (105) 297
Ohlsen, S.R., see Galpin, I.J. (106) 125
Ohno, K., see Abdel-Monem, M.M. (107) 416
Ohno, T., see Kagehira, S. (109) 21
–, see Sugiura, T. (110) 385
Okumura, T.
—, Kadono, T. and Iso'o, A.
Sintered TLC with flame ionization detector scanning (108) 329
Oliveira-Filho, R.M., see Valle, L.B.S. (105) 201
Olsson, L.
— and Samuelson, O.
Chromatography of aromatic acids, aldehydes and phenols on pellicular polyamide in aqueous solution (106) 139
Ono, A.
Studies on the separation of alkylbenzenes by GLC. VII. A linear free-energy relationship in the GLC separation of alkylbenzenes (110) 233
Orloff, M., see Streuli, C.A. (101) 17, 23
Ortner, H.M.
Gel chromatography of rhenium(VII) (107) 335
— and Dalmonego, H.
Verhalten von Molybdän(VI) und Molybdän(V) auf Dextran- und Polyacrylamidgelen (107) 341
Osborne, N.N.
— and Rüchel, R.
Fractionation of proteins from single neurons of *Planorbis corneus* by microelectrophoresis on SDS–gradient polyacrylamide gels (105) 197
Ossicini, L., see Cardaci, V. (101) 411
Ossip, P.S., see Barden, R.E. (109) 377
Osterroht, C.
Development of a method for the extraction and determination of non-polar, dissolved organic substances in sea water (101) 289
Otteneder, H.
— and Hezel, U.
Quantitative routine determination of thiabendazole by fluorimetric evaluation of thin-layer chromatograms (109) 181
Owen, J.M.
— and Dale, A.D.
Analysis of data from amino acid and other automated analysers. II. A simple Fortran program for the identification and quantitation of amino acids (107) 207
—
Analysis of data from amino acid and other automated analysers. III. A magnetic tape cassette data logging system for gas chromatographs (109) 395

P

Padhye, S.B.
—, Joshi, C.R. and Pendse, G.S.
TLC of the cytochalasins (108) 405
Pagani, M., see Gianazza, E. (109) 357
—, see Righetti, P.G. (109) 341
Påhlman, S., see Hjertén, S. (101) 281
Paloušová, Z., see Salák, J. (107) 234
Paľušová, O.
—, Sackmauerová, M. and Maďarič, A.
Identification and determination of triazine and diazine herbicides in water by TLC (106) 405
Pankova, M.C., see Papazova, D.I. (105) 411
Papadopoulos, H., see Choulis, N.H. (106) 180
Papazova, D.I.
— and Pankova, M.C.
Identification of individual aromatic hydrocarbons in kerosene fraction (b.p.150–250°) (105) 411
Papp, E.
— and Inczédy, J.
Extraction of copper(II) ions with liquid anion exchangers using salicylate as complex-forming agent (102) 225
Pare, C.M.B., see Gifford, L.A. (105) 107
Passino, R., see Boari, G. (102) 393
—, see Liberti, L. (102) 155
Paton, W.D.M., see Harvey, D.J. (109) 73
Patthy, A., see Tyihák, E. (102) 257
Patton, J.E.
—, Kung, H. and Langer, S.H.
Frontal analysis of product peaks from GC reactors. Dicyclopentadiene and di-*tert.*-butyl peroxide decomposition (104) 73
Paul, J.I., see Hillman, D.E. (108) 397
Pecci, J.
— and Giovanniello, T.J.
GC studies of phenobarbital and diphenylhydantoin after flash-heater alkylation (109) 163
Pecka, K.
—, Hála, S., Chlebek, J., Kuraš, M. and Kremanová, B.
GPC separation of stereoisomers of cyclo- and polycycloalkanes (104) 91
Peel, H.W., see Shaw, M.A. (104) 201
Pendergrass, A., see Thomas, T.H. (103) 211
Pendse, G.S., see Padhye, S.B. (108) 405
Pero, R.W., see Harvan, D.J. (101) 222
Perry, J.A.
Programmed multiple development. Lateral spot reconcentration (110) 27
Persiani, C.
— and Cukor, P.
LC method for the determination of phthalate esters (109) 413
Persson, R.B.R.
— and Darte, L.
Gel chromatography column scanning for the analysis of ^{99m}Tc-labelled compounds (101) 315
Peters, J.H., see Murray, Jr., J.F. (107) 67
Peters, J.M.
— and Del Fiore, G.
Distribution coefficients for 53 elements in hydrochloric acid (1.2 *M*)–water–acetone medium on Dowex 50W-X12 (108) 415
Petrella, M., see Cavina, G. (103) 368
Petrova, N.A., see Genkin, A.N. (105) 25
Pfaffenberger, C.D., see Lin, S.-N. (104) 319
Pflugmacher, J.
— and Ebing, W.
Methode zur Reinigung und quantitativen Bestimmung von Dicofolrückständen auf pflanzlichen Erntegütern (109) 199
Pfrepper, G.
Ionenaustausch bei hohen Konzentrationen der Lösung. IV. Mitt. Sorption von Thallium(III) aus HBr an verschiedenen Ionenaustauschern (110) 133
Phillipson, J.D.
— and Hemingway, S.R.
Chromatographic and spectroscopic methods for the identification of alkaloids from herbarium samples of the genus *Uncaria* (105) 163
Picard, J., see Hermelin, B. (110) 43
Pientka, V., see Häupke, K. (102) 117
Pitt, Jr., W.W., see Katz, S. (101) 193, (104) 303

Plešek, J., see Kvítek, J. (103) 385
Pokorný, S., see Popl, M. (104) 135
Pollak, V.
Comparison of optical transmittance and reflectance measurements on thin-media chromatograms (105) 279
—, see Gietz, W. (107) 81
Pollitt, R.J., see Hoskins, J.A. (109) 436
Pommier, C., see Fontaine, R. (104) 1
Ponnath, H., see Thomas, H. (103) 197
Poole, C.F., see Morgan, E.D. (104) 351
—, Morgan, E.D. and Bebbington, P.M.
Analysis of ecdysones by GC using electron capture detection (104) 172
Popl, M.
—, Čoupek, J. and Pokorný, S.
GPC of alkylbenzenes (104) 135
Porath, J.
—, Låås, T. and Janson, J.-C.
Agar derivatives for chromatography, electrophoresis and gel-bound enzymes. III. Rigid agarose gels cross-linked with divinyl sulphone (DVS) (103) 49
Pospíšil, J., see Rotschová-Protivová, J. (106) 343
Potthast, K.
— and Eigner, G.
New method for the rapid isolation of polycyclic aromatic hydrocarbons from smoked meat products (103) 173
Powell, J.E.
— and Kulprathipanja, S.
Application of ion-exclusion and ion-exchange techniques in preparing α,β,β'-trihydroxyisobutyramide and α,β,β'-trihydroxyisobutyric acid from 1,3-dihydroxy-2-propanone via the cyanohydrin synthesis (107) 167
Prakash, V.
— and Nandi, P.K.
Interaction of amino acids, N-acetyl amino acid esters, thymine and adenine with Sephadex LH-20 gel (106) 23
Pranitis, P.A.F.
— and Stolman, A.
Specialized TLC system for some common drug identification problems (106) 485
Prilezhaeva, E.N., see Shekhtman, R.I. (104) 409
Proštenik, Z.
—, Švigir-Štengl, B. and Štefanac, Z.
Quantitative TLC assay of amino acid decarboxylase activity (105) 418
Puccetti, G., see Leoni, V. (106) 119
Puech, A.
—, Kister, G. and Chanal, J.
Relations structure–mobilité en chromatographie sur couches minces. Applications à quelques progestatifs (108) 345

Q

Que Hee, S.S., see Henshaw, B. (106) 33
Quigley, F.R., see Barrow, K.D. (105) 393
Quilliam, M.A.
—, Ogilvie, K.K. and Westmore, J.B.
Injector port reactions in GC. Sources of error in the quantitative analysis of alkylsilyl derivatives of nucleosides
(105) 297

R

Rabine, J.P., see Fellous, R. (110) 7, 13, 19
Radaelli, P., see Gallo, G.G. (101) 163
Radhakrishnan, T.K., see Francis, D.J. (103) 372
Rai, P.P.
— and Turner, T.D.
Method for the estimation of anthraquinones using densitometric TLC (104) 196
—, Turner, T.D. and Matlin, S.A.
HPLC of naturally occurring anthraquinones (110) 401
Ramage, R., see Galpin, I.J. (106) 125
Ramanathan, P.S., see Datar, A.G. (106) 428
Ramsteiner, K.A.
— and Hörmann, W.D.
Coupling HPLC with a cholinesterase inhibition AutoAnalyzer for the determination of organophosphate and carbamate insecticide residues (104) 438
Rasmussen, K.E.
Analysis of cannabinoids in cannabis by means of GLC and solid injection. Improvements to the method (109) 175
Razinger, M., see Jernejčič, M. (107) 193
Rebel, G., see Robert, J. (110) 393
Recktenwald, U., see Jork, H. (107) 173
Redman, D.G.
Simple buffer gradient for the chromatography of amino acids, including tryptophan, on a single-column Technicon analyser (104) 178
Rees, L.V.C., see Duffy, S.C. (102) 149
Řehák, V., see Macek, K. (105) 182
Reich, G., see Hammerstingl, H. (101) 408
Reid, E.H., see Jamieson, G.R. (101) 185
Reimerdes, E.H.
—, Engel, G. and Behnert, J.
Untersuchungen zur Bildung von Mykotoxinen und deren quantitative Bestimmung. I. Die Bildung von Penicillinsäure durch *Penicillium cyclopium* (110) 361
Reinišová, J., see Michalec, Č. (105) 219
Rekers, C.J.N., see De Jong, G.J. (102) 443
Repášová, I., see Šingliar, M. (105) 329
Reuterby, J., see Walz, D.A. (104) 180
Rice, L.I., see Allen, C.F. (110) 151
Righetti, P.G., see Gianazza, E. (109) 357
—, Pagani, M. and Gianazza, E.
Characterization of synthetic carrier ampholytes for isoelectric focusing (109) 341
Rimorini, N., see Gallo, G.G. (101) 163
Rinaldi, A.
—, Dernini, S. and De Marco, C.
IEC of some thiodiamines (108) 391
Robert, J.
— and Rebel, G.
Quantitation of neutral glycolipids by TLC on pre-coated plates (110) 393
Roberts, B.R.G., see Lloyd, J.B.F. (101) 417
Roberts, J.C., see Ballantine, J.A. (103) 289
Roberts, J.M., see Miller, J.N. (105) 317
Robinson, D.S., see Davies, A.M.C. (101) 307
Robson, A.C., see Blackborow, J.R. (107) 380
Rocca, J.-L., see Coq, B. (106) 249
—, see Gonnet, C. (109) 297
Roch, P., see Salák, J. (107) 234
Rocha Gonsalves, A.M.D'A.
— and Santos Costa, A.M.B.S.R.C.
Chromatography of cashew nut-shell liquid (104) 225
Rodrigues, A.E.
Ion exchange in agitated beds. Simulation of an ion-exchange column by model of agitated tanks in cascade (102) 437
Roerig, D.L.
—, Lewand, D., Mueller, M. and Wang, R.I.H.
Methods of identification and confirmation of abusive drugs in human urine (110) 349
Rogers, I.H., see Mahood, H.W. (109) 281
Rondia, D., see De Wiest, F. (104) 399
Roques, H., see Abadie, A. (102) 181
Rosazza, J.P., see Smith, R.V. (106) 235
Rose, L.M., see Nelson, J.A. (106) 188
Rosengren, J., see Hjertén, S. (101) 281
Rosie, D.M., see Barry, E.F. (103) 180

Ross, M.S.F.
Microcolumn chromatography as an aid to the GC analysis of volatile oils (106) 392
Rotschová-Protivová, J.
—, Pospíšil, J., Holčík, J. and Durmis, J.
Antioxidants and stabilizers. LVII. Behaviour of light stabilizers and model compounds in gel chromatography (106) 343
Rounbehler, D.P., see Fine, D.H. (109) 271
Rozsa, A.N., see Hillis, W.E. (109) 172
Rubanik, S.C., see Strazhesko, D.N. (102) 191
Rubin, H.E.
— and Love, S.H.
Improved bioautographic procedure for the detection of thiamine pyrophosphate or its pyrimidine precursors (108) 216
Rubinstein, R.N.
—, Senyavin, M.M., Venitsianov, E.V., Makhalov, E.M., Alekseenko, V.A. and Nikashina, V.A.
Determination of the optimal conditions for ion-exchange processes (102) 235
Rudenko, B.A., see Baydarovtseva, M.A. (104) 277
—, Baydarovtseva, M.A., Kuzovkin, V.A. and Kucherov, V.F.
GC with vapours of low-boiling substances as mobile phases (104) 271
—, see Shekhtman, R.I. (104) 409
Rüchel, R., see Osborne, N.N. (105) 197
Rufeh, F., see Fine, D.H. (107) 351
Ruiz Diaz, R., see Cairns, G.T. (103) 381
Russell, D.H., see Fleisher, J.H. (110) 335
Rúveda, M.A., see Zerba, E.N. (108) 380
Ryswyk, W. van, see Van Ryswyk, W. (103) 259

S

Sackmauerová, M., see Paľušová, O. (106) 405
—, see Szokolay, A. (106) 401
Sado, T., see Higuchi, S. (110) 301
Sagher, R.M. de, see De Sagher, R.M. (106) 357
Sahgal, P.N., see Desai, B.K. (104) 47
Saitoh, K.
— and Suzuki, N.
Gel chromatography of acetylacetone and its metal(II, III) complexes in the Merckogel OR-2000–tetrahydrofuran system (109) 333
Sakamura, S., see Kasai, T. (103) 189
Salák, J.
—, Roch, P. and Paloušová, Z.
Gel-filtration pattern of eel serum. Separation of haemolysin(s) from haemagglutinins (107) 234
Salát, J., see Hazai, I. (102) 245
Saldadze, G.K., see Gorodnev, M.S. (102) 83
Salemink, C.A., see Küppers, F.J.E.M. (108) 375
Salmona, M., see Marcucci, F. (107) 285
Salomoni, F., see Zoccolillo, L. (106) 103
Samperi, R., see Di Corcia, A. (107) 99
Samuelson, O., see Olsson, L. (106) 139
Sankar Das, M., see Datar, A.G. (106) 428
Santi, W., see Lindner, W. (108) 299
Santos, M. Nazareth Dos, see Tabak, D. (106) 471
Santos Costa, A.M.B.S.R.C., see Rocha Gonsalves, A.M.D'A. (104) 225
Sarkar, M.K.
— and Haselden, G.G.
Separation of a mixture of permanent gases and light hydrocarbons by subambient temperature programming of a single Porapak Q column (104) 425
—, see Kumar, A. (107) 190
Sasaki, H., see Higuchi, S. (110) 301
Savitskaya, T.S., see Belenkii, B.G. (108) 61
Savvin, S.B.
—, Antokolskaja, I.I., Myasoedova, G.V., Bolshakova, L.I. and Shvoeva, O.P.
Chelate sorbents for concentration and separation of noble metals (102) 287
Schaaf, R.
Einsatzmöglichkeiten von pulverförmigen Ionenaustauschern in der Kondensataufbereitung (102) 451
Schneider, G.
—, Jänicke, S. and Sembdner, G.
Gibberelline. XXXIV. Mitt. Beitrag zur Gaschromatographie von Gibberellinen und Gibberellin-O-glucosiden – N,O-Bis(trimethylsilyl)acetamid als Silylierungsreagens (109) 409
Schobben, F., see Duchateau, A.M.J.A. (109) 432
Schönhofer, F.
— and Grass, F.
Beiträge zur Theorie der elektrophoretischen Ionenfokussierung anorganischer Ionen mit schwachen Komplexbildnern (110) 265
Schöpp, W.
—, Meinert, S., Thyfronitou, J. and Aurich, H.
Separation of dehydrogenases on polyaminomethylstyrene (104) 99
Schulze, G., see Christ, W. (106) 418
Schwachula, G.
— and Lukas, D.
Untersuchung zur Herstellung stark saurer Kationenaustauscher auf der Basis von Styrol–Bis-(4-vinylphenyl)-methan-Copolymeren (102) 123
Schwartz, P.M.
— and Drach, J.C.
Separation of arabinosyl, ribosyl, and deoxyribosyl purine nucleotides by TLC (106) 200
Schwedt, G.
— and Bussemas, H.H.
Schnelle Derivatisierung von 3-Methoxytyramin, Normetanephrin und Metanephrin zu Trimethylsilyltrifluoracetylderivaten für die gaschromatographische Analyse (106) 440
Šebenik, A.
— and Lapanje, S.
Analysis of phenol–formaldehyde resins by high-performance LC (106) 454

Sebestian, I., see Weigand, N. (102) 325
Sebestyén, Zs., see Szepesy, L. (108) 285
Šeda, J., see Tykva, R. (108) 37
Seiler, N.
— and Bruder, K.
Determination of serotonin and bufotenin as their dansyl derivatives (106) 159
— and Deckardt, K.
Determination of amines and amino acids in sugar-containing samples by dansylation (107) 227
Seitz, L.M.
Comparison of methods for aflatoxin analysis by HPLC (104) 81
Seki, T.
— and Wada, H.
Chromatographic separation of dansyl amino acids and dansyl amines on Amberlite IRC-50 (102) 251
Selby, K., see Cairns, G.T. (103) 381
Sembdner, G., see Schneider, G. (109) 409
Seno, S., see Takahagi, H. (108) 354
Senyavin, M.M., see Rubinstein, R.N. (102) 235
Severin, M., see Wathelet, J.-P. (110) 157
Shachrai, A.A., see Shifman, V.S. (104) 311
Shankar, V.
— and Joshi, P.N.
Fractionation of RNA on a metal ion-equilibrated cation exchanger. III. Chromatographic profiles of RNA: methodology and protein association (104) 443
— and Joshi, P.N.
Fractionation of RNA on a metal ion-equilibrated cation exchanger. IV. Chromatographic profiles of RNA: tissue and source variation (104) 449
Shankar Subramanian, R.
Unsteady convective diffusion in capillary chromatography (101) 253
Sharma, S.K.
— and Hopkins, T.R.
Non-specific binding in the affinity chromatography of chymotrypsin (110) 321
Shaw, M.A.
— and Peel, H.W.
TLC of 3,4-methylenedioxyamphetamine, 3,4-methylenedioxymethamphetamine and other phenethylamine derivatives (104) 201
Shekhtman, R.I.
—, Rudenko, B.A., Prilezhaeva, E.N. and Krongauz, V.A.
Separation of pairs of *cis*- and *trans*-isomers of unsaturated sulphur compounds by GC on graphitized carbon black (104) 409
Sherma, J.
Quantitation of benomyl and its metabolites by thin-layer densitometry (104) 476
Shifman, V.S.
—, Galpern, G.D., Gordadze, G.N., Zhestkov, D.K. and Shachrai, A.A.
Application of a thermal conductivity detector with constant filament temperature to GC with a heavy carrier gas (104) 311
Shimizu, T.
—, Katsuno, M. and Iizuka, N.
TLC of a number of metal ions on DEAE-cellulose in acidic sulphate media (106) 230
Shishoo, C.J., see Devani, M.B. (105) 186
Shlyakhov, A.F.
—, Koreshkova, R.I. and Telkova, M.S.
GC of isoprenoid alkanes (104) 337
Shoeman, D.W., see Manion, C.V. (101) 169
Shu, C.K.
—, Walradt, J.P. and Taylor, W.I.
Improved method for bergapten determination by high-performance LC (106) 271
Shulgaitser, L.A., see Itsikson, L.B. (108) 358
Shvoeva, O.P., see Savvin, S.B. (102) 287
Siefert, K.
—, Casagrande, D. and Silberman, H.
Analysis of chlorhexidine by GLC (109) 193
Silberman, H., see Siefert, K. (109) 193
Siling, M.I.
—, Kovner, V.Ya., Vyrsky, Yu.P. and Alkayeva, O.F.
Determination of the molecular-weight distribution of polymers by PC (101) 83
Silva, R.J., see Zvara, I. (103) 77
Silverstein, E.
— and Geller, H.
Studies on the nature of non-specific staining in nitroblue tetrazolium detection of dehydrogenases in polyacrylamide gel electrophoresis ("nothing dehydrogenase") (101) 327

Simmons, W.S., see DeAngelis, R.L. (106) 41
Singh, E.J.
—, Moawad, A. and Zuspan, F.P.
Malachite green – a new staining reagent for prostaglandins (105) 195
— and Zuspan, F.P.
Thick-layer chromatography for the isolation of 19-hydroxy-prostaglandins from total lipids (104) 189
Šingliar, M.
—, Repášová, I., Vanko, A., Komora, L., Dykyj, J. and Koudelka, L.
Analysis of hemiformals by GC (105) 329
Sinha, O.K.
—, Vyas, S.C. and Joshi, L.K.
Rapid separation and detection of some systemic fungicides by PC (110) 403
Sinibaldi, M.
— and Lederer, M.
Adsorption of inorganic anions on Sephadex gels (107) 210
Sinitsina, L.A., see Chizhkov, V.P. (104) 327
Sippell, W.G.
—, Lehmann, P. and Hollmann, G.
Automation of multiple Sephadex LH-20 CC for the simultaneous separation of plasma corticosteroids (108) 305
Širicová, M., see Betinová, M. (101) 240
Site, A. delle, see Testa, C. (102) 293
Siwon, H., see Karlsen, J. (110) 187
Sjöquist, B.
—, Lindström, B. and Änggård, E.
Mass fragmentographic determination of 4-hydroxy-3-methoxyphenylglycol (HMPG) in urine, cerebrospinal fluid, plasma and tissues using a deuterium-labelled internal standard (105) 309
Smith, A.E.
— and Lord, K.A.
Method for determining trace quantities of the herbicide chlortoluron in soils by LC (107) 407
Smith, A.G.
— and Brooks, C.J.W.
Application of cholesterol oxidase in the analysis of steroids (101) 373
Smith, D.A.
— and Cole, W.J.
Rapid and sensitive GC determination of diacetylmorphine and its metabolite monoacetylmorphine in blood using a nitrogen detector (105) 377
Smith, E.M., see Crone, H.D. (103) 71
Smith, P.
— and Hall, C.J.
Solvents for the adsorption chromatography of adrenocortical steroids (101) 202
Smith, R.N., see Wheals, B.B. (105) 396
Smith, R.V., see Bighley, L.D. (110) 375
—, Rosazza, J.P., Engel, K.O. and Humphrey, D.W.
GLC and TLC determinations of xylenols in microbial extracts (106) 235
Smith, S., see Minnikin, D.E. (103) 205
Smythe, R.J., see Karasek, F.W. (101) 125
Sneath, R., see Wellum, G.R. (103) 153
Sneath, T.C., see Jain, N.C. (103) 85
Snyder, S.L.
— and Welch, C.M.
Chromatography of substituted anilines on 3,5-dinitrobenzoyl paper. An example of organic charge-transfer chromatography (105) 157
Solheim, E., see Grahl-Nielsen, O. (105) 89
Solomon, B.S., see Cooke, N.H.C. (109) 57
Sopková, A.
—, Vetejška, K. and Bubanec, J.
Some problems in the separation of copper and iron from mine waters (102) 403
Soulages, N.L.
— and Brieva, A.M.
GC determination of the paraffin and naphthene content in saturated hydrocarbon distillates with porous layer open tubular columns of molecular sieve 13X (101) 365
Souter, R.W.
GC resolution of enantiomeric amphetamines and related amines. I. Structural effects on some diastereomer separations (108) 265
Specht, S., see Nolte, R.F. (110) 239
—, Nolte, R.F. and Born, H.-J.
Einfluss der geometrischen Verhältnisse der Trägermaterialien auf die Leistungsfähigkeit eines extraktionschromatographischen Systems. II. Änderung der Austauschkinetik des Eu^{3+} im System HDEHP–SiO_2–HCl in Abhängigkeit von der Porengrösse der Trägermaterialien (Matrizen) (110) 253
Spinelli, N., see Bartoli, B. (107) 51
Srinivasulu, C., see Chand, S. (106) 475
Stachelski, S.J., see Hutsell, T.C. (106) 151

Stancher, B., see Favretto, L. (108) 183
Stanford, F.G.
— and Golder, M.L.
Artefact in the chromatography of L-3,3',5-triiodothyronine (104) 474
Stankoviansky, S.
—, Čičmanec, P. and Kaniansky, D.
Conductivity detection of zones in isotachophoresis with a high-frequency bridge (106) 131
Stanley, W.L., see Elliger, C.A. (104) 57
Steele, P., see Burns, D.T. (103) 241
Štefanac, Z., see Proštenik, Z. (105) 418
Steichen, J.C.
Dual-purpose absorbance–fluorescence detector for HPLC (104) 39
Steinschneider, A.
Thermal chromatography of lysine-specific transfer ribonucleic acid from *Escherichia coli* B (103) 355
Stepanov, V.M.
—, Lavrenova, G.I., Borovikova, V.P. and Balandina, G.N.
Chromatography of acid proteinases and chymotrypsin on a sorbent containing 2,4-dinitrophenyl residues (104) 373
Sterlińska, E., see Dybczyński, R. (102) 263
Stewart, C.J., see Mottale, M. (106) 263
Stewart, M.J., see Watson, I.D. (110) 389
Steyn, J.M.
— and Hundt, H.K.L.
Quantitative GC determination of diazepam and its major metabolite in human serum (107) 196
Stijve, T.
— and Cardinale, E.
Rapid determination of selenium in various substrates by electron capture GLC (109) 239
Stolman, A., see Pranitis, P.A.F. (106) 485
Strack, D.
— and Mansell, R.L.
Polyamide CC for resolution of complex mixtures of anthocyanins (109) 325
Strazhesko, D.N.
—, Strelko, V.B., Belyakov, V.N. and Rubanik, S.C.
Mechanism of cation exchange on silica gels (102) 191
Street, H.V.
Estimation and identification in blood plasma of paracetamol (N-acetyl-*p*-aminophenol) in the presence of barbiturates (109) 29
Strelko, V.B., see Strazhesko, D.N. (102) 191
Streuli, C.A.
—, Muller, W.H. and Orloff, M.
Computer applications in GLC. I. Prediction of component resolution from limited input data (101) 17
— and Orloff, M.
Computer applications in GLC. II. Prediction of retention volume for hydrocarbons and heteroatomic organic molecules using molecular parameters and multiple regression analysis (101) 23
Strike, P. McK., see Inglis, A.S. (107) 73
Strömberg, L.
Comparative GC analysis of narcotics. II. Amphetamine sulphate (106) 335
— and Maehly, A.C.
Comparative GC analysis of narcotics. III. Phenmetrazine hydrochloride (109) 67
Subbiah, M.T.R., see Klause, K.A. (103) 170
Subramanian, R.
— and Krishnamurthy, G.
TLC detection of the lignan lactones of *Cleistanthus collinus* (Roxb.) (107) 230
Subramanian, R. Shankar, see Shankar Subramanian, R. (101) 253
Sugden, K., see Gough, T.A. (109) 265
Sugiura, T.
—, Hayashi, T., Kawai, S. and Ohno, T.
High-speed LC determination of putrescine, spermidine and spermine (110) 385
Sugiyama, T., see Iwase, H. (106) 213
—, Takeuchi, T. and Suzuki, Y.
Thermodynamic properties of solute molecules at infinite dilution determined by GLC. I. Intermolecular energies of *n*-alkane solutes in C_{28}–C_{36} *n*-alkane solvents (105) 265
—, Takeuchi, T. and Suzuki, Y.
Thermodynamic properties of solute molecules at infinite dilution determined by GLC. II. Interaction energies of contact pairs of methyl and methylene segments (105) 273
Suprynowicz, Z., see Waksmundzki, A. (110) 381
Surette, D.P.
— and Mallet, V.N.
Inorganic salts in the fluorometric detection of pesticides (107) 141

Sutherland, R.G., see Henshaw, B. (106) 33
Suzuki, N., see Saitoh, K. (109) 333
Suzuki, T., see Fujimoto, Y. (105) 99
—, Fujimoto, Y., Hoshino, Y. and Tanaka, A.
Trimethylsilylation of penicillic acid and patulin, and the stability of the products (105) 95
Suzuki, Y., see Sugiyama, T. (105) 265, 273
Svendsen, A. Baerheim, see Verpoorte, R. (109) 441
Švigir-Štengl, B., see Proštenik, Z. (105) 418
Szabó, J., see Nagy, O. (102) 77
Szepesy, L.
—, Sebestyén, Zs., Fehér, I. and Nagy, Z.
Continuous LC (108) 285
Szirtes, L., see Zsinka, L. (102) 109
— and Zsinka, L.
Preparation of some new inorganic ion exchangers (102) 105
Szokolay, A.
—, Uhnák, J., Sackmauerová, M. and Maďarič, A.
Analysis of HCB and BHC isomer residues in food (106) 401

T

Tabak, D.
— and Nazareth Dos Santos, M.
Separation of isomeric β-lactam derivatives containing olefinic double bonds by chromatography on silica gel impregnated with silver nitrate (106) 471
Tadrus, R., see Kaistha, K.K. (107) 359, (109) 149
Takahagi, H.
— and Seno, S.
Separation characteristics of a porous styrene–divinylbenzene polymer packing for HPLC (108) 354
Takahashi, N.
—, Utsumi, Y., Kato, T. and Izumiya, N.
Separation of mono-, di- and tri-L-leucylglycine by droplet countercurrent chromatography (109) 422
Takai, N., see Yamabe, T. (104) 359
Takata, Y.
— and Fujita, K.
Application of a coulometric detector to rapid IEC (108) 255
Takeuchi, T., see Sugiyama, T. (105) 265, 273
Taki, M., see Yamada, T. (103) 390
Taleb-Bendiab, S.A.
— and Vergnaud, J.-M.
Variation du temps de rétention des alcanes et des alcools avec la masse molaire du polymère de l'éthylène glycol utilisé comme phase stationnaire en chromatographie en phase gazeuse (107) 15
Tamura, Z., see Nakamura, H. (104) 389
Tanaka, A., see Suzuki, T. (105) 95
Tanturli, G., see Lepri, L. (108) 169, (109) 365
Tapscott, E.B.
— and Dohm, G.L.
Use of sulfo-phospho-vanillin to quantitate unsaturated neutral lipids in TLC (107) 420
Tarrant, J.R., see Zvara, I. (103) 77
Tatone, O.S., see Karasek, F.W. (110) 295
Taylor, J.F., see Jane, I. (109) 37
Taylor, R.F.
— and Davies, B.H.
GLC of carotenoids and other terpenoids (103) 327
Taylor, W.I., see Shu, C.K. (106) 271
Telkova, M.S., see Shlyakhov, A.F. (104) 337
Tenaschuk, D., see MacKenzie, S.L. (104) 176
Terlouw, J.K., see Küppers, F.J.E.M. (108) 375
Testa, C.
— and Delle Site, A.
Extraction chromatography with liquid ion exchangers as stationary phase (102) 293
Thielmann, V.J.
— and McAtee, Jr., J.L.
GC behavior of metal–tris(ethylenediamine) complex cation-exchanged montmorillonites (105) 115
Thirkettle, C., see Miller, J.N. (105) 317
Thomas, B.R.
Peak squarer for square-top runs in GLC–MS. Some factors affecting GLC output to a mass spectrometer (109) 168
Thomas, H.
—, Ponnath, H. and Müller-Enoch, D.
Säulenchromatographische Trennung 3,4-isomerer Hydroxymethoxymandelsäuren (103) 197
Thomas, J.D.R.
Some aspects of ion-exchange in non-aqueous and mixed solvents (102) 209
Thomas, T.H.
—, Carroll, J.E., Isenberg, F.M.R., Pendergrass, A. and Howell, L.
TLC of cytokinins on a mixed layer of polyvinylpyrrolidone and calcium sulphate (103) 211
Thompson, J.S.
Chromatogram sprayer with disposable jet (106) 423
Thompson, M.E., see Blackborow, J.R. (107) 380

Thornton, J.I.
Isotachophoresis and isoelectric focusing of soil humic substances in polyacrylamide gel (103) 402
—, see Nakamura, G.R. (110) 81
Thyfronitou, J., see Schöpp, W. (104) 99
Tolpin, E.I., see Wellum, G.R. (103) 153
Toman, A.J., see Christopoulos, G.N. (106) 446
Tomasz, J.
Ion-exchange and ion-exclusion chromatographic separation of nucleosides on Dowex 50 type resin-coated chromatoplates (101) 198
— and Farkas, T.
Use of cation-exchange thin layers in adenyl cyclase assay (107) 396
Tomlinson, E.
— and Dearden, J.C.
Chromatographic substituent constants and their use in quantitative structure activity relationships. The binding of acetanilides to serum albumin (106) 481
Tondeur, D., see Bailly, M. (102) 413
—, see Grevillot, G. (102) 421
Torline, P.A., see Newton Blakesley, C. (105) 385
Torriano, G., see Alessi, P. (105) 257, (106) 17
Trebbi, A.
—, Gervasi, G.B. and Comi, V.
Determination of pinazepam and its metabolites in serum, urine and brain by GLC and MS (110) 309
Trefz, F.K.
—, Byrd, D.J. and Kochen, W.
Quantitative determination of cortisol in human plasma by HPLC (107) 181
Treiber, L.R., see Zwolinski, G.K. (107) 311
Tsuda, T.
—, Yanagihara, H. and Ishii, D.
Gas–modified solid chromatography using organic vapours as carrier gas (101) 95
Tuong, A., see Tuong, C.C. (106) 97
Tuong, C.C.
— and Tuong, A.
Quantitative determination of *p*-chlorophenoxyisobutyric acid in blood plasma by GLC (106) 97
Turner, A.G., see Adkins, R.R. (110) 202
Turner, P., see Gifford, L.A. (105) 107
Turner, T.D., see Brain, K.R. (109) 383
—, see Rai, P.P. (104) 196, (110) 401
Twitchett, P.J.
Analysis of illicit diamorphine preparations by HPLC (104) 205
Tyihák, E.
—, Ferenczi, S., Hazai, I., Zoltán, S. and Patthy, A.
Combined application of IEC methods for the study of "minor basic amino acids" (102) 257
Tykva, R.
— and Šeda, J.
Radio GC of carbon-14-labelled compounds using continuous activity assay by a semiconductor detector (108) 37
Tyler, J.E.
— and Dibdin, G.H.
GC of volatile fatty acids. Method involving separation from biological material by vacuum distillation (105) 71
Tyrer, J.H., see Hooper, W.D. (110) 206

U

Uhnák, J., see Szokolay, A. (106) 401
Utsumi, Y., see Takahashi, N. (109) 422

V

Valle, L.B.S.
— and Oliveira-Filho, R.M.
Application of a histochemical reaction to the TLC of steroids (105) 201
Van den Berg, H.
— and Hommes, F.A.
TLC detection of some N-acylglycine conjugates in urine (104) 219
Vandenheuvel, F.A.
GLC studies of reactions and structural relationships of steroids. II. Positions 3, 11, and 20 in the pregnane series (103) 113
—
GLC studies of reactions and structural relationships of steroids. III. 11α-Hydroxysteroids of the androstane and pregnane series (105) 359
Van der Wal, Sj.
— and Huber, J.F.K.
HPLC with ion-exchange celluloses and its application to the separation of estrogen glucuronides (102) 353
Vanko, A., see Šingliar, M. (105) 329
Van Lierop, J.B.H., see Ernst, G.F. (109) 439
Vanoli, F., see Bartoli, B. (107) 51
Van Ryswyk, W.
Removal of organic matter with a weakly basic macroreticular ion-exchange resin (103) 259
Vanyushin, B.F., see Kirnos, M.D. (104) 113
Váradi, A.
TLC on a chromatosheet coated with resin in different ionic forms for the separation of amino acid mixtures containing asparagine and glutamine (110) 166
Varentsov, V.K., see Gorodnev, M.S. (102) 83
Vasilyev, V.K., see Kirnos, M.D. (104) 113
Vaughan, C.E., see Haken, J.K. (106) 317
Vaughan, C.G., see Wheals, B.B. (106) 109
Vejrosta, J.
— and Málek, J.
Separation of alkali metal carboxybenzenesulphonates and their 2-hydroxyethyl esters on Sephadex LH-20 gel (109) 101
Venitsianov, E.V., see Rubinstein, R.N. (102) 235
Verbeke, R., see De Brabander, H.F. (108) 141
Vergnaud, J.-M., see Devallez, B. (109) 1
—, see Taleb-Bendiab, S.A. (107) 15
Vernon, F.
— and Edwards, G.T.
GLC on fluorinated stationary phases. I. Hydrocarbons and fluorocarbons (110) 73
Verpoorte, R.
— and Baerheim Svendsen, A.
High-speed LC separation of some *Strychnos* alkaloids (109) 441
Verriest, C., see Blass, J. (107) 383
Vespalec, R.
Improvement of the performance of the capacitance detector for LC. Effects of the cell volume on band spreading and sensitivity of detection (108) 243
Vetejška, K., see Sopková, A. (102) 403
Vetters, A.F., see De Deyne, V.J.R. (103) 177
Vigh, Gy.
— and Inczédy, J.
Separation of some chloramphenicol intermediates by high-pressure IEC (102) 381
Vigvári, M., see Erdélyi, M. (102) 429
—, Erdélyi, M. and Czeglédi, B.
Countercurrent elution of uranium(VI) and iron(III) from an anion-exchange resin (102) 433
Viktorova, E.N., see Alishoyev, V.P. (108) 275
Vilenchich, R., see Yamanis, J. (108) 79
Vilenchik, L.Z., see Belenkii, B.G. (109) 233
Vinson, J.A.
— and Hooyman, J.E.
Studies in laboratory-use reagents. III. Simple TLC system for the separation of cannabinoids (106) 196
— and Hooyman, J.E.
Universal TLC visualization reagent for drugs (105) 415

Vitenberg, A.G.
—, Borisov, V.N. and Isidorov, V.A.
GC determination of trace amounts of organic compounds in solutions with adsorption of the major constituent (104) 51
Volchikhina, M.D., see Belenkii, B.G. (108) 61
Von Massow, F.
Autoradiographie-Auswertung mittels Fluoreszenslöschung (104) 200
—
Combination of TLC systems for analysis of the pigments from *Peniophora sanguinea* (Fr.) Bres. (105) 391
Vries, G. de, see Brinkman, U.A.Th. (102) 309
Vries, J. de, see De Vries, J. (108) 117
Vučetić, M.M., see Cvjetićanin, D.N. (103) 305
Vyas, S.C., see Sinha, O.K. (110) 403
Vyrsky, Yu.P., see Siling, M.I. (101) 83

W

Wada, H., see Seki, T. (102) 251
Waddington, D.J., see Cairns, G.T. (103) 381
Wainwright, M., see Haken, J.K. (106) 327
Waksmundzki, A.
—, Jaroniec, M. and Suprynowicz, Z.
Modification of the chromatographic Hobson method for studying heterogeneity of adsorbents (110) 381
Wal, Sj. van der, see Van der Wal, Sj. (102) 353
Walle, T., see Ehrsson, H. (101) 206
Walradt, J.P., see Shu, C.K. (106) 271
Walton, H.F.
LC of organic compounds on ion-exchange resins (102) 57
—, see Murgia, E. (104) 417
Walz, D.A.
— and Reuterby, J.
Improved TLC technique for the identification of phenylthiohydantoin amino acids (104) 180
Wang, R.I.H., see Roerig, D.L. (110) 349
Washington, R.J., see Heathcote, J.G. (104) 141
Wathelet, J.-P.
—, Claustriaux, J.-J. and Severin, M.
Dosage de glycérides par densitométrie (110) 157
Watson, I.D.
— and Stewart, M.J.
Separation and quantitative determination of tricyclic antidepressants by high-performance LC (110) 389
Watson, J.R.
— and Lawrence, R.C.
Specific quantitative GLC analysis of methyldopa and some foreign related amino acids in raw material and commercial tablets (103) 63
Watterson, A.C., see Jeknavorian, A.A. (107) 317
Wedzicha, B.L.
Enhancement of data derived from a TLC radioactivity scanner by accumulation and Fourier transformation (101) 79
Weigand, N.
—, Sebestian, I. and Halász, I.
Neuartige Kationenaustauscher auf Kieselgelbasis. I. Darstellung und Eigenschaften (102) 325
Weisburger, J.H., see Fiala, E.S. (105) 189
Welch, C.M., see Snyder, S.L. (105) 157
Wellum, G.R.
—, Topin, E.I., Andersen, L.P. and Sneath, R.
Complementary TLC separations of some polyhedral borane anions and their derivatives (103) 153
Wenzel, K.
— and Dedek, W.
Simple method for the evaluation of the translocation behaviour of agrochemicals in soil (109) 443
Werner, G.
Use of liquid ion exchangers in extraction chromatography (102) 69
Westmore, J.B., see Quilliam, M.A. (105) 297
Wheals, B.B.
Chemically bonded phases for LC. Modification of silica with vinyl monomers (107) 402
— and Smith, R.N.
Comparative cannabis analysis. A comparison of HPLC with other chromatographic techniques (105) 396
—, Vaughan, C.G. and Whitehouse, M.J.
Use of chemically modified microparticulate silica and selective fluorimetric detection for the analysis of polynuclear hydrocarbons by HPLC (106) 109
White, A.A.
Separation and quantification of ^{32}P-labeled guanine nucleotides by TLC (104) 184
Whitehouse, M.J., see Wheals, B.B. (106) 109
Widmark, G., see Blomberg, L. (106) 59
Wieber, W.-D., see Figge, K. (109) 418
Wiest, F. de, see De Wiest, F. (104) 399
Wikström, S., see Ehrsson, H. (101) 206

Wilkomirski, B.
— and Kasprzyk, Z.
GLC separation of triterpene monohydroxyalcohol esters (103) 376
Willemsen, A.J.
Application of isotachophoresis in enzymology (105) 405
Williams, N., see Henshaw, B.G. (110) 37
Williamson, B.F., see Bailey, F. (109) 305
Wilson, B.P.
— and Cochrane, W.P.
Comparison of the Coulson and Hall electrolytic conductivity detectors for the determination of nitrogen-containing pesticides (106) 174
Winchester, J.G.
— and Ford, E.J.H.
Modified pre-column for the preparative-scale separation of volatile fatty acids (105) 179
Wódkiewicz, L.
— and Dybczyński, R.
Échange d'anions des éléments sur une résine échangeuse anionique de faible basicité en milieu de l'acide bromhydrique (102) 277
Wolff-Jensen, J., see Castellani, T. (104) 123
Wong, E., see Johnson, C.B. (109) 403
Woodcock, D., see Brown, D. (105) 33
Wrigley, C.W., see Margolis, J. (106) 204
Wroński, M.
Thiomercurimetric determination of thiosulphate and polysulphanedisulphonates on pherograms (105) 424
Wu Chen, N., see Christopoulos, G.N. (106) 446
Wurster, D.E., see Bighley, L.D. (110) 375

Y

Yamabe, T.
--- and Hayashi, T.
Separation of metal ions by mixed column IEC (102) 273
---, see Miwa, Y. (108) 323
---, Takai, N. and Nakamura, H.
Analysis of Dns-amino acids by LC. I. Selection of optimum mobile phase composition for separation of Dns-amino acids on polyvinyl acetate gel (104) 359
Yamada, T.
---, Hisamatsu, M. and Taki, M.
Method for detection of non-reducing saccharides (103) 390
Yamanis, J.
---, Vilenchich, R. and Adelman, M.
GLC of silylated glycols and terephthalate esters (108) 79
Yamaoka, K.
--- and Nakagawa, T.
Moment analysis of multiple phase chromatography (105) 225
--- and Nakagawa, T.
Moment analysis of non-linear GC by computer simulation (103) 221
Yanagihara, H., see Tsuda, T. (101) 95
Yanagihara, K.H., see Mee, J.M.L. (110) 178
Yasuda, S.K.
Determination of 3,3′-dichloro-4,4′-diaminodiphenyl in air (104) 283

Z

Zeeuw, R.A. de, see De Zeeuw, R.A. (110) 279
Zerba, E.N.
—, Rúveda, M.A. and Libertella, R.
Organophosphorus liquid phases: characterization and application to the GC analysis of organophosphorus compounds (108) 380
Zerilli, L.F., see Gallo, G.G. (101) 163
Zhestkov, D.K., see Shifman, V.S. (104) 311
Zhukhovitskii, A.A.
—, Berezkin, V.G., Lunskii, M.Kh., Burova, M.O. and Khobotova, T.P.
Adsorption in GC with liquid and solid stationary phases (104) 241
Zlatkis, A., see Gostecnic, G.F. (106) 73
Zoccolillo, L.
— and Liberti, A.
Rapid GC determination of sulphur hexafluoride in air (108) 219
— and Salomoni, F.
Glass micro-beads treated with sodium dodecylbenzenesulphonate as a GC support material (106) 103
Zoltán, S., see Hazai, I. (102) 245
—, see Tyihák, E. (102) 257
Zsinka, L., see Szirtes, L. (102) 105
—, Szirtes, L., Mink J. and Kálmán, A.
Infrared and X-ray measurements of various inorganic ion exchangers (102) 109
Züllich, G.
—, Braun, W. and Lisboa, B.P.
TLC for the separation of digitoxin, digitoxigenin and related compounds (103) 396
Zuspan, F.P., see Singh, E.J. (104) 189, (105) 195
Zvara, I.
—, Keller, Jr., O.L., Silva, R.J. and Tarrant, J.R.
Thermochromatography of bromides. A proposed technique for the study of transactinide element chemistry (103) 77
Zwolinski, G.K.
— and Treiber, L.R.
Determination of 3-phenyl-2-thiohydantoin-amino acids by means of *in situ* quantitation of thin-layer chromatograms (107) 311

SUBJECT INDEX

VOLUMES 101–110

A

Absorbance–fluorescence detector
Dual-purpose --- for HPLC (104) 39
Acaracides
Clean-up and quantitative detection method for the analysis of dicofol residues in crops (109) 199
Acetamide
PC of --- and its application to metabolic studies (105) 215
Acetanilides
Chromatographic substituent constants and their use in quantitative structure activity relationships. The binding of --- to serum albumin (106) 481
Acetanilide
GC microdetermination of --- in blood (104) 215
Acetone cyanohydrin
Separation of metals on ion-exchange resins by means of α-hydroxyisobutyronitrile as complexing agent (102) 319
Acetylacetonate chelates
Separation of --- by TLC (108) 201
Acetylacetone
Gel chromatography of --- and its metal(II, III) complexes in the Merckogel OR-2000–tetrahydrofuran system (109) 333
N-Acetyl amino acid esters
Interaction of amino acids, ---, thymine and adenine with Sephadex LH-20 gel (106) 23
N-Acetyl-*p*-aminophenol
Estimation and identification in blood plasma of paracetamol (---) in the presence of barbiturates (109) 29
Acetylcholinesterase
Ionic effects in the chromatography of proteins on columns of controlled-pore glass (103) 71
l-α-[2-^{3}H]Acetylmethadol
Estimation of --- in biological materials and its separation from some metabolites and congeners on glass fibre sheets (106) 184
Acetylmethadol
Simultaneous determination of --- and its active biotransformation products in human biofluids (109) 247
Acids, aromatic
Chromatography of ---, aldehydes and phenols on pellicular polyamide in aqueous solution (106) 139
Acidic compounds
Separation of --- by high-pressure LLC involving ion-pair formation (102) 333
Activity coefficients
--- of hydrocarbons in phthalates (105) 257
Activity coefficients
Correlation of hydrocarbon --- with solubility parameters for phthalate esters (106) 17
Activity coefficients
Influence of vapour pressure and --- on the retention volumes of branched-chain alkanes (107) 1
N-Acylglycine conjugates
TLC detection of some --- in urine (104) 219
Acyl-leucines
GC and MS of derivatives of amino acids. Oxazolin-5-ones of several --- (105) 89
Adenine
Interaction of amino acids, N-acetyl amino acid esters, thymine and --- with Sephadex LH-20 gel (106) 23
Adenosine
Sources of error in counting tritium-labelled --- and guanosine derivatives on chromatograms (105) 401
Adenyl cyclase
Use of cation-exchange thin-layers in --- assay (107) 396
Adrenocortical steroids
Solvents for the adsorption chromatography of --- (101) 202
Adsorbents
Analysis of phenol–formaldehyde resins by high-performance LC (106) 454

Adsorbents
Improved procedure for preparation of GC salt-modified --- (101) 175
Adsorbents
Modification of the chromatographic Hobson method for studying heterogeneity of --- (110) 381
Adsorbents
Selective salt-modified --- for GSC (104) 161
Adsorbent
Some applications of iron(III) oxide as a GC --- (106) 291
Adsorption
--- in GC with liquid and solid stationary phases (104) 241
Adsorption
Gas–modified solid chromatography using organic vapours as carrier gas (101) 95
Adsorption–desorption processes
Kinetic study of slow processes in GC (105) 13
Adsorption layer
Theory of TLC. Effect of the structure of the --- on spreading of spots (107) 265
Aerosols
Simple semi-micro GLC sample trap for aerosol-forming substances (109) 393
Affinity electrophoresis
---. I. Studies to optimise conditions (103) 160
Aflatoxin
--- separation by HPLC (103) 186
Aflatoxins
Comparison of methods for --- analysis by HPLC (104) 81
Aflatoxins
Improvements in the TLC of natural products. I. TLC of the --- (108) 131
Agar derivatives
--- for chromatography, electrophoresis and gel-bound enzymes. III. Rigid agarose gels cross-linked with divinyl sulphone (DVS) (103) 49
Agarose
Hydrophobic interaction chromatography. The synthesis and the use of some alkyl and aryl derivatives of --- (101) 281
Agarose gels
Agar derivatives for chromatography, electrophoresis and gel-bound enzymes. III. Rigid --- cross-linked with divinyl sulphone (DVS) (103) 49
Agrochemicals
Simple method for the evaluation of the translocation behaviour of --- in soil (109) 443
Agroclavine
Ergot alkaloids. II. Determination of --- by GLC (105) 393
Alamine 336 S
Use of aqueous thiocyanate solutions in liquid–liquid extraction and reversed-phase extraction chromatography. I (102) 309
Albumin
Evidence against the occurrence of artifacts due to carrier ampholyte–protein binding during isoelectric focusing (105) 353
Albumin
New approach for obtaining total tryptophan recovery in plasma samples deproteinized with sulphosalicylic acid (104) 297
Albumin, bovine serum
Ionic effects in the chromatography of proteins on columns of controlled-pore glass (103) 71
Alcohols
Variation in the retention times of alkanes and --- with the molar masses of ethylene glycol polymers used as stationary phases in GC (107) 15
Alcohols, polyhydric
LC of sugars and related --- on cation exchangers. The effect of cation variation (103) 229
Aldehydes, aromatic
Chromatography of aromatic acids, --- and phenols on pellicular polyamide in aqueous solution (106) 139
Aliphatic esters
GC of homologous esters. VI. Structure–retention increments of --- (101) 103
Aliquat 336
Use of aqueous thiocyanate solutions in liquid–liquid extraction and reversed-phase extraction chromatography. I. (102) 309
Alizarin red S
Application of ligands with sulphonic groups to the separation of metal ions on strongly basic anion exchangers (102) 385
Alkali metal ions
Chromatographic displacement reactions in eluents with sulphur dioxide and their application in the identification of the --- with violuric acid and hydrogen sulphide (103) 392

Alkaline earth metals
Separation of metal ions by mixed column IEC (102) 273
Alkaloids
Chromatographic and spectroscopic methods for the identification of --- from herbarium samples of the genus *Uncaria* (105) 163
Alkaloids
Chromatography of sterols, --- and other drugs using steam as the mobile phase (104) 277
Alkaloids
Determination of some N-nitrosamines of tobacco --- by reaction chromatography (109) 425
Alkaloids
Ergot ---. II. Determination of agroclavine by GLC (105) 393
Alkaloids
High-speed LC separation of some *Strychnos* --- (109) 441
Alkaloids
Ligand-exchange chromatography of --- (104) 417
Alkaloids
LC of organic compounds on ion-exchange resins (102) 57
Alkaloids
Preliminary investigation of the use of HPLC for the separation of indole --- (104) 431
Alkaloids
TLC study of isoquinoline --- with the BN-chamber (101) 395
Alkaloids
2-Thiobarbituric acid as a reagent for the detection of meconic acid by TLC (110) 190
Alkaloids
Vanadium pentoxide as a chromogenic spray reagent for the qualitative analysis of some organic compounds on thin-layer plates (101) 155
Alkanes
GC of isoprenoid --- (104) 337
Alkanes
Variation in the retention times of --- and alcohols with the molar masses of ethylene glycol polymers used as stationary phases in GC (107) 15
Alkanes, branched-chain
Influence of vapour pressure and activity coefficients on the retention volumes of --- (107) 1
Alkane content
GC determination of the paraffin and naphthene content in saturated hydrocarbon distillates with porous layer open tubular columns of molecular sieve 13X (101) 365
n-Alkane solutes
Thermodynamic properties of solute molecules at infinite dilution determined by GLC. I. Intermolecular energies of --- in C_{28}–C_{36} *n*-alkane solvents (105) 265
n-Alkane solvents
Thermodynamic properties of solute molecules at infinite dilution determined by GLC. I. Intermolecular energies of *n*-alkane solutes in C_{28}–C_{36} --- (105) 265
Alkene derivatives
GLC investigation of complexation equilibria between an aliphatic ester and various benzene derivatives and --- (101) 339
β-Alkenyl-8-hydroxyquinoline
Commercial chelating solvent extraction reagents. II. Purification and properties of --- (105) 151
n-Alkyl acetates
Plasma chromatography of --- (110) 295
Alkylbenzenes
GPC of --- (104) 135
Alkylbenzenes
Studies on the separation of --- by GLC. VII. A linear free-energy relationship in the GLC separation of --- (110) 233
Alkyl halides
GC of --- on a silicone oil capillary column (103) 166
Alkylsilyl derivatives
Injector port reactions in GC. Sources of error in the quantitative analysis of --- of nucleosides (105) 297
Alternaria
GC analysis of the --- metabolite, tenuazonic acid (101) 222
Amberlite LA-1
Use of aqueous thiocyanate solutions in liquid–liquid extraction and reversed-phase extraction chromatography. I (102) 309
Amberlite XAD-2 resin
Application of --- for general toxicological analysis (108) 107

Amides
Gradient elution in LC. V. Cation-exchange chromatography of N,N-dimethyl-*p*-aminobenzeneazobenzoyl esters and ––– in mixed aqueous–organic solutions – influence of the nature of the exchanger on separation (104) 23

Amides, aliphatic
GC behaviour of C_1–C_4 ––– and their N-methyl and N,N-dimethyl derivatives on porous polymers of the Porapak type (110) 63

Amines
Chromatographic separation of dansyl amino acids and dansyl ––– on Amberlite IRC-50 (102) 251

Amines
Determination of ––– and amino acids in sugar-containing samples by dansylation (107) 227

Amines
GC resolution of enantiomeric amphetamines and related ––– I. Structural effects on some diastereomer separations (108) 265

Amines
Isolation and detection of methylphenidate, phacetoperane and some other sympatomimetic central nervous stimulants with special reference to doping. I. GC detection procedure with electron capture detection for some secondary ––– (106) 412

Amines
Separation of the Dns derivatives of poly––– and related compounds by TLC and HPLC (107) 416

Amines, aromatic
PC method for the separation and determination of the condensation products of ––– with formaldehyde in acidic medium (103) 372

Amino acids
Analysis of Dns–––– by LC. I. Selection of optimum mobile phase composition for separation of Dns–––– on polyvinyl acetate gel (104) 359

Amino acids
Analysis of data from ––– and other automated analysers. II. Simple Fortran program for the identification and quantitation of ––– (107) 207

Amino acid
Analysis of data from ––– and other automated analyses. III. A magnetic tape cassette data logging system for gas chromatographs (109) 395

Amino acids
Analysis of hydroxyproline and hydroxylysine. Improved GC method (104) 176

Amino acids
Automated single-column analysis of ––– using ascorbic acid as reductant for air-stable ninhydrin (103) 25

Amino acids
Chromatographic behaviour of ––– on cation-exchange resin-coated chromatosheets in the H^+ form (102) 245

Amino acids
Chromatographic separation of dansyl ––– and dansyl amines on Amberlite IRC-50 (102) 251

Amino acids
Computer analysis of ––– chromatograms (103) 33

Amino acids
Determination of amines and ––– in sugar-containing samples by dansylation (107) 227

Amino acids
Determination of ––– by GLC with the nitrogen-sensitive thermionic detector (101) 51

Amino acids
Determination of 3-phenyl-2-thiohydantoin––– by means of *in situ* quantitation of thin-layer chromatograms (107) 311

Amino acids
Elution behaviour of γ-L-glutamyl-L-aspartic acid during IEC (103) 189

Amino acids
GC and MS of derivatives of –––. Oxazolin-5-ones of several acyl-leucines (105) 89

Amino acids
Improved method for the separation of lysine from N-ε-monomethyllysine in plasma using cation-exchange chromatography (104) 170

Amino acids
Improved technique for the analysis of ––– and related compounds on thin layers of cellulose. X. The characterization of some methionyl, phenylalanyl, tyrosyl and other peptides by TLC and IEC (104) 141

Amino acids
Improved TLC technique for the identification of phenylthiohydantoin --- (104) 180
Amino acids
Interaction of ---, N-acetyl amino acid esters, thymine and adenine with Sephadex LH-20 gel (106) 23
Amino acids
Ligand-exchange chromatography of --- on copper–, cobalt– and zinc–Chelex 100 (109) 43
Amino acids
Ligand-exchange chromatography of --- on nickel–Chelex 100 (104) 367
Amino acids
Method for the separation of plasma --- by IEC combined with a semi-automatic computation of plasma amino acid concentrations (104) 63
Amino acids
Open-flask alkaline hydrolysis of --- phenylthiohydantoin derivatives (104) 291
Amino acids
Separation of phenylthiohydantoin--- by HPLC (110) 369
Amino acids
Simple buffer gradient for the chromatography of ---, including tryptophan, on a single-column Technicon analyser (104) 178
Amino acids
Specific quantitative GLC analysis of methyldopa and some foreign related --- in raw material and commercial tablets (103) 63
Amino acids
TLC on a chromatosheet coated with resin in different ionic forms for the separation of amino acid mixtures containing asparagine and glutamine (110) 166
Amino acids, basic
Combined application of IEC methods for the study of minor --- (102) 257
Amino acid analysis
Computer programs for calculations in --- (106) 191
Amino acid decarboxylase
Quantitative TLC assay of --- activity (105) 418
Amino acid derivatives
Rapid identification of --- from the sequenator (107) 73
Aminoalkyl-Sepharose
ω-Aminohexyl-Sepharose 4B, a new support for tRNA fractionation (103) 364
Aminodiol enantiomer–copper(II) complexing
Separation of optical isomers by IEC using copper(II) ions as complex-forming agents (102) 375
Amphetamines
GC resolution of enantiomeric --- and related amines. I. Structural effects on some diastereomer separations (108) 265
Amphetamine
Identification of two *in vitro* metabolites of 3,4-methylenedioxy --- by GLC–MS (101) 210
Amphetamine drugs
TLC of 3,4-methylenedioxyamphetamine, 3-methoxy-4,5-methylenedioxy-amphetamine and other phenethyl-amine derivatives (104) 201
Amphetamine sulphate
Comparative GC analysis of narcotics. II. --- (106) 335
Ampholytes
Characterization of synthetic carrier --- for isoelectric focusing (109) 341
Ampholytes
Fractionation of carrier --- for iso-electric focusing (109) 357
Ampholyte–protein binding
Evidence against the occurrence of artifacts due to carrier --- during iso-electric focusing (105) 353
Amphoteric resin, ion retardation
Synthesis and properties of some snake-cage ion-retardation resins (102) 131
Amphoteric resin, ion retardation
Use of the amphoteric ion-exchange resin Retardion 11A8 for inorganic separations (102) 263
Amylase
Studies on the reproducibility of glass bead antibody affinity columns (104) 379
Androstane
GLC studies of reactions and structural relationships of steroids. Part III. 11α-Hydroxysteroids of the --- and pregnane series (105) 359

16-Androstenes
Separation of some --- on hydroxyalkoxypropyl-Sephadex (Lipidex^{TM}) (110) 210
Anilines
Chromatography of substituted --- on 3,5-dinitrobenzoyl paper. An example of organic charge-transfer chromatography (105) 157
Anion-exchange equilibria of maleic and fumaric acids
Investigation of --- (102) 165
Anion exchange of metals
Anion exchange in ternary mixtures of aliphatic acids, mineral acids and water (102) 217
Anion exchangers, strongly basic
Contribution to basicity testing of --- (102) 135
Anion-exchange resins, amino types
Chloride–sulphate exchange on ---. Kinetic investigations. I (102) 155
Anion exchanger in hydrobromic acid medium
Anion-exchange behaviour of some elements on a weakly basic --- (102) 277
Anthocyanins
Polyamide CC for resolution of complex mixtures of --- (109) 325
Anthraquinones
HPLC of naturally occurring --- (110) 401
Anthraquinones
Method for the estimation of --- using densitometric TLC (104) 196
Antibiotics
Quantitative thin-layer spectrodensitometric determination of the components of polyene macrolide --- complexes (104) 151
Antibody affinity columns
Studies on the reproducibility of glass bead --- (104) 379
Antidepressants
Sensitive method for the routine determination of tricyclic --- in plasma using a specific nitrogen detector (105) 107
Antidepressants
Separation and quantitative determination of tricyclic --- by high-performance LC (110) 389
Antileprotic sulphones
Chromatographic–fluorometric analysis of --- (107) 67
Antimony pentoxide
Chromatographic and adsorption properties of --- (110) 287
Antioxidants
--- and stabilizers. LVII. Behaviour of light stabilizers and model compounds in gel chromatography (106) 343
Antioxidants
Characterization and quantitative analysis of dialkyl and diaryl dithiophosphates by TLC and densitometry (105) 57
Antiozonants
Identification and determination of certain N,N′-disubstituted *p*-phenylenediamine --- in cured styrene–butadiene elastomers (103) 247
Antithyroid residues
Detection of --- in meat and some organs of slaughtered animals (108) 141
Aqueous thiocyanate solutions
Use of --- in liquid–liquid extraction and reversed-phase extraction chromatography. I (102) 309
Arabinosyl purine nucleotides
Separation of ---, ribosyl, and deoxyribosyl purine nucleotides by TLC (106) 200
Arginine
CC separation of N^G,N^G-dimethyl---, N^G,N'^G-dimethyl---, N^G-monomethyl---, N^ϵ-monomethyllysine, N^ϵ-dimethyllysine and N^ϵ-trimethyllysine (107) 389
Aromatic compounds
Chromatography of aromatic acids, aldehydes and phenols on pellicular polyamide in aqueous solution (106) 139
Aromatic compounds
GC of cyclohexanic and --- with C=O, OH, Cl, Br, F and CH_3 substituents (110) 197
Aromatic compounds
Problem of the interference of --- in the complexing chromatographic separation of neutral nitrogen compounds in oil products (106) 465
Arsenic
Ion-exchange behaviour of ---(III) on VARION anion-exchange resins (102) 457
Arsenic compounds
Rapid, sensitive method for the separation and detection of --- in biological systems (106) 210

Ascorbic acid
Automated single-column analysis of amino acids using --- as a reductant for air-stable ninhydrin (103) 25
Asparagine
TLC on a chromatosheet coated with resin in different ionic forms for the separation of amino acid mixtures containing --- and glutamine (110) 166
Aspartic acid
Elution behaviour of γ-L-glutamyl-L--- during IEC (103) 189
Aspartic acid
Improved technique for the analysis of amino acids and related compounds on thin layers of cellulose. X. The characterization of some methionyl, phenylalanyl, tyrosyl and other peptides by TLC and IEC (104) 141
Automation
--- of GC data collection and analysis by means of an on-line computer (107) 51
Autoradiography
Combined fluorescence---- (104) 200
8-Azaadenine metabolites
Separation of --- on columns of Sephadex G-10 (109) 204
Azathioprine
Separation of purine analogues from nucleic acid derivatives on a thin layer of ECTEOLA-cellulose (101) 231

B

Band width
Gradient elution in LC. IV. Verification of the theoretical relationships for elution characteristics (retention volume, ---, resolution, plate number) in adsorption chromatography on silica using stepwise and combined (stepwise–gradient) elution and some considerations concerning solvent-programmed and isocratic elution chromatography (104) 9

Barbiturates
Estimation and identification in blood plasma of paracetamol (N-acetyl-*p*-aminophenol) in the presence of --- (109) 29

Barbiturates
GC method for the microdetermination of --- in blood using a nitrogen-selective flame ionization detector (105) 49

Barbiturates
Quantitative analysis of --- by TLC (101) 387

Barbiturates
Separation of --- and morphine analysis from putrefied *post mortem* tissue (106) 446

Barbiturates
Simultaneous assay of methylphenobarbitone and phenobarbitone using GLC with on-column butylation (110) 206

Basic drugs
Standardisation of TLC systems for the identification of --- (110) 341

Basicity testing
Contribution to --- of strongly basic anion exchangers (102) 135

Benomyl
Quantitation of --- and its metabolites by thin-layer densitometry (104) 476

Benomyl
Rapid method for the quantitative analysis of --- on cherries by TLC and *in situ* fluorometry (101) 33

Benzene derivatives
GLC investigation of complexation equilibria between an aliphatic ester and various --- and alkene derivatives (101) 339

Benzene derivatives
GPC of alkylbenzenes (104) 135

Benzenesulphonamide
Determination of sulphonamides by electron-capture GC. Preparation and properties of perfluoroacyl and pentafluorobenzyl derivatives (107) 327

Benzodiazepines
Determination of pinazepam and its metabolites in serum, urine and brain by GLC and MS (110) 309

Benzodiazepines
Quantitative GC determination of diazepam and its major metabolite in human serum (107) 196

Benzodiazepine glucuronides
GC–MS determination of intact C_3-hydroxylated --- in urine (107) 285

Benzoic acids
GC study of substituted furancarboxylic and --- and their methyl esters (104) 467

Benzo[*a*]pyrene
Estimation of atmospheric --- using fluorimetry coupled with liquid scintillation spectrometry (104) 399

Benzoylecgonine
GC detection of ecgonine and --- in cocaine (101) 215

Benzoylecgonine
Quantitative determination of cocaine and its metabolites --- and ecgonine by GLC (110) 141

Benzylpenicillin
PC determination of --- in carbenicillin preparations (101) 240

Bergapten
Improved method for --- determination by high-performance LC (106) 271

Beryl
GSC studies using --- as adsorbent (106) 428

Betaine
LC of saccharides (105) 125

BHC
Analysis of HCB and --- isomer residues in food (106) 401

Biguanides
GC determination of β-phenethylbiguanide and its metabolite *p*-hydroxy-β-phenethylbiguanide in serum and urine (106) 263
Bile acids
New solvent systems for the separation of free and conjugated --- (101) 235
Bile acids
New solvent systems for the separation of free and conjugated ---. II. Separation of free --- as a group (109) 427
Biliverdins
Separation and identification of isomeric deutero--- and meso--- (108) 212
Biopolymers
Polar pyrolysis products for a sensitive fingerprint characterization of organisms by GLC (105) 339
Bis-(4-vinylphenyl)-methane
Study on the preparation of strongly acidic cation exchangers based on copolymers of styrene and --- (102) 123
Block copolymers
Polyamide–polyimide --- as ferrules in GC (108) 181
Block copolymers
Use of combined chromatographic methods including TLC for analysis of complex polymer systems. Determination of the polydispersity of --- of styrene and methyl methacrylate by GPC, TLC and pyrolysis GC (108) 61
Borane anions, polyhedral
Complementary TLC separations of some --- and their derivatives (103) 153
Boron compounds
Detection of --- on chromatograms by (n, α) nuclear reaction with thermal neutrons (103) 385
Boron trifluoride-catalyzed esterification
Procedure for --- suitable for use in GC analysis (109) 389
Bromides
Thermochromatography of ---. A proposed technique for the study of transactinide element chemistry (103) 77
Bromopyrogallol red
Application of ligands with sulphonic groups to the separation of metal ions on strongly basic anion exchangers (102) 385
Bufotenin
Determination of serotonin and --- as their dansyl derivatives (106) 159
Bunte salts
Chromatographic detection of --- and disulphides (104) 389
Butane
Catalytic oxidation of ---. GC separation and analysis of the reaction products (101) 357

C

Cadaverine
Estimation of urinary diamines and polyamines by TLC (110) 335

Cadmium
Protein binding of ---, zinc and copper in environmentally insulted limpets *Patella vulgata* (104) 457

Calcium sulphate
Prevention of --- scale formation in evaporation plants by ion exchange (102) 393

Candidin complexes
Quantitative thin-layer spectrodensitometric determination of the components of polyene macrolide antibiotic complexes (104) 151

Candihexin complexes
Quantitative thin-layer spectrodensitometric determination of the components of polyene macrolide antibiotic complexes (104) 151

Cannabidiol
Cannabis. XI. Pyrolysis of --- – analysis of the volatile constituents (108) 375

Cannabinoids
Analysis of --- in cannabis by means of GLC and solid injection. Improvement to the method (109) 175

Cannabinoids
Studies in laboratory-use reagents. III. Simple TLC system for the separation of --- (106) 196

Cannabinoids
Use of trimethylsilyl and other homologous trialkylsilyl derivatives for the separation and characterization of mono- and dihydroxy--- by combined GC and MS (109) 73

Cannabis
Analysis of cannabinoids in --- by means of GLC and solid injection. Improvement to the method (109) 175

Cannabis
---. XI. Pyrolysis of cannabidiol – analysis of the volatile constituents (108) 375

Cannabis
Comparative --- analysis. A comparison of HPLC with other chromatographic techniques (105) 396

Capacitance detector
Improvement of the performance of the --- for LC. Effects of the cell volume on band spreading and sensitivity of detection (108) 243

Capillary chromatography
Unsteady convective diffusion in --- (101) 253

Capillary columns
Preparation of stable glass --- with polar stationary phases (105) 385

Capillary gas chromatography
Simple method for concentrating dilute high-boiling samples for --- (103) 1

Carbamate insecticide
Coupling HPLC with a cholinesterase inhibition AutoAnalyzer for the determination of organophosphate and --- (104) 438

Carbamazepine
Determination of --- and its epoxide metabolite in plasma by high-speed LC (103) 135

Carbamazepine
Rapid and accurate determination of the level of --- in serum by UV reflectance photometry on thin-layer chromatograms (108) 370

Carbamazepine
TLC method for determining --- and two of its metabolites in serum (107) 149

Carbamazepine 10,11-epoxide
Determination of carbamazepine and its epoxide metabolite in plasma by high-speed LC (103) 135

Carbamazepine 10,11-epoxide
TLC method for determining carbamazepine and two of its metabolites in serum (107) 149

Carbenicillin
PC determination of benzylpenicillin in --- preparations (101) 240

Carbohydrates
Accelerated IEC of reducing sugars in neutral borate buffers (101) 307
Carbohydrates
Further studies of practical high-speed LC separations of tricarboxylic acid cycle organic acids and --- (108) 385
Carbohydrates
Rapid analysis of simple --- by means of vapour-programmed TLC and densitometry and using a new spotting device (110) 279
Carbohydrates
Sensitive fluorescence monitoring of --- eluted by a borate mobile phase from an anion-exchange column (101) 193
Carbohydrates
Vanadium pentoxide as a chromogenic spray reagent for the qualitative analysis of some organic compounds on thin-layer plates (101) 155
Carbon-14-labelled compounds
Radio GC of --- using continuous activity assay by a semiconductor detector (108) 37
Carboxybenzenesulphonates
Separation of alkali metal --- and their 2-hydroxyethyl esters on Sephadex LH-20 gel (109) 101
Carboxylic acids
Qualitative analysis of --- by partition TLC (104) 223
Carboxylic acid benzyl esters
GC–MS of di-, keto- and hydroxy---- (110) 53
Carotenoids
GLC of --- and other terpenoids (103) 327
Carrier
Ambiguity in the term porosity in IEC. Influence of the chemical composition of the --- (109) 11
Carrier gas
Application of a thermal conductivity detector with constant filament temperature to GC with a heavy --- (104) 311
Carrier vapours
Gas–modified solid chromatography using organic vapours as carrier gas (101) 95
Cashew nut-shell liquid
Chromatography of --- (104) 225
Catalysis
Kinetic study of slow processes in GC (105) 13
Catecholamines
Fluorimetric assay of dopamine, norepinephrine and their 3-O-methyl metabolites by using fluorescamine (105) 135
Catecholamines
N-Trifluoroacetyl-O-trimethylsilyl-phenolalkylamines. Preparation and mass specific GC estimation (103) 91
Cation exchange on silica gels
Mechanism of --- (102) 191
Cation exchangers, strongly acidic
Study on the preparation of --- based on copolymers of styrene and bis-(4-vinylphenyl)-methane (102) 123
Cation exchanger based on silica gel
New types of ---. I. Preparation and properties (102) 325
Centripetal thin-layer chromatography
Simplified device for --- (103) 177
Cerebrospinal fluid
Mass fragmentographic determination of 4-hydroxy-3-methoxyphenylglycol (HMPG) in urine, ---, plasma and tissues using a deuterium-labelled internal standard (105) 309
Cerium
Mobility of --- ions in synthetic zeolites (102) 95
Cerium(IV) phosphate
Recent progress in the field of synthetic inorganic exchangers having a layered or fibrous structure (102) 5
Cerium(IV) phosphate-sulphates
Selectivity of the cation exchange on crystalline --- (102) 99
Cerium(IV) phosphate-sulphate
Separation of silver and sodium by ion exchange on crystalline --- (103) 193
Cetyl stearate
Relationship between densitometric peak areas and concentration of lipids in the quantitative analysis of a lipid mixture separated by TLC (104) 123
Chabazites
Comparison of experimental and theoretical rates of ion exchange (102) 149
Chelates
Retention of metal --- in GLC. Relative importance of dissolution and adsorption phenomena (104) 1

Chelate sorbents
--- for concentration and separation of noble metals (102) 287
Chemical equilibria
--- in IEC (102) 41
Chemically bonded phases
--- for LC. Modification of silica with vinyl monomers (107) 402
Chewing gum bases
Pyrolysis GC over hydrogenated graphitised carbon black. Differentiation of --- for forensic purposes (101) 417
Chloral hydrate
Determination of trichloroethanol at therapeutic and overdose levels in blood and urine by electron capture GC (107) 107
Chloramphenicol
Separation of some --- intermediates by high-pressure IEC (102) 381
Chlorhexidine
Analysis of --- by GLC (109) 193
Chlorhexidine
Automated chromatographic determination of --- in pharmaceutical preparations (109) 305
Chloride–sulphate exchange
--- on anion-exchange resins. Kinetic investigations. I. (102) 155
7-Chloro-4-nitrobenzo-2-oxa-1,3-diazole
Detection of antithyroid residues in meat and some organs of slaughtered animals (108) 141
p-Chlorophenoxyisobutyric acid
Quantitative determination of --- in blood plasma by GLC (106) 97
Chlortoluron
Method for determining trace quantities of the herbicide --- in soils by LC (107) 407
Cholestanol
Improved resolution of --- and cholesterol by GLC. Application to pigeon testicular sterols (103) 170
Cholesterol
Improved resolution of cholestanol and --- by GLC. Application to pigeon testicular sterols (103) 170
Cholesterol
Relationship between densitometric peak areas and concentration of lipids in the quantitative analysis of a lipid mixture separated by TLC (104) 123
Cholesterol oxidase
Application of --- in the analysis of steroids (101) 373
Cholinesterase inhibition
Coupling HPLC with a --- AutoAnalyzer for the determination of organophosphate and carbamate insecticide residues (104) 438
Chondroitin sulphate
Preparative electrophoresis of peptidic glycosaminoglycans. Application to the fractionation of peptidic glycosaminoglycans of arterial wall (110) 43
Chromatosheet
TLC on a --- coated with resin in different ionic forms for the separation of amino acid mixtures containing asparagine and glutamine (110) 166
Chromatosheets in the H^+ form
Chromatographic behaviour of amino acids on cation-exchange resin-coated (102) 245
Chromotropic acid
Application of ligands with sulphonic groups to the separation of metal ions on strongly basic anion exchangers (102) 385
Chymotrypsin
Chromatography of acid proteinases and --- on a sorbent containing 2,4-dinitrophenyl residues (104) 373
Chymotrypsin
Non-specific binding in the affinity chromatography of --- (110) 321
Cinnamic acids
Effect of UV light on substituted --- and the estimation of their *cis* and *trans* isomers by GC (107) 213
Clarosan
Two methods for estimating terbutryne residues in water using HPLC and GLC with a conductivity detector (104) 211
Coagulation factors
Comparative chromatography of plasma and plasma concentrates rich in factors VIII and IX (101) 379
Cobalt
Isotope effects during ionophoresis of various complex ions of --- and iron in aqueous solution (110) 273
Cobalt(II) chloride
Evidence of interactions of organic sorbates with transition metal halides in GSC using thermodynamics and IR studies (101) 39

Cocaine
GC detection of ecgonine and benzoylecgonine in --- (101) 215
Cocaine
Quantitative determination of --- and its metabolites benzoylecgonine and ecgonine by GLC (110) 141
Codeine
TLC and GC parameters of morphine and --- derivatives (106) 238
Coiled columns
Simple method for heating --- for HPLC (106) 188
Cold pressed orange oils
Computer evaluation of GC profiles for the correlation of quality differences in --- (106) 73
Colourants
Application of densitometry to the qualitative and quantitative evaluation of pharmaceutical --- (109) 383
Columns
Thermostable glass open tubular capillary --- with a polar liquid phase for GC (104) 319
Column efficiencies
Moment analysis of non-linear GC by computer simulation (103) 221
Complexation equilibria
GLC investigation of --- between an aliphatic ester and various benzene derivatives and alkene derivatives (101) 339
Complex-forming agents
Separation of optical isomers by IEC using copper(II) ions as --- (102) 375
Computer
Application of a --- and an external standard in the determination of the composition of polymer systems by pyrolysis GC (108) 275
Conductivity detection
--- of zones in isotachophoresis with a high-frequency bridge (106) 131
Consecutive pulse sample feed elution chromatography
Theory of --- (110) 1
Continuous isoelectric focusing
Equipment for --- (107) 91
Continuous liquid chromatography
--- (108) 285
Copolymers
Study on the preparation of strongly acidic cation exchangers based on --- of styrene and bis-(4-vinylphenyl)-methane (102) 123
Copper
Protein binding of cadmium, zinc and --- in environmentally insulted limpets *Patella vulgata* (104) 457
Copper
Some problems in the separation of --- and iron from mine waters (102) 403
Copper(II)
Extraction of --- ions with liquid anion exchangers using salicylate as complex-forming agent (102) 225
Corticosteroids
Automation of multiple Sephadex LH-20 CC for the simultaneous separation of plasma --- (108) 305
Corticosterone
Quantitative determination of cortisol in human plasma by HPLC (107) 181
Cortisol
Quantitative determination of --- in human plasma by HPLC (107) 181
Cortisone
Quantitative determination of cortisol in human plasma by HPLC (107) 181
Cosmetics
Determination of eosin in --- (107) 173
Costs
Comparison of --- for testing a wide variety of drugs of abuse per urine specimen in a drug abuse urine screening program and frequent urine collections (109) 149
Coulometric detector
Application of a --- to rapid IEC (108) 255
Coulson electrolytic conductivity detector
Comparison of the --- and Hall electrolytic conductivity detectors for the determination of nitrogen-containing pesticides (106) 174
Cracking products
Identification of thermal --- of *n*-decane by coupled GC–MS (106) 395
Crowns
CC and TLC of some nitrogen --- (107) 380

Cyanothiocyanatochromates(III)
Ionic mobilities of a mixture of --- in water and acetonitrile (109) 107
Cyasterone
Analysis of ecdysones by GC using electron capture detection (104) 172
Cycloalkanes
GPC separation of stereoisomers of --- and polycycloalkanes (104) 91
Cyclohexanes
GC of cyclohexanic and aromatic compounds with C=O, OH, Cl, Br, F and CH_3 substituents (110) 197
Cytochalasins
TLC of the --- (108) 405
Cytokinins
TLC of --- on a mixed layer of polyvinylpyrrolidone and calcium sulphate (103) 211
Cytokinin analysis
Comparison of reversed-phase HPLC to Sephadex LH-20 for --- of tomato root pressure exudate (108) 95

D

2,4-D
Determination of --- in plant tissue. I. (108) 188

2,4-D, *see also* (2,4-Dichlorophenoxy)acetic acid

Dalapon
Determination of residues of --- in soil by GC of the 1-butyl ester (106) 409

Dansyl derivatives
Chromatographic separation of dansyl amino acids and dansyl amines on Amberlite IRC-50 (102) 251

Data collection
Automation of GC --- and analysis by means of an on-line computer (107) 51

Data logging system
Analysis of data from amino acid and other automated analyses. III. A magnetic tape cassette --- for gas chromatographs (109) 395

DDT
Adsorption LC of --- and polychlorinated biphenyls (107) 411

n-Decane
Identification of thermal cracking products of --- by coupled GC–MS (106) 395

2,2'-Dehydrodimorphine
TLC limiting-concentration test on --- (pseudomorphine) in morphine ampoules (101) 408

Dehydrogenases
Separation of --- on polyaminomethylstyrene (104) 99

Dehydrogenases
Studies on the nature of non-specific staining in nitroblue tetrazolium detection of --- in polyacrylamide gel electrophoresis ("nothing dehydrogenase") (101) 327

Densitometric peak areas
Relationship between --- and concentration of lipids in the quantitative analysis of a lipid mixture separated by TLC (104) 123

Density gradient
Scanning isoelectric focusing in small --- columns. IV. Use of deuterium oxide for preparing the --- and its effects on isoelectric points of proteins (108) 153

Deoxyribooligonucleotides
Separation of pyrimidine --- according to length and composition using TLC on DEAE-cellulose (104) 113

Deoxyribosyl purine nucleotides
Separation of arabinosyl, ribosyl, and --- by TLC (106) 200

Derivative mode detector
Simple --- for LC (103) 7

Derivatography
Examination of ion-exchange resins by --- (102) 77

Dermatan sulphate
Preparative electrophoresis of peptidic glycosaminoglycans. Application to the fractionation of peptidic glycosaminoglycans of arterial wall (110) 43

Desoxycortisol
Quantitative determination of cortisol in human plasma by HPLC (107) 181

Detector
Application of a coulometric --- to rapid IEC (108) 255

Detector
Application of a thermal conductivity --- with constant filament temperature to GC with a heavy carrier gas (104) 311

Detectors
Comparison of the Coulson and Hall electrolytic conductivity --- for the determination of nitrogen-containing pesticides (106) 174

Detectors
Determination of the inertial properties of chromatographic --- (104) 231

Detector
Dual flame thermocouple --- for GC (104) 47

Detector
Dual-purpose absorbance–fluorescence --- for HPLC (104) 39

Detector
Electron capture --- cell (107) 193
Detector
Improvement of the performance of the capacitance --- for LC. Effects of the cell volume on band spreading and sensitivity of detection (108) 243
Detector
Rapid determination of response factors for the GC thermal conductivity --- (103) 180
Detector
Simple derivative mode --- for LC (103) 7
Detector
Voltage effects in a d.c. electron capture --- (108) 13
Deuterium oxide
Method for estimating --- density gradients from shifts in the glass-electrode potential (109) 188
Dextran
Molecular-weight distribution of clinical --- by GPC (101) 137
Diacetylmorphine
Rapid and sensitive GC determination of --- and its metabolite monoacetylmorphine in blood using a nitrogen detector (105) 377
Dialkyl sulphides
Application of methylene insertion reactions to --- (C_2H_6S through $C_6H_{14}S$) to produce reference ompounds for GC (109) 119
Diamines
Estimation of urinary --- and polyamines by TLC (110) 335
Diaminopyrimidines
Quantitative TLC of pyrimethamine and related --- in body fluids and tissues (106) 41
Diamorphine
Analysis of illicit --- preparations by HPLC (104) 205
Diamorphine
Rapid and sensitive GC determination of diacetylmorphine and its metabolite monoacetylmorphine in blood using a nitrogen detector (105) 377
Diazepam
Quantitative GC determination of --- and its major metabolite in human serum (107) 196
Diazine
Identification and determination of triazine and --- herbicides in water by TLC (106) 405
Diazinon metabolites
Analysis of the --- G 27550 and GS 31144 by GLC with nitrogen-specific detection after derivatization (103) 341
Dibenzo-*p*-dioxins
Analysis of polychlorinated --- and dibenzofurans in chlorinated phenols by mass fragmentography (107) 295
Dibenzofurans
Analysis of polychlorinated dibenzo-*p*-dioxins and --- in chlorinated phenols by mass fragmentography (107) 295
Di-*tert.*-butyl peroxide
Frontal analysis of product peaks from GC reactors. Dicyclopentadiene and --- decomposition (104) 73
Dicarboxylic acid benzyl esters
GC–MS of di-, keto- and hydroxy-carboxylic acid benzyl esters (110) 53
3,3'-Dichloro-4,4'-diaminodiphenylmethane
Determination of --- in air (104) 283
(2,4-Dichlorophenoxy)acetic acid
GLC and GLC combined with MS of a butyl ester formulation of --- (106) 33
Dichloropiazselenol
Rapid determination of selenium in various substrates by electron capture GLC (109) 239
2,2-Dichloropropionic acid
Determination of residues of dalapon in soil by GC of the 1-butyl ester (106) 409
Dicofol residues
Clean-up and quantitative detection method for the analysis of --- in crops (109) 199
Dicyclopentadiene
Frontal analysis of product peaks from GC reactors. --- and di-*tert.*-butyl peroxide decomposition (104) 73
Diesel exhaust
GC–MS study of organic compounds adsorbed on particulate matter from --- (101) 125
Diffusion
Kinetic study of slow processes in GC (105) 13
Diffusion, convective
Unsteady --- in capillary chromatography (101) 253

Diftalone
GLC determination of the main urinary metabolite of ---, a new anti-inflammatory drug (101) 163
Digitoxigenin
Detection of lysergic acid diethylamide, Δ^9-tetrahydrocannabinol and related compounds by plasma chromatography (105) 345
Digitoxigenin
TLC for the separation of digitoxin, --- and related compounds (103) 396
Digitoxin
TLC for the separation of ---, digitoxigenin and related compounds (103) 396
Dihydroisoquinolines
In situ spectrofluorimetric estimation of substituted tetrahydroisoquinolines by TLC separation and oxidation to the dihydroisoquinolinium derivatives (104) 217
10,11-Dihydroxycarbamazepine
TLC method for determining carbamazepine and two of its metabolites in serum (107) 149
Dilute samples
Simple method for concentrating dilute high-boiling samples for capillary GC (103) 1
N,N-Dimethyl-*p*-aminobenzeneazobenzoyl amides
Gradient elution in LC. VI. Cation-exchange chromatography of N,N-dimethyl-*p*-aminobenzeneazobenzoyl esters and --- in mixed aqueous–organic solutions (104) 257
N,N-Dimethyl-*p*-aminobenzeneazobenzoyl esters
Gradient elution in LC. V. Cation-exchange chromatography of --- and amides in mixed aqueous–organic solutions – influence of the nature of the exchanger on separation (104) 23
N,N-Dimethyl-*p*-aminobenzeneazobenzoyl esters
Gradient elution in LC. VI. Cation-exchange chromatography of --- and amides in mixed aqueous–organic solutions (104) 257
p-Dimethylaminocinnamaldehyde
Quantitative determination of indolic compounds in the rat brain using --- as reagent (109) 313
Dimethylarginine
CC separation of N^G,N^G-----, N^G,N'^G-----, N^G-monomethylarginine, N^ϵ-monomethyllysine, N^ϵ-dimethyllysine and N^ϵ-trimethyllysine (107) 389
Dimethyllysine
CC separation of N^G,N^G-dimethylarginine, N^G,N'^G-dimethylarginine, N^G-monomethylarginine, N^ϵ-monomethyllysine, N^ϵ---- and N^ϵ-trimethyllysine (107) 389
2,6-Dimethyl-4-(3-nitrophenyl)-1,4-dihydropyridine-3,5-dicarboxylic acid 3-[2-(N-benzyl-N-methylamino)]-ethyl ester 5-methyl ester hydrochloride
Determination of a new cerebral vasodilator --- (YC-93) in plasma by electron capture GC (110) 301
Dinitrobenzene
Effect of cross-linking of a sulphonic cation-exchange resin and effect of temperature on the chromatographic separation of isomers of --- (102) 197
Diols
p-Vinylbenzeneboronic acid polymers for separation of vicinal --- (104) 57
Dioxins
Analysis of polychlorinated dibenzo-*p*--- and dibenzofurans in chlorinated phenols by mass fragmentography (107) 295
1,3-Diphenyl-2-buten-1-one isomers, *see* Dypnone isomers
Diphenylhydantoin
GC studies of phenobarbital and --- after flash-heater alkylation (109) 163
Diphenylhydantoin
Improved method for the simultaneous determination of phenobarbital, primidone and --- in patients' serum by GLC (107) 61
Disaccharides
Rapid analysis of simple carbohydrates by means of vapour-programmed TLC and densitometry and using a new spotting device (110) 279
Disaccharides
TLC method for the identification of mono-, --- and trisaccharides (107) 224
Disopyramide
Determination of --- and its mono-N-dealkylated metabolite in blood serum and urine (106) 151

Disopyramide
Rapid GC determination of --- in serum using a nitrogen detector (109) 432
Distribution coefficients
Chromatographic determination of the internal solvent composition, solvent regain and --- in gels in mixed solvent systems. I. Theory (105) 1
Distribution coefficients
--- for 53 elements in hydrochloric acid (1.2 *M*)–water–acetone medium on Dowex 50W-X12 (108) 415
Distribution coefficients
Studies on thorium phosphate ion exchanger. II. --- measurements and selective ion-exchange separations of some metal ions (101) 73
Distribution coefficients of maleic and fumaric acids
Investigation of anion-exchange equilibria of maleic and fumaric acids (102) 165
Disulphides
Chromatographic detection of Bunte salts and --- (104) 389
Dithiophosphates
Characterization and quantitative analysis of dialkyl and diaryl --- by TLC and densitometry (105) 57
DNA
Fractionation of mammalian --- on DEAE-cellulose (107) 125
DNase II
Studies on the reproducibility of glass bead antibody affinity columns (104) 379
Dodecyl laurate
GLC investigation of complexation equilibria between an aliphatic ester and various benzene derivatives and alkene derivatives (101) 339
Dodecyl sulphate
Use of Sephadex LH-20 to separate --- and buffer salts from denatured proteins (109) 399
Donnan ions
Phenomenon of osmosis in permeable membranes (102) 31
L-DOPA
p-Vinylbenzeneboronic acid polymers for separation of vicinal diols (104) 57
Dopamine
Fluorimetric assay of ---, norepinephrine and their 3-O-methyl metabolites by using fluorescamine (105) 135
Doping
Isolation and detection of methylphenidate, phacetoperane and some other sympatomimetic central nervous stimulants with special reference to ---. I. GC detection procedure with electron capture detection for some secondary amines (106) 412
Drugs
Analysis of illicit diamorphine preparations by HPLC (104) 205
Drugs
Application of Amberlite XAD-2 resin for general toxicological analysis (108) 107
Drugs
Automated chromatographic determination of chlorhexidine in pharmaceutical preparations (109) 305
Drugs
Characterisation and quantitation of morphine in urine using HPLC with fluorescence detection (109) 37
Drugs
Chromatographic detection of narcotic antagonists in human urine (101) 424
Drugs
Chromatographic–fluorometric analysis of antileprotic sulfones (107) 67
Drugs
Chromatography of sterols, alkaloids and other --- using steam as the mobile phase (104) 277
Drugs
Comparative GC analysis of narcotics. III. Phenmetrazine hydrochloride (109) 67
Drugs
Detection of lysergic acid diethylamide, Δ^9-tetrahydrocannabinol and related compounds by plasma chromatography (105) 345
Drugs
Determination of a new cerebral vasodilator 2,6-dimethyl-4-(3-nitrophenyl)-4-dihydropyridine-3,5-dicarboxylic acid 3-[2-(N-benzyl-N-methylamino)]-ethyl ester 5-methyl ester hydrochloride (YC-93) in plasma by electron capture GC (110) 301
Drugs
Determination of carbamazepine and its epoxide metabolite in plasma by high-speed LC (103) 135

Drugs
Determination of disopyramide and its mono-N-dealkylated metabolite in blood serum and urine (106) 151

Drugs
Determination of perphenazine and its sulphoxide metabolite in human plasma after therapeutic doses by GC (109) 259

Drugs
Determination of pinazepam and its metabolites in serum, urine and brain by GLC and MS (110) 309

Drugs
Determination of serotonin and bufotenin as their dansyl derivatives (106) 159

Drugs
Determination of sulfinpyrazone in serum by high-performance LC (104) 165

Drugs
Determination of trichloroethanol at therapeutic and overdose levels in blood and urine by electron capture GC (107) 107

Drugs
Estimation of *l*-α-[2-^{3}H]acetylmethadol in biological materials and its separation from some metabolites and congeners on glass fibre sheets (106) 184

Drugs
GC detection of ecgonine and benzoylecgonine in cocaine (101) 215

Drugs
GC determination of furosemide in plasma using an extractive alkylation technique and an electron capture detector (101) 219

Drugs
GC determination of methadone in sustained-release tablets (106) 180

Drugs
GC determination of β-phenethylbiguanide and its metabolite *p*-hydroxy-β-phenethylbiguanide in serum and urine (106) 263

Drugs
GC–MS determination of intact C_3-hydroxylated benzodiazepine glucuronides in urine (107) 285

Drugs
GC method for the microdetermination of barbiturates in blood using a nitrogen-selective flame ionization detector (105) 49

Drugs
GLC determination of the main urinary metabolite of diftalone, a new anti-inflammatory drug (101) 163

Drugs
GLC determination of theophylline in human plasma (104) 147

Drugs
High-performance LC determination of pentaerythritol in plasma (110) 375

Drugs
HPLC assay of theophylline in biological fluids (101) 169

Drugs
HPLC determination of propoxyphene hydrochloride in tablets and capsules (107) 115

Drugs
High-resolution LC of some psychotropic --- (105) 182

Drugs
Identification and separation of indole-alkylamines by GLC analysis of their heptafluorobutyryl derivatives (106) 435

Drugs
Identification of two *in vitro* metabolites of 3,4-methylenedioxy amphetamine by GLC–MS (101) 210

Drugs
Improved method for the simultaneous determination of phenobarbital, primidone and diphenylhydantoin in patients' serum by GLC (107) 61

Drugs
Improved TLC system for methadone and its metabolites in biological samples (104) 193

Drugs
In situ spectrofluorimetric estimation of substituted tetrahydroisoquinolines by TLC separation and oxidation to the dihydroisoquinolinium derivatives (104) 217

Drugs
Kinetics of heroin deacetylation in aqueous alkaline solution and in human serum and whole blood (110) 81

Drugs
LC of organic compounds on ion-exchange resins (102) 57

Drugs
LC properties of phenothiazines (108) 299

Drugs
Method for the estimation of anthraquinones using densitometric TLC (104) 196
Drugs
Methods of identification and confirmation of abusive --- in human urine (110) 349
Drugs
Quantitative analysis of barbiturates by TLC (101) 387
Drugs
Quantitative determination of *p*-chlorophenoxyisobutyric acid in blood plasma by GLC (106) 97
Drugs
Quantitative determination of epinephrine and norepinephrine in the picogram range by flame ionization GLC (108) 43
Drugs
Quantitative determination of indolic compounds in the rat brain using *p*-dimethylaminocinnamaldehyde as reagent (109) 313
Drugs
Quantitative GC determination of diazepam and its major metabolite in human serum (107) 196
Drugs
Rapid and accurate determination of the level of carbamazepine in serum by UV reflectance photometry on thin-layer chromatograms (108) 370
Drugs
Rapid and sensitive GC determination of diacetylmorphine and its metabolite monoacetylmorphine in blood using a nitrogen detector (105) 377
Drugs
Rapid GC determination of disopyramide in serum using a nitrogen detector (109) 432
Drugs
Sensitive method for the routine determination of tricyclic antidepressants in plasma using a specific nitrogen detector (105) 107
Drugs
Separation and quantitative determination of tricyclic antidepressants by high-performance LC (110) 389
Drugs
Separation of tricyclic psychosedative --- by high-speed ion-pair partition and liquid–solid adsorption chromatography (103) 311
Drugs
Simultaneous detection of a wide variety of commonly abused --- in a urine screening program using thin-layer identification techniques (107) 359
Drugs
Simultaneous determination of acetylmethadol and its active biotransformation products in human biofluids (109) 247
Drugs
Specialized TLC system for some common --- identification problems (106) 485
Drugs
Specific quantitative GLC analysis of methyldopa and some foreign related amino acids in raw material and commercial tablets (103) 63
Drugs
Standardisation of TLC systems for the identification of basic drugs (110) 341
Drugs
TLC limiting-concentration test on 2,2'-dehydrodimorphine (pseudomorphine) in morphine ampoules (101) 408
Drugs
TLC method for determining carbamazepine and two of its metabolites in serum (107) 149
Drugs
TLC of hydrazidic monoamine oxidase inhibitor --- (106) 357
Drugs
TLC of 3,4-methylenedioxyamphetamine, 3-methoxy-4,5-methylenedioxyamphetamine and other phenethylamine derivatives (104) 201
Drugs
TLC separation of methadone and its primary metabolite in the presence of other --- in urine specimens (103) 85
Drugs
Universal TLC visualization reagent for --- (105) 415
Drugs
p-Vinylbenzeneboronic acid polymers for separation of vicinal diols (104) 57
Drug abuse
Comparison of costs for testing a wide variety of drugs of abuse per urine specimen in a --- urine screening program and frequent urine collections (109) 149

Drug analysis
Investigation of direct TLC–MS as a ––– technique (103) 208
Dyed proteins
Thin-layer gel chromatography of ––– (105) 317
Dypnone isomers
GC analysis of *trans*- and *cis*-dypnone (101) 182

E

Ecdysones
Analysis of --- by GC using electron capture detection (104) 172
Ecgonine
GC detection of --- and benzoyl--- in cocaine (101) 215
Ecgonine
Quantitative determination of cocaine and its metabolites benzoyl--- and --- by GLC (110) 141
Edible oils
Detection of mineral oils in --- by TLC (106) 475
Elastomers
Identification and determination of certain N,N'-disubstituted *p*-phenylenediamine antiozonants in cured styrene–butadiene --- (103) 247
Elastomers
Rapid identification of solid polyurethane --- (105) 43
Electrolytic conductivity detectors
Comparison of the Coulson and Hall --- for the determination of nitrogen-containing pesticides (106) 174
Electron capture detector
Voltage effects in a d.c. --- (108) 13
Electron capture detector cell
--- (107) 193
Electroosmosis effect
Theory of the --- in electrophoresis (105) 231
Electrophoresis
Improvement of pore gradient --- by increasing the degree of cross-linking at high acrylamide concentrations (106) 204
Electrophoresis
Theory of the electroosmosis effect in --- (105) 231
Electrophoretic mobility
--- (105) 251
Electrophoretic thermal theory
---. I. Temperature gradients and their effects (109) 209
Electrophoretic thermal theory
---. II. Steady-state radial temperature gradients in circular section columns (109) 218
Electrophoretic thermal theory
---. III. Steady-state temperature gradients in rectangular section columns (109) 225
Ellagic acids
Rapid determination of --- by GLC (109) 172
Elution
Gradient --- in LC. IV. Verification of the theoretical relationships for elution characteristics (retention volume, band width, resolution, plate number) in adsorption chromatography on silica using stepwise and combined (stepwise–gradient) elution and some considerations concerning solvent-programmed and isocratic elution chromatography (104) 9
Elution
Gradient --- in LC. V. Cation-exchange chromatography of N,N-dimethyl-*p*-aminobenzeneazobenzoyl esters and amides in mixed aqueous–organic solutions – influence of the nature of the exchanger on separation (104) 23
Emulgators
GC determination of esters of poly(oxyethylene)sorbitan (101) 57
Engine exhaust, *see* Diesel exhaust
Enzymes
Affinity chromatography of β-galactosidase on controlled-pore glass derivatives (104) 105
Enzymes
Agar derivatives for chromatography, electrophoresis and gel-bound ---. III. Rigid agarose gels cross-linked with divinyl sulphone (DVS) (103) 49
Enzymes, proteolytic
Rapid and sensitive detection of --- after electrophoresis (110) 174
Enzymology
Application of isotachophoresis in --- (105) 405
Eosin
Determination of --- in cosmetics (107) 173

Epinephrine
Quantitative determination of --- and norepinephrine in the picogram range by flame ionization GLC (108) 43
Equilibrium constants
Chemical equilibria in IEC (102) 41
Equilibrium constants
GC determination of --- (105) 25
Equipment design
Study of the pertinency of pressure in LC. II. Problems in --- (108) 229
Ergot alkaloids
---. II. Determination of agroclavine by GLC (105) 393
Erwinia carotovora
Detection of inhibitors of --- and *E. herbicola* on thin-layer chromatograms (110) 193
Erwinia herbicola
Detection of inhibitors of *Erwinia carotovora* and --- on thin-layer chromatograms (110) 193
Essential oils
Computer evaluation of GC profiles for the correlation of quality differences in cold pressed orange oils (106) 73
Esters, long-chain
TLC of methoxyhalogenomercuri derivatives of mono-unsaturated --- (103) 205
Esterase activity
Rapid modified GC assay for --- (109) 21
Esterification
--- and etherification by silver oxide–organic halide reaction GC (109) 403
Estrogens
Solvent system for the separation of steroids with estrogenic and progestational activity by two-dimensional TLC (103) 368
Estrogen glucuronides
HPLC with ion-exchange celluloses and its application to the separation of --- (102) 353
Ethers
Behaviour of ---. III. Relationships between retention data of --- and those of other chemical populations (110) 7
Ethers
Behaviour of ---. IV. Determination of linear extrathermodynamic relationships between structural parameters and retention data (110) 13
Ethers
Behaviour of ---. V. Topology–information relationships between the retention parameters and the structure of methoxy- and ethoxyalkanes (110) 19
Ether glucuronides
GC of --- as methyl-trifluoroacetyl derivatives (101) 206
Etherification
Esterification and --- by silver oxide–organic halide reaction GC (109) 403
N-Ethylbenzenesulphonamide
Determination of sulphonamides by electron-capture GC. Preparation and properties of perfluoroacyl and pentafluorobenzyl derivatives (107) 327
Europium(III)
Influence of the geometrical properties of the support materials on the performance of an extraction chromatographic system. I. Variation of the total capacity and the distribution coefficient of Eu^{3+} in the HDEHP–SiO_2–HCl system as a function of the pore size of the support materials (matrices) (110) 239
Europium(III)
Influence of the geometrical properties of the support materials on the performance of an extraction chromatographic system. II. Variation in the exchange kinetics of Eu^{3+} in the HDEHP–SiO_2–HCl system as a function of the pore size of the support materials (matrices) (110) 253
Evaluation of thin-layer chromatograms
New method for the quantitative --- (103) 279
Evaporation plants
Prevention of calcium sulphate scale formation in --- by ion exchange (102) 393
Exhaust, *see* Diesel exhaust
Extraction chromatography
--- with liquid ion exchangers (102) 299
Extraction chromatography
--- with liquid ion exchangers as stationary phase (102) 293

F

Fatty acids
Argentation TLC of --- methyl esters on Silufol® UV 254 sheets (105) 219

Fatty acids
---. II. Synthesis and GLC behaviour of five trimethylene-interrupted C_{18}-diunsaturated --- (109) 81

Fatty acids
GC of volatile ---. Method involving separation from biological material by vacuum distillation (105) 71

Fatty acids
Modified pre-column for the preparative-scale separation of --- (105) 179

Fatty acids
Preparation and TLC of bromo-derivatives of unsaturated fatty acid esters. A simple and rapid procedure for --- analysis (110) 117

Fatty acids
Separation of naturally occurring lecithins according to --- chain-length and degree of unsaturation on a lipophilic derivative of Sephadex (103) 201

Fatty acids
Separation of resin acids from --- in relation to environmental studies (109) 281

Fatty acids
TLC of methoxyhalogenomercuri derivatives of mono-unsaturated long-chain esters (103) 205

Faujasites
Mobility of cerium ions in synthetic zeolites (102) 95

Ferritin
Evidence against the occurrence of artifacts due to carrier ampholyte–protein binding during isoelectric focusing (105) 353

Fertilizers
Simple method for the evaluation of the translocation behaviour of agrochemicals in soil (109) 443

Fibrinogen
Use of fluorescamine in peptide mapping on thin-layer cellulose plates (101) 244

Fingerprint characterization
Polar pyrolysis products for a sensitive --- of organisms by GLC (105) 339

Fixed-bed ion-exchange
Cyclic operation of a --- column with three components (102) 421

Fluorescamine
Use of --- in peptide mapping on thin-layer cellulose plates (101) 244

Fluorescence
Combined --- –autoradiography (104) 200

Fluorescence detector
Dual-purpose absorbance–--- for HPLC (104) 39

Fluorocarbons
GLC on fluorinated stationary phases. I. Hydrocarbons and --- (110) 73

Flying spot scanning
Densitometry of miniature thin-layer chromatograms. Approximate results based on --- with a newly developed apparatus (103) 265

Food additives
Application of densitometry to the qualitative and quantitative evaluation of pharmaceutical colourants (109) 383

Formals
Analysis of --- by GC (105) 329

Formic acid
GC determination of --- after conversion into its benzyl ester by phenyldiazomethane (105) 79

Fortran program
Analysis of data from amino acid and other automated analysers. II. Simple --- for the identification and quantitation of amino acids (107) 207

Fourier transformation
Enhancement of data derived from a TLC radioactivity scanner by accumulation and --- (101) 79

Fructose
LC of saccharides (105) 125

Fumaric acid
Investigation of anion-exchange equilibria of maleic and --- (102) 165

Fungicides
Quantitation of benomyl and its metabolites by thin-layer densitometry (104) 476
Fungicides
Rapid method for the quantitative analysis of benomyl on cherries by TLC and *in situ* fluorometry (101) 33
Furancarboxylic acids
GC study of substituted ––– and benzoic acids and their methyl esters (104) 467
Furosemide
GC determination of ––– in plasma using an extractive alkylation technique and an electron capture detector (101) 219

G

β-Galactosidase
Affinity chromatography of --- on controlled-pore glass derivatives (104) 105

β-D-Galactoside galactohydrolase
Affinity chromatography of β-galactosidase on controlled-pore glass derivatives (104) 105

Gangliosides
TLC separation of --- (106) 425

Gases, permanent
Column packing for the separation of --- and light hydrocarbons by GSC (107) 190

Gas chromatographic salt-modified adsorbents
Improved procedure for preparation of --- (101) 175

Gas chromatographic thermal conductivity detector
Rapid determination of response factors for the --- (103) 180

Gas chromatography
Adsorption in --- with liquid and solid stationary phases (104) 241

Gas chromatography
--- with vapours of low-boiling substances as mobile phases (104) 271

Gas chromatography
Kinetic study of slow processes in --- (105) 13

Gas chromatography
Pressure programming in ---. Propagation of the perturbation produced at the column inlet (109) 1

Gas chromatography
Universal sample inlet for --- (105) 382

Gas–solid chromatography
Selective salt-modified adsorbents for --- (104) 161

Gels
Chromatographic determination of the internal solvent composition, solvent regain and distribution coefficients in --- in mixed solvent systems. I. Theory (105) 1

Gel chromatography column scanning
--- for the analysis of ^{99m}Tc-labelled compounds (101) 315

Gel column chromatography
GPC separation of stereoisomers of cyclo- and polycycloalkanes (104) 91

Gel electrophoresis
Apparatus for the direct preparation of pore gradient gels in slab gel electrophoretic cells (106) 51

Gel permeation chromatography
Peculiarities in --- of flexible-chain polymers on macroporous swelling sorbents (109) 233

Gibberellins
---. XXXIV. Studies on GC of gibberellins and gibberellin-O-glucosides – Silylation by N,O-bis(trimethylsilyl)-acetamide (109) 409

Glass capillary columns
Preparation of stable --- with polar stationary phases (105) 385

Glucokinase
Affinity chromatography of microsomal --- from cat liver (104) 470

Glucose
LC of saccharides (105) 125

Glucosiduronic acids
Liquid ion exchangers in PC of steroidal ---, glucosiduronic esters and free steroids. Influence of concentration of exchanger and counterion (108) 23

Glucosiduronic acids
Liquid ion exchangers in PC of steroidal ---. Influence of different exchangers on the mobility in chloroform–formamide and correlation of chromatographic data (109) 129

Glucosiduronic esters
Liquid ion exchangers in PC of steroidal glucosiduronic acids, --- and free steroids. Influence of concentration of exchanger and counterion (108) 23

β-Glucuronidase
Evidence against the occurrence of artifacts due to carrier ampholyte–protein binding during isoelectric focusing (105) 353

Glucuronides
GC–MS determination of intact C_3-hydroxylated benzodiazepine ––– in urine (107) 285
Glucuronides
GS of ether ––– as methyl-trifluoroacetyl derivatives (101) 206
Glucuronides
HPLC with ion-exchange celluloses and its application to the separation of estrogen ––– (102) 353
Glutamic acid
Improved technique for the analysis of amino acids and related compounds on thin layers of cellulose. X. The characterization of some methionyl, phenylalanyl, tyrosyl and other peptides by TLC and IEC (104) 141
Glutamine
TLC on a chromatosheet coated with resin in different ionic forms for the separation of amino acid mixtures containing asparagine and ––– (110) 166
γ-L-Glutamyl-L-aspartic acid
Elution behaviour of ––– during IEC (103) 189
Glutaraldehyde
Analysis of ––– solutions by thin-layer and thick-layer chromatography (107) 383
Glycerides
Determination of ––– by densitometry (110) 157
Glyceryl ethers
Chromatographic analysis of the neutral and phosphatide ––– from various biological sources (107) 155
Glycols
GLC of silylated ––– and terephthalate esters (108) 79
Glycolipids
Quantitation of neutral ––– by TLC on pre-coated plates (110) 393
Glycosaminoglycans, peptidic
Preparative electrophoresis of –––. Application to the fractionation of peptidic glycosaminoglycans of arterial wall (110) 43
Glycosides
Use of mannitol as an internal standard in the GLC of methyl ––– (101) 185
Glyoxylic acid spray reagent
––– for TLC identification of phenylethylamines and indolylethylamines (105) 211
Gradients, multislope
Novel method of generating ––– for HPLC (107) 201
Gradient elution
––– in LC. IV. Verification of the theoretical relationships for elution characteristics (retention volume, band width, resolution, plate number) in adsorption chromatography on silica using stepwise and combined (stepwise–gradient) elution and some considerations concerning solvent-programmed and isocratic elution chromatography (104) 9
Gradient elution
––– in LC. V. Cation-exchange chromatography of N,N-dimethyl-*p*-aminobenzeneazobenzoyl esters and amides in mixed aqueous–organic solutions – influence of the nature of the exchanger on separation (104) 23
Gradient elution
––– in LC. VI. Cation-exchange chromatography of N,N-dimethyl-*p*-aminobenzeneazobenzoyl esters and amides in mixed aqueous–organic solutions (104) 257
Guanine
GC analysis of hypoxanthine and ––– (106) 213
Guanine nucleotides
Separation and quantification of ^{32}P-labeled ––– by TLC (104) 184
Guanosine
Sources of error in counting tritium-labelled adenosine and ––– derivatives on chromatograms (105) 401

H

Haemagglutinins
Gel-filtration pattern of eel serum. Separation of haemolysin(s) from --- (107) 234

Haemolysin(s)
Gel-filtration pattern of eel serum. Separation of --- from haemagglutinins (107) 234

Halides
GC of alkyl--- on a silicone oil capillary column (103) 166

Halide anions
Separation of --- by gel chromatography (108) 409

Hall electrolytic conductivity detector
Comparison of the Coulson and --- for the determination of nitrogen-containing pesticides (106) 174

Hansch's π parameters
Relationships between --- and R_M values determined on polyamide thin layers (105) 33

HCB
Analysis of --- and BHC isomer residues in food (106) 401

Heat of desorption
Gas–modified solid chromatography using organic vapours as carrier gas (101) 95

Heavy-carrier-gas gas chromatography
Application of a thermal conductivity detector with constant filament temperature to GC with a heavy carrier gas (104) 311

Heparan sulphate
Preparative electrophoresis of peptidic glycosaminoglycans. Application to the fractionation of peptidic glycosaminoglycans of arterial wall (110) 43

Herbicides
Determination of 2,4D in plant tissue. I. (108) 188

Herbicides
Determination of residues of dalapon in soil by GC of the 1-butyl ester (106) 409

Herbicides
GLC and GLC combined with MS of a butyl ester formulation of (2,4-dichlorophenoxy)acetic acid (106) 33

Herbicides
Identification and determination of triazine and diamine --- in water by TLC (106) 405

Herbicide
Method for determining trace quantities of the --- chlortoluron in soils by LC (107) 407

Herbicides
Separation of --- by high-performance LC. Influence of water (109) 297

Herbicides
Simple method for the evaluation of the translocation behaviour of agrochemicals in soil (109) 443

Heroin
Kinetics of --- deacetylation in aqueous alkaline solution and in human serum and whole blood (110) 81

Heroin
Rapid and sensitive GC determination of diacetylmorphine and its metabolite monoacetylmorphine in blood using a nitrogen detector (105) 377

Heterogeneity of adsorbents
Modification of the chromatographic Hobson method for studying --- (110) 381

Hexitols
Separation of isomeric pentitols and --- by PC and TLC (110) 171

Hibitane
Automated chromatographic determination of chlorhexidine in pharmaceutical preparations (109) 305

High-performance liquid chromatography
Techniques for packing --- columns with porous microparticles (106) 249

High-pressure liquid chromatography
Simple method for heating coiled columns for --- (106) 188

Histamine
New approach to the separation and identification of some methylated --- derivatives by GLC (106) 218
Histidine
Simple buffer gradient for the chromatography of amino acids, including tryptophan, on a single-column Technicon analyser (104) 178
Hobson method
Modification of the chromatographic --- for studying heterogeneity of adsorbents (110) 381
Homologous esters
GC of ---. VI. Structure–retention increments of aliphatic esters (101) 103
Homologous esters
GC of ---. VII. The retention behaviour of pyruvate esters and related carbonyl and carboxyl compounds (106) 317
Homologous esters
GC of ---. VIII. Reduced retention of *n*- and isoalkyl pivalate esters (106) 327
Hormones
Analysis of ecdysones by GC using electron capture detection (104) 172
Hyaluronic acid
Preparative electrophoresis of peptidic glycosaminoglycans. Application to the fractionation of peptidic glycosaminoglycans of arterial wall (110) 43
Hydrazines
TLC of some methylated --- and detection by a sensitive spray reagent (105) 189
Hydrocarbons
Activity coefficients of --- in phthalates (105) 257
Hydrocarbons
Classification of anomalies in the gel chromatography of --- on polystyrol gels (106) 490
Hydrocarbons
Computer applications in GLC. II. Prediction of retention volumes for --- and heteroatomic organic molecules using molecular parameters and multiple regression analysis (101) 23
Hydrocarbons
Development of a method for the extraction and determination of non-polar, dissolved organic substances in sea water (101) 289
Hydrocarbons
GLC on fluorinated stationary phases. I. --- and fluorocarbons (110) 73
Hydrocarbons
GPC separation of stereoisomers of cyclo- and polycycloalkanes (104) 91
Hydrocarbons
New method for the rapid isolation of polycyclic aromatic --- from smoked meat products (103) 173
Hydrocarbons
Separation of a mixture of permanent gases and light --- by subambient temperature programming of a single Porapak Q column (104) 425
Hydrocarbons, aromatic
Identification of individual --- in kerosene fraction (b.p. 150–250°) (105) 411
Hydrocarbons, light
Column packing for the separation of permanent gases and --- by GSC (107) 190
Hydrocarbons, light
Evaluation of modified graphitized carbon black for the analysis of --- (107) 99
Hydrocarbons, polynuclear
Use of chemically modified microparticulate silica and selective fluorimetric detection for the analysis of --- by HPLC (106) 109
Hydrocarbons, polynuclear aromatic
Preliminary results on the use of Tenax® for the extraction of pesticides and --- from surface and drinking waters for analytical purposes (106) 119
Hydrocarbon distillates
GC determination of the paraffin and naphthene content in saturated --- with porous layer open tubular columns of molecular sieve 13X (101) 365
Hydroperoxides
Determination of organic peroxyacids and --- by GC (103) 381
Hydrophobic interaction chromatography
---. The synthesis and the use of some alkyl and aryl derivatives of agarose (101) 281
β-Hydroxybutyric acid
Rapid determination of --- in blood and milk by GC (101) 414
Hydroxycarboxylic acid benzyl esters
GC–MS of di-, keto- and --- (110) 53

20-Hydroxyecdysone
Analysis of ecdysones by GC using electron capture detection (104) 172
5-Hydroxyindole-3-acetic acid
Quantitative aspects of urinary indole-3-acetic acid and --- excretion (109) 436
α-Hydroxyisobutyronitrile
Separation of metals on ion-exchange resins by means of --- as complexing agent (102) 319
Hydroxylysine
Analysis of hydroxyproline and ---. Improved GC method (104) 176
Hydroxymethoxymandelic acid
CC separation of 3,4-isomers of --- (103) 197
4-Hydroxy-3-methoxyphenylglycol
Mass fragmentographic determination of --- (HMPG) in urine, cerebrospinal fluid, plasma and tissues using a deuterium-labelled internal standard (105) 309
2-Hydroxyoximes
Commercial chelating solvent extraction reagents. I. Purification and isomer separation of --- (105) 141
p-Hydroxy-β-phenethylbiguanide
GC determination of β-phenethylbiguanide and its metabolite --- in serum and urine (106) 263
3-Hydroxypinazepam
Determination of pinazepam and its metabolites in serum, urine and brain by GLC and MS (110) 309
17-Hydroxyprogesterone
Quantitative determination of cortisol in human plasma by HPLC (107) 181
Hydroxyproline
Analysis of --- and hydroxylysine. Improved GC method (104) 176
19-Hydroxy-prostaglandins
Thick-layer chromatography for the isolation of --- from total lipids (104) 189
5-Hydroxytryptophan
Quantitative determination of indolic compounds in the rat brain using *p*-dimethylaminocinnamaldehyde as reagent (109) 313
Hypoxanthine
GC analysis of --- and guanine (106) 213

I

Imipramine
Sensitive method for the routine determination of tricyclic antidepressants in plasma using a specific nitrogen detector (105) 107
"Impulseless" circulation gas chromatography
--- of isotopic compounds (104) 327
Indandiones
TLC study on the stability of some 2-aryl-1,3--- on exposure to air (108) 117
Indole-3-acetic acid
Quantitative aspects of urinary --- and 5-hydroxyindole-3-acetic acid excretion (109) 436
Indole alkaloids
Preliminary investigation of the use of HPLC for the separation of --- (104) 431
Indolealkylamines
Identification and separation of --- by GLC analysis of their heptafluorobutyryl derivatives (106) 435
Indolylethylamines
Glyoxylic acid spray reagent for TLC identification of phenylethylamines and --- (105) 211
Inertial properties
Determination of the --- of chromatographic detectors (104) 231
Inhibitors
Detection of --- of *Erwinia carotovora* and *E. herbicola* on thin-layer chromatograms (110) 193
Inokosterone
Analysis of ecdysones by GC using electron capture detection (104) 172
Inorganic anions
Adsorption of --- on Sephadex gels (107) 210
Inorganic ions
Theory of electrophoretic ionfocussing of --- with weak complexing agents (110) 265
Inorganic ion exchangers
Preparation of some new --- (102) 105
Inorganic ion exchangers
IR and X-ray measurements on various --- (102) 109
Insecticides
Coupling HPLC with a cholinesterase inhibition AutoAnalyzer for the determination of organophosphate and carbamate --- residues (104) 438
Insecticides
Analysis of HCB and BHC isomer residues in food (106) 401
Insect pheromones
Analysis of --- by quadrupole mass fragmentography and high-resolution GC (106) 83
Internal solvent composition
Chromatographic determination of the ---, solvent regain and distribution coefficients in gels in mixed solvent systems. I. Theory (105) 1
Iodoalkanes
Preparation of standard mixtures of --- by irradiation of iodine solutions in alkanes (108) 194
Iodothyronines
Behavior of --- in an isoelectric focusing system (106) 225
Ion-exchange chromatography
Ambiguity in the term porosity in ---. Influence of the chemical composition of the carrier (109) 11
Ion exchange in agitated beds
---. Simulation of an ion-exchange column by model of agitated tanks in cascade (102) 437
Ion-exchange membranes, structure heterogeneity
Investigation of --- (102) 83
Ion-exchange processes, differential
Kinetics of --- in a finite solution volume (102) 169
Ion-exchange processes, optimization
Determination of the optimal conditions for ion-exchange processes (101) 235
Ion exchangers
Ion exchange using solutions of high concentration. IV. Sorption of thallium(III) from HBr on various --- (110) 133

Ion exchangers
Liquid --- in PC of steroidal glucosiduronic acids. Influence of different exchangers on the mobility in chloroform–formamide and correlation of chromatographic data (109) 129
Ion exchanger
Studies on thorium phosphate ---. I. Synthesis, properties and ion-exchange behaviour of thorium phosphate (101) 63
Ion exchanger
Studies on thorium phosphate ---. II. Distribution coefficient measurements and selective ion-exchange separations of some metal ions (101) 73
Ion exchangers, inorganic
Preparation of some new --- (102) 105
Ion exchangers, inorganic
Recent progress in the field of synthetic inorganic exchangers having a layered or fibrous structure (102) 5
Ion exchangers, nomenclature
Proposal for the nomenclature of exchangers (102) 141
Ion-exchange reactions
Comparison of experimental and theoretical rates of ion exchange (102) 149
Ion-exclusion chromatography
--- of compounds of biological interest (107) 25
Ionophoresis
Apparatus for high-voltage --- in temperature gradients (108) 53
Iridoids
Identification of --- of *Mentzelia decapetala* by two-dimensional PC (103) 216
Iron
Countercurrent elution of uranium(VI) and ---(III) from an anion-exchange resin (102) 433
Iron
Isotope effects during ionophoresis of various complex ions of cobalt and --- in aqueous solution (110) 273
Iron
Some problems in the separation of copper and --- from mine waters (102) 403
Iron(III) oxide
Some applications of --- as a GC adsorbent (106) 291
Isoelectric focusing
Equipment for continuous --- (107) 91
Isoelectric focusing
Evidence against the occurrence of artifacts due to carrier ampholyte–protein binding during --- (105) 353
Isoelectric focusing
Scanning --- in small density-gradient columns. IV. Use of deuterium oxide for preparing the density gradient and its effects on isoelectric points of proteins (108) 153
Isoprenoid alkanes
GC of --- (104) 337
Isoquinoline alkaloids
TLC study of --- with the BN-chamber (101) 395
Isotachophoresis
Application of --- in enzymology (105) 405
Isotachophoresis
Conductivity detection of zones in --- with a high-frequency bridge (106) 131
Isotachophoresis
High-speed ---: current supply and detection system (109) 49
Isotachophoresis
Instrumentation for high-speed --- (106) 283
Isotachophoresis
Radial temperature distribution in --- columns of circular cross-section (101) 1
Isotachophoresis
Theory of ---. Development of concentration boundaries (106) 1
Isotachophoresis
Transverse temperature distributions in --- columns of rectangular cross-section (107) 43
Isothermal relative concentration method
Application of the --- in GC (105) 65
Isothiocyanates
TLC of --- and thioureas (105) 186
Isotope-exchange reactions
Ion exchange, isotope exchange and isotope separation (102) 47
Isotopic compounds
"Impulseless" circulation GC of --- (104) 327

K

Kelex
Commercial chelating solvent extraction reagents. II. Purification and properties of β-alkenyl-8-hydroxyquinoline (105) 151
Kerosene
Identification of individual aromatic hydrocarbons in --- fraction (b.p. 150–250°) (105) 411
Ketocarboxylic acid benzyl esters
GC–MS of di-, keto- and hydroxy-carboxylic acid benzyl esters (110) 53
Ketones
Persilylation of phenolic --- (101) 189
Kinetic study
--- of slow processes in GC (105) 13

L

β-Lactam
Separation of isomeric --- derivatives containing olefinic double bonds by chromatography on silica gel impregnated with silver nitrate (106) 471

Lactones
TLC detection of the lignan --- of *Cleistanthus collinus* (Roxb.) (107) 230

Lateral spot reconcentration
Programmed multiple development. --- (110) 27

Lecithins
Separation of naturally occurring --- according to fatty-acid chain-length and degree of unsaturation on a lipophilic derivative of Sephadex (103) 201

Leucylglycine
Separation of mono-, di- and tri-L---- by droplet countercurrent chromatography (109) 422

Ligand-exchange chromatography
LC of organic compounds on ion-exchange resins (102) 57

Lignan lactones
TLC detection of the --- of *Cleistanthus collinus* (Roxb.) (107) 230

Lipids
Relationship between densitometric peak areas and concentration of --- in the quantitative analysis of a lipid mixture separated by TLC (104) 123

Lipids
Thick-layer chromatography for the isolation of 19-hydroxy-prostaglandins from total --- (104) 189

Lipids
Use of sulfo-phospho-vanillin to quantitate unsaturated neutral --- in TLC (107) 420

Liquid chromatography
Continuous --- (108) 285

Liquid chromatography
Improvement of the performance of the capacitance detector for ---. Effects of the cell volume on band spreading and sensitivity of detection (108) 243

Liquid chromatography
Study of the pertinency of pressure in ---. II. Problems in equipment design (108) 229

Liquid chromatography
Study of the pertinency of pressure in ---. III. A practical method for choosing the experimental conditions in --- (110) 213

Liquid crystal
Thermodynamic study of a --- as a liquid phase in GLC. I. A nematic --- (101) 299

Liquid crystal
Thermodynamic study of a --- as a liquid phase in GLC. II. A cholesteric --- (107) 317

Liquid ion exchangers
Extraction chromatography with --- (102) 299

Liquid ion exchangers
Extraction chromatography with --- as stationary phase (102) 293

Liquid ion exchangers
Use of --- in extraction chromatography (102) 69

Liquid phase in GLC
Thermodynamic study of a liquid crystal as a ---. I. A nematic liquid crystal (101) 299

Liquid phase in GLC
Thermodynamic study of a liquid crystal as a ---. II. A cholesteric liquid crystal (107) 317

LIX Reagents
Commercial chelating solvent extraction reagents. I. Purification and isomer separation of 2-hydroxyoximes (105) 141

LSD, *see* Lysergic acid diethylamide

Lysergic acid diethylamide
Detection of ---, Δ^9-tetrahydro-cannabinol and related compounds by plasma chromatography (105) 345

Lysine
CC separation of N^G,N^G-dimethyl-arginine, N^G,N'^G-dimethylarginine, N^G-monomethylarginine, N^ϵ-monomethyl---, N^ϵ-dimethyl--- and N^ϵ-trimethyl--- (107) 389

Lysine
Improved method for the separation of --- from N-ε-monomethyllysine in plasma using cation-exchange chromatography (104) 170

M

Mace
Examination of the diphenylpropanoids of nutmeg as their trimethylsilyl, triethylsilyl and tri-*n*-propylsilyl derivatives using combined GC and MS (110) 91

Macromolecules
Model of the mechanism of the separation of --- in GPC on a packing with non-homogeneous pores (108) 1

Malachite green
--- – a new staining reagent for prostaglandins (105) 195

Maleic acid
Investigation of anion-exchange equilibria of --- and fumaric acids (102) 165

Manganese(II) chloride
Evidence of interactions of organic sorbates with transition metal halides in GSC using thermodynamics and IR studies (101) 39

Marine organisms
Sterols of the cockle *Cerastoderma edule*. Evaluation of thermostable liquid phases for the GLC–MS analysis of the trimethylsilyl ethers of marine sterols (103) 289

Meconic acid
2-Thiobarbituric acid as a reagent for the detection of --- by TLC (110) 190

Melibiose
LC of saccharides (105) 125

Membranes, permeable
Phenomenon of osmosis in --- (102) 31

6-Mercaptopurine
Separation of purine analogues from nucleic acid derivatives on a thin layer of ECTEOLA-cellulose (101) 231

Mercury
Akzo process for the removal of --- from waste water (102) 443

Mesobiliverdins
Separation and identification of isomeric deuterobiliverdins and --- (108) 212

Metals
Application of mixed ligands to separations of --- on mixed ion-exchange columns (108) 323

Metals
Separation of --- on ion-exchange resins by means of α-hydroxyisobutyronitrile as complexing agent (102) 319

Metals, divalent
Anion exchange in ternary mixtures of aliphatic acids, mineral acids and water (102) 217

Metals, divalent
Selective properties and analytical use of an ion-exchange resin based on α-phenylvinylphosphonic acid (102) 89

Metals, noble
Chelate sorbents for concentration and separation of --- (102) 287

Metal chelates
Radio-GC of --- (103) 141

Metal chelates
Retention of --- in GLC. Relative importance of dissolution and adsorption phenomena (104) 1

Metal halides
Evidence of interactions of organic sorbates with transition --- in GSC using thermodynamics and IR studies (101) 39

Metal ions
Chromatographic displacement reactions in eluents with sulphur dioxide and their application in the identification of the alkali --- with violuric acid and hydrogen sulphide (103) 392

Metal ions
Ion-exchange PC of inorganic ions. XX. The behaviour of --- in nitrite solutions (101) 411

Metal ions
Separation of --- by mixed column IEC (102) 273

Metal ions
Studies on thorium phosphate ion exchanger. II. Distribution coefficients measurements and selective ion exchange separations of some --- (101) 73

Metal ions
TLC of a number of --- on DEAE-cellulose in acidic sulphate media (106) 230

Metal ions
Use of liquid ion exchangers in extraction chromatography (102) 69
Metanephrine
Rapid derivatization of 3-methoxytyramine, normetanephrine and --- to trimethylsilyltrifluoroacetyl derivatives for GC analysis (106) 440
Methadone
Estimation of *l*-α-[2-^{3}H]acetylmethadol in biological materials and its separation from some metabolites and congeners on glass fibre sheets (106) 184
Methadone
GC determination of --- in sustained-release tablets (106) 180
Methadone
Improved TLC system for --- and its metabolites in biological samples (104) 193
Methadone
TLC separation of --- and its primary metabolite in the presence of other drugs in urine specimens (103) 85
Methionine
Improved technique for the analysis of amino acids and related compounds on thin layers of cellulose. X. The characterization of some methionyl, phenylalanyl, tyrosyl and other peptides by TLC and IEC (104) 141
3-Methoxytyramine
Rapid derivatization of ---, normetanephrine and metanephrine to trimethylsilyltrifluoroacetyl derivatives for GC analysis (106) 440
Methylarginine
CC separation of N^G,N^G-di---, N^G,N'^G-di---, N^G- mono---, N^ϵ-monomethyllysine, N^ϵ-dimethyllysine and N^ϵ-trimethyllysine (107) 389
Methylated histamine derivatives
New approach to the separation and identification of some --- by GLC (106) 218
Methyldopa
Specific quantitative GLC analysis of --- and some foreign related amino acids in raw material and commercial tablets (103) 63
3,4-Methylenedioxyamphetamine
Identification of two *in vitro* metabolites of --- by GLC–MS (101) 210
3,4-Methylenedioxyamphetamine
TLC of ---, 3-methoxy-4,5-methylenedioxyamphetamine and other phenethylamine derivatives (104) 201
4,5-Methylenedioxyamphetamine
TLC of 3,4-methylenedioxyamphetamine, 3-methoxy---- and other phenethylamine derivatives (104) 201
Methylene insertion reactions
Application of --- to dialkyl sulphides (C_2H_6S through $C_6H_{14}S$) to produce reference compounds for GC (109) 119
Methylene segments
Thermodynamic properties of solute molecules at infinite dilution determined by GLC. II. Interaction energies of contact pairs of methyl and --- (105) 273
Methylglucamine
Determination of --- in urine using high-performance LC (101) 225
Methyl glycosides
Use of mannitol as an internal standard in the GLC of --- (101) 185
Methyllysine
CC separation of N^G,N^G-dimethylarginine, N^G,N'^G-dimethylarginine, N^G-monomethylarginine, N^ϵ-mono---, N^ϵ-di--- and N^ϵ-tri--- (107) 389
Methylmalonic acid
GC method for the determination of --- in urine (101) 177
Methyl methacrylate
Use of combined chromatographic methods including TLC for analysis of complex polymer systems. Determination of the polydispersity of block copolymers of styrene and --- by GPC, TLC and pyrolysis GC (108) 61
Methyl(methyl 4-deoxy-O-methyl-β-L-*threo*-hex-4-enopyranosid) uronate
Separation of trimethylsilyl ethers of --- by GC (105) 206
Methylphenidate
Isolation and detection of ---, phacetoperane and some other sympatomimetic central nervous stimulants with special reference to doping. I. GC detection procedure with electron capture detection for some secondary amines (106) 412
Methylphenobarbitone
Simultaneous assay of --- and phenobarbitone using GLC with on-column butylation (110) 206

Methyl segments
Thermodynamic properties of solute molecules at infinite dilution determined by GLC. II. Interaction energies of contact pairs of --- and methylene segments (105) 273
Methyltin chlorides
CC separation of methyl- and *n*-octyltin chlorides (109) 418
Methyltin stabilizers
Analysis of --- (109) 89
Methylxanthines
HPLC assay of theophylline in biological fluids (101) 169
Microparticulate silica
Use of chemically modified --- and selective fluorimetric detection for the analysis of polynuclear hydrocarbons by HPLC (106) 109
Mineral oils
Detection of --- in edible oils by TLC (106) 475
Mine waste waters
Some problems in the separation of copper and iron from mine waters (102) 403
Mobile phase
Chromatography of sterols, alkaloids and other drugs using steam as the --- (104) 277
Mobile phases
GC with vapours of low-boiling substances as --- (104) 271
MOCA
Determination of 3,3'-dichloro-4,4'-diaminodiphenylmethane in air (104) 283
Molecular-size calibration
Molecular-weight distribution determination of clinical dextran by GPC (101) 137
Molecular-weight distribution
Determination of the --- of polymers by PC (101) 83
Molecular-weight distribution
--- determination of clinical dextran by GPC (101) 137
Molybdenum
Behaviour of ---(VI) and ---(V) on dextran and polyacrylamide gels (107) 341
Moment analysis
Theory of consecutive pulse sample feed elution chromatography (110) 1
Monoacetylmorphine
Rapid and sensitive GC determination of diacetylmorphine and its metabolite --- in blood using a nitrogen detector (105) 377
Monoamine oxidase inhibitor
TLC of hydrazidic --- drugs (106) 357
Monomethylarginine
CC separation of N^G,N^G-dimethylarginine, N^G,N'^G-dimethylarginine, N^G-monomethylarginine, N^ϵ-monomethyllysine, N^ϵ-dimethyllysine and N^ϵ-trimethyllysine (107) 389
Monomethyllysine
CC separation of N^G,N^G-dimethylarginine, N^G,N'^G-dimethylarginine, N^G-monomethylarginine, N^ϵ---, N^ϵ-dimethyllysine and N^ϵ-trimethyllysine (107) 389
Monosaccharides
Rapid analysis of simple carbohydrates by means of vapour-programmed TLC and densitometry and using a new spotting device (110) 279
Monosaccharides
TLC method for the identification of ---, di- and trisaccharides (107) 224
Monoterpenes
Elution sequence as a function of temperature in the GLC of --- hydrocarbons (110) 187
Montmorillonites
GC behavior of metal–tris(ethylenediamine) complex cation-exchanged ---. (105) 115
Morphine
Analysis of illicit dia---- preparations by HPLC (104) 205
Morphine
Characterisation and quantitation of --- in urine using HPLC with fluorescence detection (109) 37
Morphine
Rapid and sensitive GC determination of diacetyl--- and its metabolite monoacetyl--- in blood using a nitrogen detector (105) 377
Morphine
Separation of barbiturates and --- analysis from putrefied *post mortem* tissue (106) 446
Morphine
TLC and GC parameters of --- and codeine derivatives (106) 238

Morphine
TLC limiting-concentration test on 2,2'-dehydrodimorphine (pseudomorphine) in --- ampoules (101) 408
Morpholine
Isolation and structure determination of two diastereoisomers of N-tridecyl-2,6-dimethyl--- (Tridemorph) (108) 207
Mould metabolites
TLC of the cytochalasins (108) 405
Moving-bed ion exchange
Multi-component ---. An approach to the design of small-scale preparative columns (102) 413
Multiple development
Programmed ---. Lateral spot reconcentration (110) 27
Multiple phase chromatography
Moment analysis of --- (105) 225
Multislope gradients
Novel method of generating --- for HPLC (107) 201
Mustard seed
TAS procedure for the analysis of --- constituents (106) 477
Mycobacterium tuberculosis var. *bovis*-BCG
Qualitative and quantitative TLC of mycolic acids in --- (104) 460
Mycolic acids
Qualitative and quantitative TLC of --- in *Mycobacterium tuberculosis* var. *bovis*-BCG (104) 460
Mycotoxins
Investigations on the production of --- and their quantitative evaluation. I. The production of penicillic acid by *Penicillium cyclopium* (110) 361

N

Naphthene content
GC determination of the paraffin and --- in saturated hydrocarbon distillates with porous layer open tubular columns of molecular sieve 13X (101) 365

Narcotics
Comparative GC analysis of ---. II. Amphetamine sulphate (106) 335

Narcotics
Comparative GC analysis of ---. III. Phenmetrazine hydrochloride (109) 67

Narcotic antagonists
Chromatographic detection of --- in human urine (101) 424

Neptunium
Separation of various oxidation states of --- and plutonium by reversed-phase partition chromatography (103) 305

Neurons
Fractionation of proteins from single --- of *Planorbis corneus* by micro-electrophoresis on SDS–gradient polyacrylamide gels (105) 197

Nicotinamide
Separation behaviour of --- and thio--- derivatives on Dowex 1-X8 (106) 418

Niphimycin
---. III. Chromatographic separation of the components of the --- complex (109) 177

Nitration acids
Continuous trinitrotoluene process studies. V. LC analysis of --- (108) 365

Nitroblue tetrazolium
Studies on the nature of non-specific staining in --- detection of dehydrogenases in polyacrylamide gel electrophoresis ("nothing dehydrogenase") (101) 327

Nitrogen compounds
Problem of the interference of aromatic compounds in the complexing chromatographic separation of neutral --- in oil products (106) 465

Nitrogen crowns
CC and TLC of some --- (107) 380

Nitrosamines
Chromatographic separation of conformers of substituted asymmetric --- (103) 349

Nitrosamines
Dual column GC system for use in MS determination of --- (109) 265

N-Nitrosamines
Determination of some --- of tobacco alkaloids by reaction chromatography (109) 425

N-Nitroso compounds
Principle of operation of the thermal energy analyzer for the trace analysis of volatile and non-volatile --- (107) 351

N-Nitroso compounds
Trace analysis of volatile --- by combined GC and thermal energy analysis (109) 271

N-Nitrosotenuazonic acid
GC analysis of the *Alternaria* metabolite, tenuazonic acid (101) 222

Nomenclature of exchangers
Proposal for the --- (102) 141

Non-linear gas chromatography
Moment analysis of --- by computer simulation (103) 221

Norepinephrine
Fluorimetric assay of dopamine, --- and their 3-O-methyl metabolites by using fluorescamine (105) 135

Norepinephrine
Quantitative determination of epinephrine and --- in the picogram range by flame ionization GLC (108) 43

Normetanephrine
Rapid derivatization of 3-methoxytyramine, --- and metanephrine to trimethylsilyltrifluoroacetyl derivatives for GC analysis (106) 440

Nucleic acid derivatives
Separation of purine analogues from --- on a thin layer of ECTEOLA-cellulose (101) 231

Nucleosides
Injector port reactions in GC. Sources of error in the quantitative analysis of alkylsilyl derivatives of --- (105) 297

Nucleosides
Ion-exchange and ion-exclusion chromatographic separation of --- on Dowex 50 type resin-coated chromatoplates (101) 198
Nucleotides
Separation and quantification of ^{32}P-labeled guanine --- by TLC (104) 184
Nucleotides
Separation of arabinosyl, ribosyl, and deoxyribosyl purine --- by TLC (106) 200
Nucleotides
Simple and rapid procedure for desalting ---containing solutions (101) 228
Nucleotides
Sources of error in counting tritium-labelled adenosine and guanosine derivatives on chromatograms (105) 401
Nutmeg
Examination of the diphenylpropanoids of --- as their trimethylsilyl, triethylsilyl and tri-*n*-propylsilyl derivatives using combined GC and MS (110) 91

O

n-Octyltin chlorides
CC separation of methyl- and ---
(109) 418
Oils
Computer evaluation of GC profiles for the correlation of quality differences in cold pressed orange --- (106) 73
Oils
Detection of mineral --- in edible ---
by TLC (106) 475
Oils
Microcolumn chromatography as an aid to the GC analysis of volatile ---
(106) 392
Oil
Problem of the interference of aromatic compounds in the complexing chromatographic separation of neutral nitrogen compounds in --- products (106) 465
Oils, volatile
Low-temperature TLC for detection of polybutene contamination in ---
(101) 403
Olefins
Separation of isomeric β-lactam derivatives containing olefinic double bonds by chromatography on silica gel impregnated with silver nitrate (106) 471
Olefins, C_5–C_7
Relative molar responses of the ---
(106) 363
Oleic acid
Relationship between densitometric peak areas and concentration of lipids in the quantitative analysis of a lipid mixture separated by TLC (104) 123
Oligopeptides
Molecular sieve effects in IEC separations of --- (106) 461
Oligosaccharides
Determination of the degree of polymerisation of --- and polysaccharides by GLC
(108) 361
Oligosaccharides
TLC method for identification of ---
in starch hydrolyzates (105) 388
Open tubular capillary columns
Thermostable glass --- with a polar liquid phase for GC (104) 319
Opium
2-Thiobarbituric acid as a reagent for the detection of meconic acid by TLC
(110) 190
Optical transmittance
Comparison of --- and reflectance measurements on thin-media chromatograms (105) 279
Orange oils
Computer evaluation of GC profiles for the correlation of quality differences in cold pressed --- (106) 73
Organic compounds
GC determination of trace amounts of --- in solutions with adsorption of the major constituent (104) 51
Organic compounds
LC of --- on ion-exchange resins
(102) 57
Organic compounds
Vanadium pentoxide as a chromogenic spray reagent for the qualitative analysis of some --- on thin-layer plates
(101) 155
Organic pollutants
Removal of organic matter with a weakly basic macroreticular ion-exchange resin
(103) 259
Organic sorbates
Evidence of interactions of --- with transition metal halides in GSC using thermodynamics and IR studies (101) 39
Organometallic compounds
Complexes of ---. XLI. Anion-exchange PC of organothallium(III) cyanides
(101) 89
Organophosphorus compounds
Organophosphorus liquid phases: characterization and application to the GC analysis of --- (108) 380
Organophosphorus compounds
Support material effects in GC analyses of --- (106) 385

Organophosphorus insecticides
Coupling HPLC with a cholinesterase inhibition AutoAnalyzer for the determination of organophosphate and carbamate insecticide residues (104) 438
Organosulfur compounds
Chromium trioxide–acetic acid as a spray for --- (104) 228
Organothallium(III) cyanides
Complexes of organometallic compounds. XLI. Anion-exchange PC of --- (101) 89
Osmosis
Phenomenon of --- in permeable membranes (102) 31
Oxazepam
Determination of pinazepam and its metabolites in serum, urine and brain by GLC and MS (110) 309
Oxidation products of butane
Catalytic oxidation of butane. GC separation and analysis of the reaction products (101) 357

P

Packing
Model of the mechanism of the separation of macromolecules in GPC on a --- with non-homogeneous pores (108) 1

Packing
Separation characteristics of a porous styrene–divinylbenzene polymer --- for HPLC (108) 354

Packing
3-(2,4,5,7-Tetranitrofluorenimino)-propyldiethoxysiloxane – a highly selective, bonded π-complexing phase for HPLC (108) 85

Packing techniques
Techniques for packing high-performance LC columns with porous microparticles (106) 249

Paper chromatographic data
Computerized storage of TLC and --- (110) 398

Paracetamol
Estimation and identification in blood plasma of --- (N-acetyl-*p*-aminophenol) in the presence of barbiturates (109) 29

Paraffin content
GC determination of the --- and naphthene content in saturated hydrocarbon distillates with porous layer open tubular columns of molecular sieve 13X (101) 365

Partition coefficients
Determination of --- by LC (107) 219

Patulin
Determination of penicillic acid and --- by GLC with an electron-capture detector (105) 99

Patulin
Trimethylsilylation of penicillic acid and ---, and the stability of the products (105) 95

PCBs, *see* Polychlorinated biphenyls

Penicillic acid
Determination of --- and patulin by GLC with an electron-capture detector (105) 99

Penicillic acid
Investigations on the production of mycotoxins and their quantitative evaluation. I. The production of --- by *Penicillium cyclopium* (110) 361

Penicillic acid
Trimethylsilylation of --- and patulin, and the stability of the products (105) 95

Peniphora sanguinea (Fr.) Bres.
Combination of TLC systems for analysis of the pigments from --- (105) 391

Pentaerythritol
High-performance LC determination of --- in plasma (110) 375

Pentafluorophenyldimethylsilyl ethers
Formation of --- and their use in the GC analysis of sterols (104) 351

Pentitols
Separation of isomeric --- and hexitols by PC and TLC (110) 171

Peptides
Elution behaviour of γ-L-glutamyl-L-aspartic acid during IEC (103) 189

Peptides
Gel filtration of protected --- on Sephadex G-50 in hexamethylphosphoramide containing 5% water (106) 125

Peptides
Improved technique for the analysis of amino acids and related compounds on thin layers of cellulose. X. The characterization of some methionyl, phenylalanyl, tyrosyl and other --- by TLC and IEC (104) 141

Peptides
Molecular sieve effects in IEC separations of oligo--- (106) 461

Peptide mapping
Use of fluorescamine in --- on thin-layer cellulose plates (101) 244

Peroxyacids
Determination of organic --- and hydroperoxides by GC (103) 381

Perphenazine
Determination of --- and its sulphoxide metabolite in human plasma after therapeutic doses by GC (109) 259

Pesticides
Adsorption LC of DDT and polychlorinated biphenyls (107) 411
Pesticides
Analysis of polychlorinated dibenzo-*p*-dioxins and dibenzofurans in chlorinated phenols by mass fragmentography (107) 295
Pesticides
Clean-up and quantitative detection method for the analysis of dicofol residues in crops (109) 199
Pesticides
Coupling HPLC with a cholinesterase inhibition AutoAnalyzer for the determination of organophosphate and carbamate insecticide residues (104) 438
Pesticides
Determination of 2,4D in plant tissue. I. (108) 188
Pesticides
Development of a method for the extraction and determination of non-polar, dissolved organic substances in sea water (101) 289
Pesticides
GLC and GLC combined with MS of a butyl ester formulation of (2,4-dichlorophenoxy)acetic acid (106) 33
Pesticides
Inorganic salts in the fluorometric detection of --- (107) 141
Pesticides
Method for determining trace quantities of the herbicide chlortoluron in soils by LC (107) 407
Pesticides
Preliminary results on the use of Tenax® for the extraction of --- and polynuclear aromatic hydrocarbons from surface and drinking waters for analytical purposes (106) 119
Pesticides
Quantitation of benomyl and its metabolites by thin-layer densitometry (104) 476
Pesticides
Rapid method for the quantitative analysis of benomyl on cherries by TLC and *in situ* fluorometry (101) 33
Pesticides
Separation of herbicides by high-performance LC. Influence of water (109) 297
Pesticides
Simple method for the evaluation of the translocation behaviour of agrochemicals in soil (109) 443
Pesticides
Two methods for estimating terbutryne residues in water using HPLC and GLC with a conductivity detector (104) 211
Pesticides, nitrogen-containing
Comparison of the Coulson and Hall electrolytic conductivity detectors for the determination of --- (106) 174
Petroleum sulfonates
Gel filtration chromatography of --- (109) 377
Phacetoperane
Isolation and detection of methylphenidate, --- and some other sympatomimetic central nervous stimulants with special reference to doping. I. GC detection procedure with electron capture detection for some secondary amines (106) 412
Phenethylamine derivatives
TLC of 3,4-methylenedioxyamphetamine, 3-methoxy-4,5-methylenedioxy-amphetamine and other --- (104) 201
β-Phenethylbiguanide
GC determination of --- and its metabolite *p*-hydroxy---- in serum and urine (106) 263
Phenmetrazine hydrochloride
Comparative GC analysis of narcotics. III. --- (109) 67
Phenobarbital
GC studies of --- and diphenylhydantoin after flash-heater alkylation (109) 163
Phenobarbital
Improved method for the simultaneous determination of ---, primidone and diphenylhydantoin in patients' serum by GLC (107) 61
Phenobarbitone
Simultaneous assay of methylphenobarbitone and --- using GLC with on-column butylation (110) 206
Phenols
Analysis of polychlorinated dibenzo-*p*-dioxins and dibenzofurans in chlorinated --- by mass fragmentography (107) 295
Phenols
Chromatographic behaviour of --- on thin layers of cation and anion exchangers. I. Bio-Rad AG 3-X4A, PEI-cellulose and DEAE-cellulose (108) 169

Phenols
Chromatographic behaviour of --- on thin layers of cation and anion exchangers. II. Dowex 50-X4 and Rexyn 102 (109) 365
Phenols
Chromatography of aromatic acids, aldehydes and --- on pellicular polyamide in aqueous solution (106) 139
Phenolalkylamines
N-Trifluoroacetyl-O-trimethylsilyl---. Preparation and mass specific GC estimation (103) 91
Phenol–formaldehyde novolak resins
Determination of the molecular-weight distribution of polymers by PC (101) 83
Phenol–formaldehyde resins
Analysis of --- by high-performance LC (106) 454
Phenolic compounds
Recycling gel chromatography of ---. II. Numerical calculation of optimal number of cycles and resolution (107) 35
Phenolic compounds
p-Vinylbenzeneboronic acid polymers for separation of vicinal diols (104) 57
Phenolic ketones
Persilylation of --- (101) 189
Phenothiazines
LC properties of --- (108) 299
Phenylalanine
Improved technique for the analysis of amino acids and related compounds on thin layers of cellulose. X. The characterization of some methionyl, phenylalanyl, tyrosyl and other peptides by TLC and IEC (104) 141
N-Phenylbenzenesulphonamide
Determination of sulphonamides by electron-capture GC. Preparation and properties of perfluoroacyl and pentafluorobenzyl derivatives (107) 327
p-Phenylenediamine antiozonants
Identification and determination of certain N,N'-disubstituted --- in cured styrene-butadiene elastomers (103) 247
Phenylethylamines
Glyoxylic acid spray reagent for TLC identification of --- and indolylethylamines (105) 211
3-Phenyl-2-thiohydantoin-amino acids
Determination of --- by means of *in situ* quantitation of thin-layer chromatograms (107) 311
Phenylthiohydantoin-amino acids
Improved TLC technique for the identification of --- (104) 180
Phenylthiohydantoin-amino acids
Separation of --- by HPLC (110) 369
α-Phenylvinylphosphonic acid–acrylic acid copolymer
Selective properties and analytical use of an ion-exchange resin based on --- (102) 89
Pheromones
Analysis of insect --- by quadrupole mass fragmentography and high-resolution GC (106) 83
Phosphatide glyceryl ethers
Chromatographic analysis of the neutral and --- from various biological sources (107) 155
Phosphorimeter
Construction and evaluation of a scanning thin-layer single-disc multi-slot --- (103) 15
Phosphoserine
Improved determination of plasma --- (104) 429
Photo-epoxidation
GC–MS investigation of the --- of vitamin K_3 (110) 178
Phthalates
Activity coefficients of hydrocarbons in --- (105) 257
Phthalate esters
Correlation of hydrocarbon activity coefficients with solubility parameters for --- (106) 17
Phthalate esters
LC method for the determination of --- (109) 413
Pigments
Combination of TLC systems for analysis of the --- from *Peniophora sanguinea* (Fr.) Bres. (105) 391
Pinazepam
Determination of --- and its metabolites in serum, urine and brain by GLC and MS (110) 309
Pivalate esters
GC of homologous esters. VIII. Reduced retention of *n*- and isoalkyl --- (106) 327
Plasma amino acids
Method for the separation of --- by IEC combined with a semi-automatic computation of plasma amino acid concentrations (104) 63

Plasma proteins
Comparative chromatography of --- and plasma concentrates rich in factors VIII and IX (101) 379
Plasticisers
Identification and determination of primary --- in polyvinyl chloride calendered formulations (103) 241
Plasticizers
LC method for the determination of phthalate esters (109) 413
Plate number
Gradient elution in LC. IV. Verification of the theoretical relationships for elution characteristics (retention volume, band width, resolution, ---) in adsorption chromatography on silica using stepwise and combined (stepwise–gradient) elution and some considerations concerning solvent-programmed and isocratic elution chromatography (104) 9
PLOT columns, *see* Porous layer open tubular columns
Plutonium
Separation of various oxidation states of neptunium and --- by reversed-phase partition chromatography (103) 305
Polar stationary phases
Preparation of stable glass capillary columns with --- (105) 385
Pollutants
Removal of organic matter with a weakly basic macroreticular ion-exchange resin (103) 259
Pollutants, organic
GC determination of trace amounts of organic compounds in solutions with adsorption of the major constituent (104) 51
Pollutant, organic
Mass transfers in ion-exchange systems perturbated by simultaneous fixation of an --- (102) 181
Poly(acryloylmorpholine)
Synthesis and evaluation of cross-linked --- supports for thin-layer GPC (110) 327
Polyamide
Chromatography of aromatic acids, aldehydes and phenols on pellicular --- in aqueous solution (106) 139
Polyamide–polyimide block copolymers
--- as ferrules in GC (108) 181
Polyamines
Estimation of urinary diamines and --- by TLC (110) 335
Polyamines
Separation of the Dns derivatives of --- and related compounds by TLC and HPLC (107) 416
Polybutene contamination
Low-temperature TLC for detection of --- in volatile oils (101) 403
Polychlorinated biphenyls
Adsorption LC of DDT and --- (107) 411
Polychlorinated biphenyls
Development of a method for the extraction and determination of non-polar, dissolved organic substances in sea water (101) 289
Polychlorinated biphenyl homologues
Analytical response of --- and isomers in TLC and GC (109) 287
Polycyclic aromatic hydrocarbons
New method for the rapid isolation of --- from smoked meat products (103) 173
Polycycloalkanes
GPC separation of stereoisomers of cycloalkanes and --- (104) 91
Polyene macrolide antibiotic complexes
Quantitative thin-layer spectrodensitometric determination of the components of --- (104) 151
Polymers
Determination of the molecular-weight distribution of --- by PC (101) 83
Polymer
Determination of total --- in industrial materials by GPC ("exclusion limit chromatography") (108) 397
Polymers
Peculiarities in GPC of flexible-chain --- on macroporous swelling sorbents (109) 233
Polymers
Use of combined chromatographic methods including TLC for analysis of complex --- systems. Determination of the polydispersity of block copolymers of styrene and methyl methacrylate by GPC, TLC and pyrolysis GC (108) 61
Polymer systems
Application of a computer and an external standard in the determination of the composition of --- by pyrolysis GC (108) 275

Polyoxyethylene
Improvement in accuracy in the GLC determination of the molecular-weight distribution of --- non-ionic surfactants (108) 183
Poly(oxyethylene)sorbitan, esters of
GC determination of --- (101) 57
Polyphenyl ethers
Investigation of the isomeric composition of --- by high-temperature GC (108) 358
Polysaccharides
Determination of the degree of polymerisation of oligo- and --- by GLC (108) 361
Polysorbates
GC determination of esters of poly(oxyethylene)sorbitan (101) 57
Polysulphanedisulphonates
Thiomercurimetric determination of thiosulphate and --- on pherograms (105) 424
Polysulphides
Separation of --- by TLC (107) 393
Polythionates
Apparatus for high-voltage ionophoresis in temperature gradients (108) 53
Polythionates
Thiomercurimetric determination of thiosulphate and polysulphanedisulphonates on pherograms (105) 424
Polyurethane elastomers
Rapid identification of solid --- (105) 43
Polyvinyl chloride
Identification and determination of primary plasticisers in --- calendered formulations (103) 241
Pore gradient electrophoresis
Improvement of --- by increasing the degree of cross-linking at high acrylamide concentrations (106) 204
Pore gradient gels
Apparatus for the direct preparation of --- in slab gel electrophoretic cells (106) 51
Porosity
Ambiguity in the term --- in IEC. Influence of the chemical composition of the carrier (109) 11
Porous layer open tubular columns
Preparation and properties of --- borosilicate and soda-glass columns possessing a permanently fixed support layer (101) 271
Potable water
Organic substances in --- and in its precursor. III. Closed-loop stripping procedure compared with rapid liquid extraction (106) 299
Powdered ion exchangers
Possible application of --- in the treatment of condensate (102) 451
Prednisolone
Quantitative determination of cortisol in human plasma by HPLC (107) 181
Prednisone
Quantitative determination of cortisol in human plasma by HPLC (107) 181
Pregnane
GLC studies of reactions and structural relationships of steroids. Part III. 11α-Hydroxysteroids of the androstane and --- series (105) 359
Preparative columns
Multi-component moving-bed ion exchange. An approach to the design of small-scale --- (102) 413
Preservatives
Detection of organic solvent --- in wood by TLC (110) 37
Pressure
Study of the pertinency of --- in LC. II. Problems in equipment design (108) 229
Pressure
Study of the pertinency of --- in LC. III. A practical method for choosing the experimental conditions in LC (110) 213
Pressure programming
--- in GC. Propagation of the perturbation produced at the column inlet (109) 1
Primene JM-T
Use of aqueous thiocyanate solutions in liquid–liquid extraction and reversed-phase extraction chromatography. I (102) 309
Primidone
Improved method for the simultaneous determination of phenobarbital, --- and diphenylhydantoin in patients' serum by GLC (107) 61
Progestogens
Solvent system for the separation of steroids with estrogenic and progestational activity by two-dimensional TLC (103) 368

Progestogens
Structure–mobility relationships in TLC. Applications to some --- (108) 345
Propoxyphene hydrochloride
HPLC determination of --- in tablets and capsules (107) 115
Prostaglandins
Direct quantitative TLC determination of --- A_2, B_2, E_2 and $F_{2\alpha}$ (108) 313
Prostaglandins
Malachite green – a new staining reagent for --- (105) 195
Prostaglandins
Thick-layer chromatography for the isolation of 19-hydroxy--- from total lipids (104) 189
Proteins
Comparative chromatography of plasma and plasma concentrates rich in factors VIII and IX (101) 379
Proteins
Evidence against the occurrence of artifacts due to carrier ampholyte–protein binding during isoelectric focusing (105) 353
Proteins
Fractionation of --- from single neurons of *Planorbis corneus* by micro-electrophoresis on SDS–gradient polyacrylamide gels (105) 197
Proteins
Ionic effects in the chromatography of --- on columns of controlled-pore glass (103) 71
Proteins
Method for the isolation or urinary --- (104) 465
Proteins
Possible means of improving yields in protein chromatography (104) 454
Proteins
Scanning isoelectric focusing in small density-gradient columns. IV. Use of deuterium oxide for preparing the density gradient and its effects on isoelectric points of --- (108) 153
Proteins
Separation of dehydrogenases on polyaminomethylstyrene (104) 99
Proteins
Thin-layer gel chromatography of dyed --- (105) 317
Proteins
Use of Sephadex LH-20 to separate dodecyl sulphate and buffer salts from denatured --- (109) 399
Protein amino acids
Analysis of hydroxyproline and hydroxylysine. Improved GC method (104) 176
Proteinases
Chromatography of acid --- and chymotrypsin on a sorbent containing 2,4-dinitrophenyl residues (104) 373
Pseudomorphine
TLC limiting-concentration test on 2,2'-dehydrodimorphine (---) in morphine ampoules (101) 408
PURIWAT® apparatus
---. A system of ion-exchange celluloses for the production of high-purity water (102) 409
Putrescine
Estimation of urinary diamines and polyamines by TLC (110) 335
Putrescine
High-speed LC determination of ---, spermidine and spermine (110) 385
Pyrenes
Estimation of atmospheric benzo[*a*]pyrene using fluorimetry coupled with liquid scintillation spectrometry (104) 399
Pyrimethamine
Quantitative TLC of --- and related diaminopyrimidines in body fluids and tissues (106) 41
Pyrimidine deoxyribooligonucleotides
Separation of --- according to length and composition using TLC on DEAE-cellulose (104) 113
Pyrolysis gas chromatography
Application of a computer and an external standard in the determination of the composition of polymer systems by --- (108) 275
Pyrolysis products
Polar --- for a sensitive fingerprint characterization of organisms by GLC (105) 339
Pyruvate esters
GC of homologous esters. VII. The retention behaviour of --- and related carbonyl and carboxyl compounds (106) 317

Q

Quinolines
In situ spectrofluorimetric estimation of substituted tetrahydroiso--- by TLC separation and oxidation to the dihydroisoquinolinium derivatives (104) 217

Quinones
Method for the estimation of anthra--- using densitometric TLC (104) 196

R

Radial temperature distribution
---' in isotachophoresis columns of circular cross-section (101) 1
Radioactive compounds
Radio GC of carbon-14-labelled compounds using continuous activity assay by a semiconductor detector (108) 37
Radio gas chromatography
--- of carbon-14-labelled compounds using continuous activity assay by a semiconductor detector (108) 37
Raffinose
LC of saccharides (105) 125
Reaction gas chromatography
Simultaneous --- with a reversible reaction of first order. I. (107) 241
Reaction gas chromatography
Simultaneous --- with a reversible reaction of first order. II. (107) 253
Reactor chromatograms
Frontal analysis of product peaks from GC reactors. Dicyclopentadiene and di-*tert.*-butyl peroxide decomposition (104) 73
Reagents
Studies in laboratory-use ---. III. Simple TLC system for the separation of cannabinoids (106) 196
Reflectance
Comparison of optical transmittance and --- measurements on thin-media chromatograms (105) 279
Resins
New results in the study on the porosity of styrene–divinylbenzene copolymers and ion-exchange --- (102) 117
Resins, thermal behaviour
Examination of ion-exchange resins by derivatography (102) 77
Resolution
Gradient elution in LC. IV. Verification of the theoretical relationships for elution characteristics (retention volume, band width, ---, plate number) in adsorption chromatography on silica using stepwise and combined (stepwise–gradient) elution and some considerations concerning solvent-programmed and isocratic elution chromatography (104) 9
Resolution in gas–liquid chromatography
Computer applications in GLC. I. Prediction of component --- from limited input data (101) 17
Retention indices
GC of homologous esters. VI. Structure–retention increments of aliphatic esters (101) 103
Retention volumes
Computer applications in GLC. II. Prediction of --- for hydrocarbons and heteroatomic organic molecules using molecular parameters and multiple regression analysis (101) 23
Retention volume
Gradient elution in LC. IV. Verification of the theoretical relationships for elution characteristics (---, band width, resolution, plate number) in adsorption chromatography on silica using stepwise and combined (stepwise–gradient) elution and some considerations concerning solvent-programmed and isocratic elution chromatography (104) 9
Resin acids
Separation of --- from fatty acids in relation to environmental studies (109) 281
Retention volumes
Influence of vapour pressure and activity coefficients on the --- of branched-chain alkanes (107) 1
Rhenium(VII)
Gel chromatography of --- (107) 335
Ribosides
Ion-exchange and ion-exclusion chromatographic separation of nucleosides on Dowex 50 type resin-coated chromatoplates (101) 198
Ribosyl purine nucleotides
Separation of arabinosyl, ---, and deoxyribosyl purine nucleotides by TLC (106) 200
R_M values
Relationships between Hansch's π parameters and --- determined on polyamide thin layers (105) 33

RNA
Fractionation of --- on a metal ion-equilibrated cation exchanger. III. Chromatographic profiles of ---: methodology and protein association (104) 443

RNA
Fractionation of --- on a metal ion-equilibrated cation exchanger. IV. Chromatographic profiles of ---: tissue and source variation (104) 449

S

Saccharides
Determination of the degree of polymerisation of oligo- and poly--- by GLC (108) 361

Saccharides
LC of --- (105) 125

Saccharides
Method for detection of non-reducing --- (103) 390

Saccharides
TLC method for identification of oligo--- in starch hydrolyzates (105) 388

Salicylate as complex-forming agent
Extraction of copper(II) ions with liquid anion exchangers using --- (102) 225

Salt-modified adsorbents
Selective --- for GSC (104) 161

Salt modifiers
Use of transition metal chlorides as --- in GSC (109) 57

Sample inlet
Universal --- for GC (105) 382

Scanning isoelectric focusing
--- in small density-gradient columns. IV. Use of deuterium oxide for preparing the density gradient and its effects on isoelectric points of proteins (108) 153

Segments
Thermodynamic properties of solute molecules at infinite dilution determined by GLC. II. Interaction energies of contact pairs of methyl and methylene --- (105) 273

Selenium
Rapid determination of --- in various substrates by electron capture GLC (109) 239

Sephadex
Adsorption of inorganic anions on --- gels (107) 210

Serine
Improved technique for the analysis of amino acids and related compounds on thin layers of cellulose. X. The characterization of some methionyl, phenylalanyl, tyrosyl and other peptides by TLC and IEC (104) 141

Serotonin
Determination of --- and bufotenin as their dansyl derivatives (106) 159

Serum albumin
Chromatographic substituent constants and their use in quantitative structure activity relationships. The binding of acetanilides to --- (106) 481

Serum analyses
Comparative --- and urine analyses by dual-detector anion-exchange chromatography (104) 303

Sesquiterpenes
Hydrogenolysis of terpenes in the injection port of a gas chromatograph. II. --- (106) 369

Silica
Chemically bonded phases for LC. Modification of --- with vinyl monomers (107) 402

Silica gels
Mechanism of cation exchange on --- (102) 191

Silica gel, cation exchanger
New types of cation exchanger based on silica gel. I. Preparation and properties (102) 325

Silicic acid
Mechanism of cation exchange on silica gels (102) 191

Silver
Separation of --- and sodium by ion exchange on crystalline Ce(IV) phosphate-sulphate (103) 193

Sintered sticks
Sintered TLC with flame ionization detector scanning (108) 329

Slab gel electrophoretic cells
Apparatus for the direct preparation of pore gradient gels in --- (106) 51

Slow processes
Kinetic study of --- in GC (105) 13

Smokeless powders
Separation and identification of minor components in --- by TLC (108) 401

Snake-cage ion-retardation resins
Synthesis and properties of some --- (102) 131

Snake-cage ion retardation resins
Use of the amphoteric ion-exchange resin Retardion 11A8 for inorganic separations (102) 263
Sodium
Separation of silver and --- by ion exchange on crystalline Ce(IV) phosphate-sulphate (103) 193
Sodium dodecylbenzenesulphonate
Glass micro-beads treated with --- as a GC support material (106) 103
Soil
Determination of residues of dalapon in --- by GC of the 1-butyl ester (106) 409
Soil humic substances
Isotachophoresis and isoelectric focusing of --- in polyacrylamide gel (103) 402
Solubility parameters
Correlation of hydrocarbon activity coefficients with --- for phthalate esters (106) 17
Solute retention
Moment analysis of non-linear GC by computer simulation (103) 221
Solvent
Chromatographic determination of the internal --- composition, --- regain and distribution coefficients in gels in mixed --- systems. I. Theory (105) 1
Solvent extraction
Commercial chelating --- reagents. I. Purification and isomer separation of 2-hydroxyoximes (105) 141
Solvent extraction
Commercial chelating --- reagents. II. Purification and properties of β-alkenyl-8-hydroxyquinoline (105) 151
Solvent regain
Chromatographic determination of the internal solvent composition, --- and distribution coefficients in gels in mixed solvent systems (105) 1
Sorption of ions
Selective swelling of ion exchangers in mixed solvents and the effect of swelling on the --- (102) 203
Sorption of ion-exchange resin
Some aspects of ion-exchange in non-aqueous and mixed solvents (102) 209
Spermidine
Estimation of urinary diamines and polyamines by TLC (110) 335
Spermidine
High-speed LC determination of putrescine, --- and spermine (110) 385
Spermine
Estimation of urinary diamines and polyamines by TLC (110) 335
Spermine
High-speed LC determination of putrescine, spermidine and --- (110) 385
Sprayer
Chromatogram --- with disposable jet (106) 423
Squalene
Relationship between densitometric peak areas and concentration of lipids in the quantitative analysis of a lipid mixture separated by TLC (104) 123
Square-top runs
Peak squarer for --- in GLC–MS. Some factors affecting GLC output to a mass spectrometer (109) 168
Stability of ion-exchange resin
Some aspects of ion-exchange in non-aqueous and mixed solvents (102) 209
Stabilizers
Analysis of methyltin --- (109) 89
Stabilizers
Antioxidants and ---. LVII. Behaviour of light --- and model compounds in gel chromatography (106) 343
Starch hydrolyzates
TLC method for identification of oligosaccharides in --- (105) 388
Stationary phases
Adsorption in GC with liquid and solid --- (104) 241
Stationary phases
Extraction chromatography with liquid ion exchangers as --- (102) 293
Stationary phases
Preparation of stable glass capillary columns with polar --- (105) 385
Stationary phase
Retention of metal chelates in GLC. Relative importance of dissolution and adsorption phenomena (104) 1
Stationary phase
3-(2,4,5,7-Tetranitrofluorenimino)-propyldiethoxysiloxane – a highly selective, bonded π-complexing phase for HPLC (108) 85
Stationary phases, fluorinated
GLC on ---. I. Hydrocarbons and fluorocarbons (110) 73
Steroids
Application of a histochemical reaction to the TLC of --- (105) 201

Steroids
Application of cholesterol oxidase in the analysis of --- (101) 373
Steroids
Automation of multiple Sephadex LH-20 CC for the simultaneous separation of plasma cortico--- (108) 305
Steroids
Fluorimetric determination of testosterone on Al_2O_3 by TLC separation of the trimethylsilyl ether derivatives (110) 125
Steroids
GLC studies of reactions and structural relationships of ---. II. Positions 3, 11, and 20 in the pregnane series (103) 113
Steroids
GLC studies of reactions and structural relationships of ---. III. 11α-Hydroxysteroids of the androstane and pregnane series (105) 359
Steroids
Liquid ion exchangers in PC of steroidal glucosiduronic acids, glucosiduronic esters and free --- (108) 23
Steroids
Liquid ion exchangers in PC of steroidal glucosiduronic acids. Influence of different exchangers on the mobility in chloroform–formamide and correlation of chromatographic data (109) 129
Steroids
Quantitative determination of cortisol in human plasma by HPLC (107) 181
Steroids
Separation of some 16-androstenes on hydroxyalkoxypropyl-Sephadex (Lipidex^{TM}) (110) 210
Steroids
Solvents for the adsorption chromatography of adrenocortical --- (101) 202
Steroids
Solvent system for the separation of --- with estrogenic and progestational activity by two-dimensional TLC (103) 368
Steroids
Structure–mobility relationships in TLC. Applications to some progestogens (108) 345
Steroids
Vanadium pentoxide as a chromogenic spray reagent for the qualitative analysis of some organic compounds on thin-layer plates (101) 155
Steroidal glucosiduronic acids
Liquid ion exchangers in PC of ---, glucosiduronic esters and free steroids. Influence of concentration of exchanger and counterion (108) 23
Sterols
Chromatography of ---, alkaloids and other drugs using steam as the mobile phase (104) 277
Sterols
Formation of pentafluorophenyldimethylsilyl ethers and their use in the GC analysis of --- (104) 351
Sterols
Improved resolution of cholestanol and cholesterol by GLC. Application to pigeon testicular --- (103) 170
Sterols
--- of the cockle *Cerastoderma edule*. Evaluation of thermostable liquid phases for the GLC–MS analysis of the trimethylsilyl ethers of marine --- (103) 289
Sterol acetates
Empirical quantum chemical approach to structure–GC retention index relationships. I. --- (108) 337
Stimulants
Isolation and detection of methylphenidate, phacetoperane and some other sympatomimetic central nervous --- with special reference to doping. I. GC detection procedure with electron capture detection for some secondary amines (106) 412
Structure–gas chromatographic retention index relationships
Empirical quantum chemical approach to ---. I. Sterol acetates (108) 337
Structure–mobility relationships
--- in TLC. Applications to some progestogens (108) 345
Structure of the adsorption layer
Theory of TLC. Effect of the --- on spreading of spots (107) 265
Structure–retention increments
GC of homologous esters. VI. --- of aliphatic esters (101) 103
Strychnos alkaloids
High-speed LC separation of some --- (109) 441
Styrene
Study on the preparation of strongly acidic cation exchangers based on copolymers of --- and bis-(4-vinylphenyl)-methane (102) 123

Styrene
Use of combined chromatographic methods including TLC for analysis of complex polymer systems. Determination of the polydispersity of block copolymers of --- and methyl methacrylate by GPC, TLC and pyrolysis GC (108) 61
Styrene–divinylbenzene copolymers
New results in the study on the porosity of --- and ion-exchange resins (102) 117
Styrene–divinylbenzene polymer
Separation characteristics of a porous --- packing for HPLC (108) 354
Substituent constants
Chromatographic --- and their use in quantitative structure activity relationships. The binding of acetanilides to serum albumin (106) 481
Sucrose
LC of saccharides (105) 125
Sugars
Accelerated IEC of reducing --- in neutral borate buffers (101) 307
Sugars
LC of --- and related polyhydric alcohols on cation exchangers. The effect of cation variation (103) 229
Sugars
Sensitive fluorescence monitoring of the carbohydrates eluted by a borate mobile phase from an anion-exchange column (101) 193
Sugars
Vanadium pentoxide as a chromogenic spray reagent for the qualitative analysis of some organic compounds on thin-layer plates (101) 155
Sugars, amino
LC of organic compounds on ion-exchange resins (102) 57
Sulfinpyrazone
Determination of --- in serum by high-performance LC (104) 165
Sulfo-phospho-vanillin
Use of --- to quantitate unsaturated neutral lipids in TLC (107) 420
Sulfoxides
Chromium trioxide–acetic acid as a spray for organosulfur compounds (104) 228
Sulphadiazine
Construction and evaluation of a scanning thin-layer single-disc multi-slot phosphorimeter (103) 15
Sulphamerazine
Construction and evaluation of a scanning thin-layer single-disc multi-slot phosphorimeter (103) 15
Sulphamethazine
Construction and evaluation of a scanning thin-layer single-disc multi-slot phosphorimeter (103) 15
Sulphides
Separation of pairs of *cis*- and *trans*-isomers of unsaturated sulphur compounds by GC on graphitized carbon black (104) 409
Sulphides
Separation of poly--- by TLC (107) 393
Sulphonamides
Determination of --- by electron-capture GC. Preparation and properties of perfluoroacyl and pentafluorobenzyl derivatives (107) 327
Sulphonamides
TLC of --- on silica gel G and polyamide layers by means of a polar mobile phase (106) 349
Sulphones
Separation of pairs of *cis*- and *trans*-isomers of unsaturated sulphur compounds by GC on graphitized carbon black (104) 409
Sulphonic cation-exchange resin
Effect of cross-linking of a --- and effect of temperature on the chromatographic separation of isomers of dinitrobenzene (102) 197
Sulphonylethenes
Separation of pairs of *cis*- and *trans*-isomers of unsaturated sulphur compounds by GC on graphitized carbon black (104) 409
Sulphur compounds, unsaturated
Separation of pairs of *cis*- and *trans*-isomers of --- by GC on graphitized carbon black (104) 409
Sulphur hexafluoride
Measurement of --- with a Beckman electron capture detector in pulmonary clearance (108) 222
Sulphur hexafluoride
Rapid GC determination of --- in air (108) 219

Support
Preparation and properties of porous layer open tubular borosilicate and soda-glass columns possessing a permanently fixed --- layer (101) 271
Support
Ultra-micro TLC on a cylindrical --- (107) 81
Support material
Glass micro-beads treated with sodium dodecylbenzenesulphonate as a GC --- (106) 103
Support materials, geometrical properties
Influence of the --- on the performance of an extraction chromatographic system. I. Variation of the total capacity and the distribution coefficient of Eu^{3+} in the HDEHP–SiO_2–HCl system as a function of the pore size of the support materials (matrices) (110) 239
Support materials, geometrical properties
Influence of the --- on the performance of an extraction chromatographic system. II. Variation in the exchange kinetics of Eu^{3+} in the HDEHP–SiO_2–HCl system as a function of the pore size of the support materials (matrices) (110) 253
Support material effects
--- in GC analyses of organophosphorus compounds (106) 385
Surfactants
Improvement in accuracy in the GLC determination of the molecular-weight distribution of polyoxyethylene non-ionic --- (108) 183
Swelling of ion exchangers
Selective --- in mixed solvents and the effect of swelling on the sorption of ions (102) 203

T

Technetium-labelled compounds
Gel chromatography column scanning for the analysis of ^{99m}Tc-labelled compounds (101) 315
Tellurate exchangers
Preparation of some new inorganic ion exchangers (102) 105
Temperature distribution
Radial --- in isotachophoresis columns of circular cross-section (101) 1
Temperature distributions
Transverse --- in isotachophoresis columns of rectangular cross-section (107) 43
Temperature gradients
Electrophoretic thermal theory. I. --- and their effects (109) 209
Temperature gradients
Electrophoretic thermal theory. II. Steady-state radial --- in circular section columns (109) 218
Temperature gradients
Electrophoretic thermal theory. III. Steady-state --- in rectangular section columns (109) 225
Tenax®
Preliminary results on the use of --- for the extraction of pesticides and polynuclear aromatic hydrocarbons from surface and drinking waters for analytical purposes (106) 119
Tenuazonic acid
GC analysis of the *Alternaria* metabolite, --- (101) 222
Terbutryne
Two methods for estimating --- residues in water using HPLC and GLC with a conductivity detector (104) 211
Terephthalate esters
GLC of silylated glycols and --- (108) 79
Terpenes
Hydrogenolysis of --- in the injection port of a gas chromatograph. II. Sesquiterpenes (106) 369
Terpenes
Spray reagent for the detection of --- derivatives on thin-layer plates (105) 193
Terpenoids
GLC of carotenoids and other --- (103) 327
Terpenols
GLC of carotenoids and other terpenoids (103) 327
Testosterone
Fluorimetric determination of --- on Al_2O_3 by TLC separation of the trimethylsilyl ether derivatives (110) 125
Tetracyclines
Separation of --- by high-speed LC (110) 103
Δ^9-Tetrahydrocannabinol
Detection of lysergic acid diethylamide, --- and related compounds by plasma chromatography (105) 345
Tetrahydroisoquinolines
In situ spectrofluorimetric estimation of substituted --- by TLC separation and oxidation to the dihydroisoquinolinium derivatives (104) 217
3-(2,4,5,7-Tetranitrofluorenimino)-propyldiethoxysiloxane
--- – a highly selective, bonded π-complexing phase for HPLC (108) 85
1,3,5,7-Tetranitro-1,3,5,7-tetraazacyclooctane
Determination of --- in microgram quantities (103) 182
Tetrasulfur dinitride
Chromatographic preparation of high-purity solutions of --- (110) 202
Thallium(III)
Complexes of organometallic compounds. XLI. Anion-exchange PC of organo--- cyanides (101) 89
Theophylline
GLC determination of --- in human plasma (104) 147
Theophylline
HPLC assay of --- in biological fluids (101) 169

Thermal conductivity detector
Application of a --- with constant filament temperature to GC with a heavy carrier gas (104) 311
Thermal conductivity detector
Rapid determination of response factors for the GC --- (103) 180
Thermal energy analyzer
Principle of operation of the --- for the trace analysis of volatile and non-volatile N-nitroso compounds (107) 351
Thermionic detector
Determination of amino acids by GLC with the nitrogen-sensitive --- (101) 51
Thermocouple detector
Dual flame --- for GC (104) 47
Thermodynamic properties of solute molecules
--- at infinite dilution determined by GLC. I. Intermolecular energies of *n*-alkane solutes in C_{28}–C_{36} *n*-alkane solvents (105) 265
Thermodynamic properties of solute molecules
--- at infinite dilution determined by GLC. II. Interaction energies of contact pairs of methyl and methylene segments (105) 273
Thermodynamic study
--- of a liquid crystal as a liquid phase in GLC. II. A cholesteric liquid crystal (107) 317
Thiabendazole
Quantitative routine determination of --- by fluorimetric evaluation of thin-layer chromatograms (109) 181
Thiamine pyrophosphate
Improved bioautographic procedure for the detection of --- or its pyrimidine precursors (108) 216
Thin-layer chromatograms
New method for the quantitative evaluation of --- (103) 279
Thin-layer chromatographic data
Computerized storage of --- and PC data (110) 398
Thin-layer chromatography
Theory of ---. Effect of the structure of the adsorption layer on spreading of spots (107) 265
2-Thiobarbituric acid
--- as a reagent for the detection of meconic acid by TLC (110) 190
Thiocyanate solutions
Use of aqueous --- in liquid–liquid extraction and reversed-phase extraction chromatography (102) 309
Thiodiamines
IEC of some --- (108) 391
Thioethenes
Separation of pairs of *cis*- and *trans*-isomers of unsaturated sulphur compounds by GC on graphitized carbon black (104) 409
Thionates
Apparatus for high-voltage ionophoresis in temperature gradients (108) 53
Thionicotinamide
Separation behaviour of nicotinamide and --- derivatives on Dowex 1-X8 (106) 418
Thiosulphate
Thiomercurimetric determination of --- and polysulphanedisulphonates on pherograms (105) 424
Thioureas
TLC of isothiocyanates and --- (105) 186
Thorium phosphate ion exchanger
Studies on ---. I. Synthesis, properties and ion-exchange behaviour of thorium phosphate (101) 63
Thorium phosphate ion exchanger
Studies on ---. II. Distribution coefficient measurements and selective ion-exchange separations of some metal ions (101) 73
Thymine
Interaction of amino acids, N-acetyl amino acid esters, --- and adenine with Sephadex LH-20 gel (106) 23
Thyronine
Artefact in the chromatography of L-3,3',5-triiodo--- (104) 474
Thyronines
Behavior of iodo--- in an isoelectric focusing system (106) 225
Titanium
Application of ligands with sulphonic groups to the separation of metal ions on strongly basic anion exchangers (102) 385
Tobacco
Determination of some N-nitrosamines of --- alkaloids by reaction chromatography (109) 425
Tobacco smoke
Separation of fresh --- on a packed polar GC column prior to on-line analysis by GC–MS using a non-polar capillary column (106) 59

Transactinides
Thermochromatography of bromides. A proposed technique for the study of --- chemistry (103) 77
Transition metal halides
Evidence of interactions of organic sorbates with --- in GSC using thermodynamics and IR studies (101) 39
Triazine
Identification and determination of --- and diazine herbicides in water by TLC (106) 405
Tricarboxylic acid cycle organic acids
Further studies of practical high-speed LC separations of --- and carbohydrates (108) 385
Trichloroethanol
Determination of --- at therapeutic and overdose levels in blood and urine by electron capture GC (107) 107
N-Tridecyl-2,6-dimethylmorpholine
Isolation and structure determination of two diastereoisomers of --- (Tridemorph) (108) 207
Tridemorph
Isolation and structure determination of two diastereoisomers of N-tridecyl-2,6-dimethylmorpholine (---) (108) 207
Triglycerides
Determination of glycerides by densitometry (110) 157
α,β,β′-Trihydroxyisobutyramide
Application of ion-exclusion and ion-exchange techniques in preparing --- and α,β,β′-trihydroxyisobutyric acid from 1,3-dihydroxy-2-propanone via the cyanohydrin synthesis (107) 167
α,β,β′-Trihydroxyisobutyric acid
Application of ion-exclusion and ion-exchange techniques in preparing α,β,β′-trihydroxyisobutyramide and --- from 1,3-dihydroxy-2-propanone via the cyanohydrin synthesis (107) 167
L-3,3′,5-Triiodothyronine
Artefact in the chromatography of --- (104) 474
Trilafon
Determination of perphenazine and its sulphoxide metabolite in human plasma after therapeutic doses by GC (109) 259
Trimethyllysine
CC separation of N^G,N^G-dimethylarginine, N^G,N'^G-dimethylarginine, N^G-monomethylarginine, N^ϵ-monomethyllysine, N^ϵ-dimethyllysine and N^ϵ---- (107) 389
Trinitrotoluene
Continuous --- process studies. V. LC analysis of nitration acids (108) 365
Triolein
Relationships between densitometric peak areas and concentration of lipids in the quantitative analysis of a lipid mixture separated by TLC (104) 123
Trisaccharides
TLC method for the identification of mono-, di- and --- (107) 224
Triterpene monohydroxyalcohol esters
GLC separation of --- (103) 376
Triton X-100
Separation of --- and similar mixtures into component oligomers by HPLC (110) 151
tRNA
ω-Aminohexyl-Sepharose 4B, a new support for --- fractionation (103) 364
tRNA
Simple and rapid procedure for desalting nucleotide-containing solutions (101) 228
$tRNA^{Lys}$
Thermal chromatography of lysine-specific transfer ribonucleic acid from *Escherichia coli* B (103) 355
Tropolone-TMS ethers
GLC of some --- (107) 388
Tryptophan
Interaction of amino acids, N-acetyl amino acid esters, thymine and adenine with Sephadex LH-20 gel (106) 23
Tryptophan
New approach for obtaining total --- recovery in plasma samples deproteinized with sulphosalicylic acid (104) 297
Tryptophan
Simple buffer gradients for the chromatography of amino acids, including ---, on a single-column Technicon analyser (104) 178
Tryptophan
Quantitation of --- metabolites in rat feces by TLC (105) 323
Tryptophan
Quantitative determination of indolic compounds in the rat brain using *p*-dimethylaminocinnamaldehyde as reagent (109) 313
Tyramine
Rapid derivatization of 3-methoxy---, normetanephrine and metanephrine to trimethylsilyltrifluoroacetyl derivatives for GC analysis (106) 440

Tyrosine

Improved technique for the analysis of amino acids and related compounds on thin layers of cellulose. X. The characterization of some methionyl, phenylalanyl, tyrosyl and other peptides by TLC and IEC (104) 141

U

Ultra-micro thin-layer chromatography
--- on a cylindrical support (107) 81
Uranium
Countercurrent elution of ---(VI) and iron(III) from an anion-exchange resin (102) 433
Uranium
Elution of --- from an anion-exchange resin by extraction with an organic extractant in the presence of an aqueous phase (102) 429
Uric acid
GC and characterization of tetraethyl derivatives of --- (110) 182
Urine analyses
Comparative serum and --- by dual-detector anion-exchange chromatography (104) 303
Urine screening program
Comparison of costs for testing a wide variety of drugs of abuse per urine specimen in a drug abuse --- and frequent urine collections (109) 149
Uronic acids
Liquid ion exchangers in PC of steroidal glucosid---, glucosiduronic esters and free steroids. Influence of concentration of exchanger and counterion (108) 23

V

Vanadium pentoxide
--- as a chromogenic spray reagent for the qualitative analysis of some organic compounds on thin-layer plates (101) 155
Vanillin
Use of sulfo-phospho--- to quantitate unsaturated neutral lipids in TLC (107) 420
Vapour pressure
Influence of --- and activity coefficients on the retention volumes of branched-chain alkanes (107) 1
Vasodilator
Determination of a new cerebral --- 2,6-dimethyl-4-(3-nitrophenyl)-1,4-dihydropyridine-3,5-dicarboxylic acid 3-[2-(N-benzyl-N-methylamino)]-ethyl ester 5-methyl ester hydrochloride (YC-93) in plasma by electron capture GC (110) 301
p-Vinylbenzeneboronic acid polymers
--- for separation of vicinal diols (104) 57
Vinyl chloride
Simple, sensitive determination and identification of --- by GC with a Hall detector (109) 439
Visualization reagent for drugs
Universal TLC --- (105) 415
Vitamins
Vanadium pentoxide as a chromogenic spray reagent for the qualitative analysis of some organic compounds on thin-layer plates (101) 155
Vitamin K_3
GC–MS investigation of the photoepoxidation of --- (110) 178
Volatile oils
Microcolumn chromatography as an aid to the GC analysis of --- (106) 392

W

Water
Identification and determination of triazine and diazine herbicides in --- by TLC (106) 405
Water
Organic substances in potable --- and in its precursor. III. Closed-loop stripping procedure compared with rapid liquid extraction (106) 299
Water
Preliminary results on the use of Tenax® for the extraction of pesticides and polynuclear aromatic hydrocarbons from surface and drinking waters for analytical purposes (106) 119
Water pollution
Removal of organic matter with a weakly basic macroreticular ion-exchange resin (103) 259
Water purification
PURIWAT® apparatus. A system of ion-exchange celluloses for the production of high-purity water (102) 409
Wood
Detection of organic solvent preservatives in --- by TLC (110) 37

X

Xylenols
GLC and TLC determinations of ---
in microbial extracts (106) 235

Y

YC-93

Determination of a new cerebral vasodilator 2,6-dimethyl-4-(3-nitrophenyl)-1,4-dihydropyridine-3,5-dicarboxylic acid 3-[2-(N-benzyl-N-methylamino)]-ethyl ester 5-methyl ester hydrochloride (---) in plasma by electron capture GC (110) 301

Z

Zeolites, synthetic
Mobility of cerium ions in --- (102) 95
Zinc
Protein binding of cadmium, --- and copper in environmentally insulted limpets *Patella vulgata* (104) 457
Zirconium
Application of ligands with sulphonic groups to the separation of metal ions on strongly basic anion exchangers (102) 385
Zirconium phosphate
Recent progress in the field of synthetic inorganic exchangers having a layered or fibrous structure (102) 5